

GenCore version 5.1.1.8
Copyright (c) 1993 - 2006 Bioceleration Ltd.

protein - nucleic search, using frame_plus_p2n model

n on: May 31, 2006, 22:52:13 ; Search time 9316.63 Seconds
(without alignments)
5096.366 Million cell updates/sec

tle: US-10-048-116B-2
rfect score: 2660
quence: 1 MPCSALLIGVLAATMLSL.....VHEGLNHHHTKPSRTTCK 495

oring table: BLOSUM62
Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

arched: 6366136 seqs, 31973710525 residues

tal number of hits satisfying chosen parameters: 12732272

nimum DB seq length: 0

ximum DB seq length: 2000000000

st-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

mmand line parameters: -DEV=xlh

DEL=frame+ p2n.model -DEV=xlh
=/abs/ABSSWEB spool/US10048116/runat_31052006_110045_25595/app_query.fasta_1
3=GenEmbl -QFMT=fastap -SUFFIX=p2n.rge -MINMATCH=0.1 -LOOPCL=0 -LOOPEXT=0
NITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
CALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
JTFMT=ptc -NORM=ext -HEAPSIZ=500 -MINLEN=0 -MAXLEN=2000000000 -HOST=abs04
SER=US10048116 @CGN 1 1 5767 @runat_31052006_110045_25595 -NCPU=6 -ICPU=3
MAP -NEG_SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG -DEV TIMEOUT=120
ARN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6 -FGAPEXT=7
GAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

tabase :

GenEmbl.*

1: gb_env.*
2: gb_pat.*
3: gb_ph.*
4: gb_pl.*
5: gb_pr.*
6: gb_ro.*
7: gb_ats.*
8: gb_sy.*
9: gb_un.*
10: gb_vi.*
11: gb_ov.*
12: gb_hcg.*
13: gb_in.*
14: gb_on.*
15: gb_ba.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

sult No.	Score	Query	Length	ID	Description
1	2655	99.8	1484	2	AX081280 Sequence
2	1924.5	72.3	1446	2	BD137962 Monovalen
3	1332	50.1	7528	2	AX080953 Sequence

4	1328.5	49.9	3973	2	CQ897414	CQ897414 Sequence
5	1324.5	49.8	1581	2	A78881	A78881 Sequence 1
6	1324.5	49.8	1581	6	MIWGH2AA	X70423 M.musculus
7	1320.5	49.6	1341	2	I07390	I07390 Sequence 4
8	1320.5	49.6	1570	2	BD057272	BD057272 Gene enco
9	1320.5	49.6	1570	6	AB097847	AB097847 Mus muscu
10	1320	49.6	1407	2	CS125905	CS125905 Sequence
11	1320	49.6	1407	2	CS126190	CS126190 Sequence
12	1319.5	49.6	1401	2	CS138860	CS138860 Sequence
13	1318.5	49.6	990	6	MM0294738	AJ234738 Mus muscu
14	1318.5	49.6	1095	6	MMTGG6	V00798 Mouse mRNA
15	1318.5	49.6	1407	6	AF466698	AF466698 Mus muscu
16	1318.5	49.6	1570	2	A22261	A22261 M.musculus
17	1318.5	49.6	1570	2	AR029102	AR029102 Sequence
18	1318.5	49.6	1570	2	AR409372	AR409372 Sequence
19	1318.5	49.6	1570	2	AR559698	AR559698 Sequence
20	1317.5	49.5	6729	2	AX080954	AX080954 Sequence 6
21	1317.5	49.5	1570	2	A77138	A77138 Sequence 6
22	1306.5	49.1	1410	6	MM0421677	AJ421677 Mus muscu
23	1303	49.0	1631	6	BC108375	BC108375 Mus muscu
24	1302	48.9	1593	6	BC018535	BC018535 Mus muscu
25	1299.5	48.9	1639	6	BC080671	BC080671 Mus muscu
26	1298.5	48.8	1620	6	BC003888	BC003888 Mus muscu
27	1298.5	48.8	1658	6	BC031470	BC031470 Mus muscu
28	1298	48.8	1639	6	BC092271	BC092271 Mus muscu
29	1296.5	48.7	1573	6	BC018280	BC018280 Mus muscu
30	1296.5	48.7	1584	6	BC003878	BC003878 Mus muscu
31	1296	48.7	1609	6	BC057672	BC057672 Mus muscu
32	1291.5	48.6	1608	6	BC094467	BC094467 Mus muscu
33	1287.5	48.4	1568	2	E33134	E33134 Humanized a
34	1284	48.3	1194	2	BD022360	BD022360 Multi-fun
35	1284	48.3	1194	2	AR772536	AR772536 Sequence
36	1280.5	48.1	1473	2	CQ889913	CQ889913 Sequence
37	1280.5	48.1	1473	2	CQ889975	CQ889975 Sequence
38	1280	48.1	1045	2	CQ806515	CQ806515 Sequence
39	1278	48.0	1131	2	BD022361	BD022361 Multi-fun
40	1278	48.0	1131	2	AR772537	AR772537 Sequence
41	1275	47.9	1108	2	CQ806531	CQ806531 Sequence
42	1275	47.9	1108	2	CQ806532	CQ806532 Sequence
43	1275	47.9	1461	2	AR577144	AR577144 Sequence
44	1275	47.9	1461	2	AR280226	AR280226 Sequence
45	1272	47.8	729	2	AR650819	AR650819 Sequence

ALIGNMENTS

RESULT 1	AX081280	AX081280	Sequence 1 from Patent WO0109194.	1484 bp	DNA	linear	PAT 27-FEB-2001
LOCUS	AX081280	Sequence 1 from Patent WO0109194.					
DEFINITION	AX081280	Sequence 1 from Patent WO0109194.					
ACCESSION	AX081280	Sequence 1 from Patent WO0109194.					
VERSION	AX081280.1	GI:13170129					
KEYWORDS		synthetic construct					
SOURCE		other sequences; artificial sequences.					
ORGANISM		1					
REFERENCE		Glaichenhaus, N. and Malherbe, L.					
AUTHORS		Recombinant proteins and molecular complexes derived therefrom,					
TITLE		analogous to molecules involved in immune responses					
JOURNAL		Patent: WO 0109194-A 1 08-FEB-2001;					
FEATURES		CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE (CNRS) (PR)					
source		Location/Qualifiers					
		1. .1484					
		/organism="synthetic construct"					
		/mol_type="unassigned DNA"					
		/db_xref="taxon:32630"					
		1. >1482					
		/note="unnamed protein product; ligation de fragments d'ADN"					
		/codon_start=1					
		/transl_table=11					
		/protein_id="CAC33122.1"					

```

/db_xref="GI:13170130"
/translation="MPCSRALITGLVALNTMLSCGGSDDEADHVGFGYFTTVYQSPG
DIGQVTHFEDDELFDVDDKKTKTWRUPFEGQLLPEFGQLNIARKEKNGILTK
RSNFTPAENPAQATVPKPSVLLGQPNLILCFVDNIIPPVINITLWLNRSKSVTDGVY
ETSELVNRDHFHKLKSLYITFIPSSDDDDIDCKVERHGLSEPVLKHEPEIPAPMSBELTE
TGGGSGTAPASQAQLKELOALEKNAQLEWELQALEKAQASPEPRGPTIKPCPPCK
CPANLLGDSYVFIFFPKIKDVLMSLSPIVTVCVDDSDDEDDPDVQISWFFNNVEVHT
AQOTVHRDYSNLTARVAGALPIHQDMMSGKFEKCKNNKDLPAPIERTISKPKGSVR
APQVTVLPPEEEMTKQVTLTCMVTDFMPEDIVYEMTNNGKTELNYKNTPEVLDSDG
SYFMYSKLRVEKKNWERNYSYCSVVHGLEHNHHTTKFSRTPG"

```

GIN

gment Scores:

d. No.: 1,046-257 Length: 1484
 re: 2655.00 Matches: 494
 cent Similarity: 100.0% Conservative: 0
 t. Local Similarity: 100.0% Mismatches: 0
 ry Match: 99.8% Indels: 0
 2 Gaps: 0

10-048-116B-2 (1-495) x AX081280 (1-1484)

```

1 MetProCysSerArgAlaLeuIleLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
1 ATGCCGTCGACGAGAGCTCTGATTCTGGGGGTCCTCGCCCTGAACACCATGCTCAGCCTC 60
21 CysGlyGlyLeuAspAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
61 TCGGAGGTGAACAGACATTGAGGCCGACACGATGAGCTTCATGTTGACCACTGTTTAT 120
41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
121 CAGTCTCCTGGAGACATTGGCCAGTACACACATGAATTTGATGGTGATGATGTTCTAT 180
61 ValAspLeuAspLysLysThrValTyrArgLeuProGluPheGlyGlnLeuIleLeu 80
181 GTGGACTTGGATPAAGAGAAACTGCTCTGGAGGCTTCTCGATTTTGGCCAAATTGATATC 240
81 PheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeu 100
241 TTTGAGCCCCAAGGTGGACTGCMAAACATAGCTGCAGAAAACACACACTTGGGAATCTTG 300
101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
301 ACTAAGAGGTCAAAATTTACCCCGAGTACCAATGAGGCTCTCCCAAGCGACTGTGTTCGCC 360
121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
361 AAGTCCCCCTGCTGCTGGGTGAGCCCAACACCCCTATCTGCTTTGTGGCAACATCTTC 420
141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
421 CCACCTGTGATCAACATCACATGGCTCAGAAATAGCAAGTCAGTCACAGAGCGGCTTAT 480
161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrIleuThrPhe 180
481 GAGACGAGCTTCCTCGTCAACCGTGACCATTCCTTCCCAAGAGCTGCTTATCTCACCTTC 540
181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluLeuPro 200
541 ATCCCTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCTTGAGGAGCGG 600
201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThrGly 220
601 GTTCTGAACACTGGGAACCTGAGATTCCAGCCCCCATGTACAGCTGACAGAACTGGA 660
221 GlyGlyGlySerThrThrAlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGlu 240
661 GGTGAGGAGTCCACTACAGCTCCATCAGCTCAGCTCGAAAAAGAGCTCCAGGCCCTGGAG 720
241 LysGluAsnAlaGlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeuAlaGlnAla 260
721 AAGGAAAAATGCACAGCTGGAATGGGAGTTGCAAGCACTGGAAAAAGAACTGGCTCAGGCA 780

```

```

QY 261 AlaSerGluProArgGlyProThrIleLysProCysProCysLysCysPheProAlaPro 280
Db 781 GCATCTGAGCCAGAGGGCCCAACATCAAGCCCTGTCTCTCCATGCAAAATGCCAGCACCT 840
QY 281 AsnLeuLeuGlyGlyProSerValPheIlePheProProLysIleLysAspValLeuMet 300
Db 841 AACCTCTTGGGTGAGCACTCGCTTCTCATCTTCCTCCAAAGATCAAGGATGTACTCATG 900
QY 301 IleSerLeuSerProIleValThrCysValValValAspValSerGluAspAspProAsp 320
Db 901 ATCTCCCTGAGCCCATAGTCACATGTGTGGTGGTGGATGTGAGCGAGGATGCCACAT 960
QY 321 ValGlnIleSerTrpPheValAsnValGluValHisThrAlaGlnThrGlnThrHis 340
Db 961 GTCCAGATCAGCTGGTTTGTGAACAACGCTGGAAGTACACACAGCTCAGACACAAACCAT 1020
QY 341 ArgGluAspTyrAsnSerThrLeuArgValValSerAlaLeuProIleGlnHisGlnAsp 360
Db 1021 AGAGAGGATTACAACAGTACTCTCCGGGTGGTCTAGTGCCTCCCATCCACACACGAGAC 1080
QY 361 TrpMetSerGlyLysGluPheLysCysLysValAsnAsnLysAspLeuProAlaPhe 380
Db 1081 TGGATGAGTGGCAGGAGTTCAAATGCAGGTCAACACAAAGACCTCCAGCGCCCATC 1140
QY 381 GluArgThrIleSerLysProLysGlySerValArgAlaProGlnValTyrValLeuPro 400
Db 1141 GAGAGAACCATCTCAAAACCCAAAGGGTCAGTAAGAGCTCCACAGGTATATGTCTTGCT 1200
QY 401 ProGluGluGluMetThrLysLysGlnValThrLeuThrCysMetValThrAspPhe 420
Db 1201 CCACCAAGAAGAAGATGACTAAGAAACAGGTCTCTGACCTGCTGATGGTGGTGGTGGT 1260
QY 421 MetProGluAspIleTyrValGluTyrThrAsnAsnGlyLysThrGluLeuAsnTyrLys 440
Db 1261 ATGCTGTGAGACATTTACGTGGAGTGGACCAACACGGAAGAAACAGAGCTAAACTACAAG 1320
QY 441 AsnThrGluProValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeuArgVal 460
Db 1321 AACACTGAACAGCTCTGGACTCTGATGGTTCTTACTTCAATGTACAGCAAGCTGAGAGTG 1380
QY 461 GluLysLysAsnTrpValGluArgAsnSerTyrSerCysSerValValHisGluGlyLeu 480
Db 1381 GAAAGAAGAACTCGGTGGGAAAGAAATAGCTACTCTCTGTTCAAGTGGTCCACGAGGGCTG 1440
QY 481 HisAsnHisThrThrLysSerPheSerArgThrProGly 494
Db 1441 CACAACTCACACACAGACTNAGAGCTTCTCCGGACTCCGGGT 1482

```

RESULT 2

BD137962

LOCUS

DEFINITION

1446 bp DNA linear

PAT 18-SEP-2002

Monovalent MHC-binding domain fused proteins and conjugates,

polyvalent MHC-binding domain fused proteins and conjugates,

polymer MHC-binding domain fused proteins and conjugates, and

utilization thereof.

BD137962

BD137962.1

GI:23232907

JP 2002504342-A/7.

synthetic construct

other sequences; artificial sequences.

1 (bases 1 to 1446)

Wucherpfennig, K.W. and Strominger, J.L.

Monovalent MHC-binding domain fused proteins and conjugates,

polyvalent MHC-binding domain fused proteins and conjugates,

polymer MHC-binding domain fused proteins and conjugates, and

utilization

Patent: JP 2002504342-A 7 12-FEB-2002;

PRESIDENT AND FELLOWS OF HARVARD COLLEGE

OS Artificial Sequence

PN JP 2002504342-A/7

PD 12-FEB-2002

JOURNAL

COMMENT


```
JOURNAL Patent: WO 0109303-A 3 08-FEB-2001;
VICAL INCORPORATED (US)
FEATURES
    source
        1..7528
            Location/Qualifiers
                /organism="synthetic construct"
                /mol_type="unassigned DNA"
                /db_xref="taxon:32630"
                /note="cDNA"
GIN
Segment Scores:
    d. No.: 4,04e-123 Length: 7528
    re: 1332.00 Matches: 290
    cent Similarity: 64.8% Conservative: 42
    t. Local Similarity: 56.6% Mismatches: 89
    ry Match: 50.1% Indels: 92
        2 Gaps: 15
:0-048-116B-2 (1-495) x AX080953 (1-7528)
10 GlyValLeuAlaLeuAsnThrMetLeuSerLeu---CysGlyGlyGluAspIleGlu 28
|||||
1322 GGACTGTTGAAGCCTTCGGAGACCTGTGCTCCCTACCTCGCGT-----GTTTATGGT 1372
29 AlaAspHisValGlyPheTyrGlyThrThrValTyrGlnSerProGlyAsp----- 45
|||||
1373 GGGTCCTTCAGTGGTTACTACTGGAGCTGGATCCGCCAGCCGCCCGGGAAGGGCTGGAG 1432
46 ---IleGlyGlnTyrThrHis-----GluPheAspGlyAsp 56
|||||
1433 TGGATTGGGAAATCAATAGTAGTGAAGACCAACTAACACCCGCTCCCTCAAGAGTCGA 1492
57 GluLeuPheTyrValAspLeuAspIleGlyThrValTyrArgLeuProGlu----- 74
|||||
1493 GTCACCATATCAGTAGACGCTCCAAAGAGCAGCTCCCTCGAAGTTAGCTCTGTGAAAC 1552
75 -----PheGlyGlnLeuIleLeuPheGluProGlnGlyGlyLeu 87
|||||
1553 GCCGGGACACGGCTGTATTACTGTGCGAGAGTTATTACTAGGGCGAGTCTTGGCACA 1612
88 GlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeuThrLysArgSerAsnPheThr 107
|||||
1613 CACGGG-----AGGTACGGTATGGACGCTCTGGGGCCCAAGGACCAACCGTCAAG 1660
108 ProAlaThrAsnGluAlaProGlnAlaThrValPheProLysSerProVal----- 124
|||||
1661 GTCTCTCGGCCAANAACGGCCGCCATCGGTCTATCCACTGGCCCTGTGTGTGGAGAT 1720
125 LeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePheProValIle 144
|||||
1721 ACNAGTGGCTCTCGGTGACTTAGGATGCTGGTCAAGGGTTATTTCCTGAGCCAGTG 1780
145 AsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyrGluThrSerPhe 164
|||||
1781 ACCTTGACCTGG-----AATCTGGATCCCTGTGTCAGTGTGTGCACACCTTCCAGCT 1834
165 LeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPheIleProSerAsp 184
|||||
1835 GTCTGCGAGCTGAC-----CTCTACACCTCTCAGCAG-CTCAGT----- 1872
185 AspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluGluProValLeuLysHis 204
|||||
1873 -----GACTGTAACTCTGAGCAG-----CTGGCCGACCGCAGTC-----CAT 1908
205 TrpGluProGluIleProAlaProMetSerGluLeuThrGluThrGlyGlyGlyGly-Se 224
|||||
1909 TAC-----CTGCAATGTGGCCCAACCCCGGCAAG 1935
224 rThrThrAlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGluLysGluAsnAl 244
|||||
1936 CAGCACC-----AAGGTGGACAGAAATTT----- 1960
244 aGlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeuAlaGlnAlaAlaSerGluPr 264
|||||
```


Alignment Scores:

```

sd. No.:      3,68e-123      Length:      3973
           1328.50      Matches:      281
           65.0%      Conservative: 26
           59.5%      Mismatches: 71
           49.9%      Indels: 95
           2      Gaps: 11

-10-048-116B-2 (1-495) x CQ897414 (1-3973)

42 SerProGlyAspIleGly---GlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
|||||
1567 AATCTCGAGAGTGGTGGTACTAATGAGAGAGTTCAGGGCAAGGCAACTGACT 1626
|||||
61 ValAspLeuAspLysLysThrValTyrArgLeuProGluPhe----- 75
|||||
1627 GCAGACAAATCTCCAGCACTGCCTACATGCAGCTCAGCAGCTGACATCTGACTCT 1686
|||||
76 -----GlyGlnLeuIleLeuPheGluProGlnGlyLeu 87
|||||
1687 GCGGTCTATTCTGTCAGAGATGCTCCCTGGTTTGTCTTACTGGGCCAAGGGACTCTG 1746
|||||
88 GlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeuThrLysArgSerAsnPheThr 107
|||||
1747 GTCAGTGTCTCTGCAGCCAAA----- 1767
|||||
108 ProAlaThrAsnGluAlaProGlnAlaThrValPheProLysSerProVal----- 124
|||||
1768 -----ACAACAGCCCCA-----TCGGTCTATCCACTGGCCCTGTGTGGAGAT 1812
|||||
125 LeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePheProValIle 144
|||||
1813 ACAACTGGCTCTCGGTGACTTAGAGATGCTGGTCAAGGGTTATTTCCCTCAGCCAGTG 1872
|||||
145 AsnIleThrTyrLeuArgAsnSerLysSerValThrAspGlyValTyrGluThrSerPhe 164
|||||
1873 ACCTTGACCTGG-----AATCTGGATCCCTGTCCAGTGGTGGCAGACCTTCCAGCT 1926
|||||
165 LeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPheIleProSerAsp 184
|||||
1927 GTCTCTGAGTCTGAC-----CTCTACACCTCCAGCAG-CTCAGT----- 1964
|||||
185 AspAspIleTyrAspCysLysValGluHis-TrpGlyLeuGluGluProValLeuLysHis 204
|||||
1965 -----GACTGTAACTCGAGCACCTGG----- 1986
|||||
204 sTrpGluProGluIleProAlaProMetSerGluLeuThrGluThrGlyGlyGlyse 224
|||||
1987 -----CCAGCCAGTCCATCACC-----TGCAATGTGGC 2015
|||||
224 rThrThrAlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGluLysGluAsnAl 244
|||||
2016 CCACCCGGCAAGCAGCACCAAGGTGGACAAAGAAATT----- 2052
|||||
244 aGlnLeuGluTyrGluLeuGlnAlaLeuGluLysGluLeuAlaGlnAlaAspSerGluPr 264
|||||
2053 -----GAGCC 2057
|||||
264 aArgGlyProThrIleLysProCysProCysValCysCysProAlaProAsnLeuGlu 284
|||||
2058 CAGAGGGCCCAANTCAAGCCCTGTCTCCATGCAATGCCAGACCACTAATCTCTGGG 2117
|||||
284 yGlyProSerValPheIlePheProProLysIleLysAspValLeuMetIleSerLeuSe 304
|||||
2118 TGGACCATCCGCTTCTCATCTTCCCTCCAAAGATCAAGGATGACTCATGATCTCCCTGAG 2177
|||||
304 rProIleValThrCysValValValAspValSerGluAspAspProAspValGlnIleSe 324
|||||
2178 CCCCATAGTACATGTGTGTGGTGGATGTGAGCGGAGGATGCCAGATGTCAGATCAG 2237
|||||
324 rTyrPheValAsnValGluValHisThrAlaGlnThrAlaGlnThrHisArgGluAspTy 344
|||||

```

```

Db      2238 CTGGTTTGTGAACAACGTGGAGTACACACAGCTCAGACACAAACCCATAGAGAGATT 2297
QY      344 rAsnSerThrLeuArgValValSerAlaLeuProIleGlnHisGlnAspTyrMetSerG1 364
Db      2298 CAACAGTACTCTCCGGGTGGTCCAGTGCCTCCCAATCCAGCACCCAGGACTGGATGAGTGG 2357
QY      364 yLysGluPheLysCysLysValAsnAsnLysAspLeuProAlaProIleGluArgThrI1 384
Db      2358 CAGGAGTTCANATGCAAGGTCAACACAAAGACTCCAGCGGCCCATCGAGAGAACCAT 2417
QY      384 eSerLysProLysGlySerValArgAlaProGlnValTyrValLeuProProGluG1 404
Db      2418 CTCAAAACCCAAAGGTCAGTAAGAGCTCCACAGGTATATGTTCTTGCCTCCACCAAGA 2477
QY      404 uGluMetThrLysLysGlnValThrLeuThrCysMetValThrAspPheMetProGluAs 424
Db      2478 AGAGATGACTAAGAAACAGGTCACCTGACCTGCATGGTGCAGAGACTTTCATCCCTGAAGA 2537
QY      424 pIleTyrValGluTyrThrAsnAsnGlyLysThrGluLeuAsnTyrLysAsnThrGluPr 444
Db      2538 CATTTACGTGGAGTGGACCAACACGGGAACACAGACTTAACACTACAGACACTGAACC 2597
QY      444 oValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeuArgValGluLysLysAs 464
Db      2598 AGTCTGACCTCTGATGTTCTTACTTTCATGTACAGCAAGCTGAGAGTGAAGAAAGAA 2657
QY      464 nTrpValGluArgAsnSerTyrSerCysSerValValHisGluGlyLeuHisAsnHisH 484
Db      2658 CTGGGTGGAAGAAATAGTACTCTCTGTTGAGTGGTCCACGAGGGTCTGCACAAATCACCA 2717
QY      484 sThrThrLysSerPheSerArgThrProGlyLys 495
Db      2718 CAGCACTAAGAGCTTCTCCGAGCTCCCGGTANA 2751

RESULT 5
LOCUS      A78881      1581 bp      DNA      linear      PAT 19-OCT-1999
DEFINITION Sequence 1 from Patent EP0556111.
ACCESSION  A78881
VERSION     A78881.1  GI:6090456
KEYWORDS   .
SOURCE      unidentified
            unidentified
ORGANISM    unclassified sequences.
REFERENCE   1 (bases 1 to 1581)
AUTHORS     Boulain,J. and Ducancel,F.
TITLE       HYBRID PROTEIN COMPLEXES, THEIR PROCESS OF PREPARATION, AND THEIR
            APPLICATIONS AS AN AGENT IN DIAGNOSTIC AND IN THE THERAPEUTIC FIELD
            OR AS A REAGENT RELEVANT IN MEDICAL APPROACHES
JOURNAL     Patent: EP 0556111-A 1 18-AUG-1993;
            COMMISSARIAT ENERGIE ATOMIQUE (FR)
FEATURES    Location/Qualifiers
            source          1..1581
                        /organism="unidentified"
                        /mol_type="unassigned DNA"
                        /db_xref="taxon:32644"
                        61..1470
                        /codon_start=1
                        /product="Immunoglobulin, Heavy Chain"
                        /protein_id="CAB58953.1"
                        /db_xref="GI:6090457"
            CDS              61..1470
                        /translation="MGWSMIFLLSLGTAGVHCOIQLOQSGPELVKPGASVKISCKAS
                        GYTFDYINVKQKPGGGLKWIHGYPSAGNTKYNENPKGKATLTVDTSSTAYMQL
                        SSLTSDYAVYFCAMGATATLIDYWGQTLTVSSAKTAPSTAPSLAPVPCGDTTGS
                        SVTLGLVKGYFPPEVLTWNSGLSGVHTFPFVQLQSLYTLSSSVTVTSVTPSQS
                        ITCNVHPASSTKVDKTPRGPTIKCPCKPCAPNLLGGPSVIFPPKIKVDLMIS
                        LSPITCVVVDVEDDPVQISWFNVNVEVHTAQTQTHREDYNSTLRVSKALPIQHD
                        WMSKEKCKNNKDLPAIERTISKPKGSVRAPQVYVLPPEBEMTKQVLTQMT
                        DFMEPIIVETWNNKTELANTPEVLDSGSPFMYSKLVRKVEKKNWERNYSYCSV
                        HEGLNHHHTTKSPSTPK"
            sig_peptide      61..117
            mat_peptide      118..477
                        /product="Immunoglobulin Variable Region"

```

[illegible]

```

/db_xref="taxon:10090"
/clone="No. 1"
/cell_line="M alpha 2-3"
/cell_type="hybridoma cells"
61..1470
CDS
/codon_start=1
/product="immunoglobulin heavy chain gamma 2a"
/protein_id="CAA4968.1"
/db_xref="GI:406253"
/translation="MGWSWIFLLSGTAGVHCQIQLOQSGPELVKPGASVKISKAS
GYTFDYINWYKPGQGLKWIYIPASGNKYNENFKGKATLIVTSSSTAMQL
SSLTSEDVAVYFPEAMGATALLDYWGQGTTLTVSSAKTAPSVPLAPCGDTGGS
SVTLGSLKGVYFPEAVTITWNSGSLSSGVHTPPAVLQSDLYTLSSSVTVTSWPSQS
ITCNVAHPSASTKVDKKEPRGPTIKPCPKCPAPNLLGSPVFIIPPDKVDLMIS
LSPVITCVVDVSDPDVQISWFNVNVEVHTAQTHREDNSTLRVVSALPIQHOD
WMSGKFKKVNKKDLPAPIERTISPKGSVRAPQVYVLPPEEEMTKKVTLTCTMT
DFMPDIIYVEWTNNGKLTNLYKNTPEVLDSDGSFMYSKLRVKKKNWVNRNSYSCSVV
HEGLHNHTTKSFSRTPGK"
61..117

```

```

sig_peptide
misc_feature

```

```

misc_feature

```

```

misc_feature

```

```

misc_feature

```

```

misc_feature

```

```

misc_feature

```

```

misc_feature

```

IGIN

ignment Scores:

```

sd. No.:      2,528-123      Length:      1581
cre:          1324.50      Matches:      286
rcnt Similarity: 65.4%      Conservative: 31
st Local Similarity: 59.0%      Mismatches: 81
ery Match:      49.8%      Indels:      89
:              6          Gaps:      11

```

-10-048-116B-2 (1-495) x MMIGHC2AA (1-1581)

```

34  PheTyrGlyThrValTyrGlnSerProGlyAsp-----IleGly----- 47
|||||
211 TACTATATAACTGGGTGAGCAGGAGCTGGACAGGACTTAATGATGGATGGATT 270
|||||
48  -----GlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
|||||
271 TATCCTGCAAGGGTAACTACTAAGTACAATGAGAACTTCAAGGCCAAGGCCACATTGACT 330
|||||
61  ValAspLeuAspLysLysLysThrValTyrArgLeu-----ProGluPhe 75
|||||
331 GTAGACACATCCTCCAGCACAGCCTTACATGCGAGCTCAGCAGCCTGACATCTGAGGACACT 390
|||||
76  GlyGlnLeuLeuLeuPheGluProGlnGlyLeuGlnAsnIleAlaAlaGluLysHis 95
|||||
391 GCTGT-CTATTCTGTGCAAGAGCTATGGGGCTAC-----GGCTAC 431
|||||
96  AsnLeuGlyIleLeuThrLysArg-SerAsnPheThrProAlaThrAsnGluAlaProGln 115
|||||
432 ACTTTTGACTACTCGGGCCAGGACCACTCTCACAGTCTCTCCAGCCAAACACAGC 491
|||||
115 nAlaThrValPheProLysSerProVal-----LeuLeuGlyGlnProAsnThrIle 132
|||||
492 CCCATCGTCTATCCACTGCGCCCTGTGTGTGGAGATACAACTGCTCCTCGGTGACTCT 551
|||||
132 uileCysPheValAspAsnIlePheProValIleAsnIleThrTrpLeuArgAsnSe 152
|||||
552 AGGATGCTGCTGCAAGGGTTATTCTCTGAGCCAGTGCCTTGACTGCTGG-----AATC 605
|||||
152 rlySerValThrAspGlyValTyrGlnThrSerPheLeuValAsnArgAspHisSerPh 172
|||||
606 TGGATCCCTGTCCTCAGTGGTGTGCACACCTTCCAGCTGCTGCTGAGTCTGAC-----CT 659

```

```

QY 172 eHisLysLeuSerTyrLeuThrPheIleProSerAspAspIleTyrAspCysLysVa 192
DB 660 CTACACCTCTCAGCAG-CTCAGT-----GACTGTAACT 691
QY 192 lGluHis-TRpGlyLeuGluGluProValLeuLysHisTrpGluProGluIleProAlap 212
DB 692 CGAGCAGCTGG-----C 703
QY 212 roMetSerGluLeuThrGluThrGlyGlyGlySerThrThrAlaProSerAlaGlnL 232
DB 704 CCAGCAGCTCCATCACC-----TGCAATGTGGCCACCAGCCGCAAGCAGCACAAGG 754
QY 232 euGluLysGluLeuGlnAlaLeuGluLysGluAsnAlaGlnLeuGluTTPGluLeuGlnA 252
DB 755 TGGACAGAAAT----- 768
QY 252 laLeuGluLysGluLeuAlaGlnAlaLaseGluProArgGlyProThrIleLysProC 272
DB 769 -----GAGCCACAGAGGGGCCACAAATCAAGCCCT 796
QY 796 yProProCysLysCysProAlaProAsnLeuLeuGlyGlyProSerValPheIlePheP 292
DB 797 GTCTCTCCATGCAATGCCAGCACCCTAACCCTCTGGGTGGACATCCGCTTTCATCTTCC 856
QY 292 roProLysIleLysAspValLeuMetIleSerLeuSerProIleValThrCysValValV 312
DB 857 CTCCAAAGATCAAGGATGATCTCATGATCTCCCTGAGCCCATATGATGATGATGATGATG 916
QY 312 alAspValSerGluAspAspProAspValGlnIleSerTrpPheValAsnAsnValGluV 332
DB 917 TGGATGTGAGCGAGGATGACCCAGATGTCAGATCAGCTGGTTTGTGAACAACGTTGAAG 976
QY 332 alHisThrAlaGlnThrGlnThrHisArgGluAspTyrAsnSerThrLeuArgValValS 352
DB 977 TACACAGCTCAGACACAAACCCATAGAGAGGATTACAAACAGTACTCTCCGGGTGGTCA 1036
QY 352 erAlaLeuProIleGlnHisGlnAspTrpMetSerGlyLysGluPheLysCysLysValA 372
DB 1037 GTGCCCTCCCATCCAGCAGGAGTGGATGATGGTGGCAAGAGTTCAANTGCAAGGTCA 1096
QY 372 snAsnLysAspLeuProAlaProIleGluArgThrIleSerLysProLysGlySerValA 392
DB 1097 ACAACAAAGAGCTGCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGGTCACTAA 1156
QY 392 rGAlaProGlnValTyrValLeuProProGluGluGluMetThrLysLysGlnValT 412
DB 1157 GAGCTCCACAGGTATATGTCTTGGCTCCACAGAGAGAGATGATGACTAAGAAACAGGTCA 1216
QY 412 hrLeuThrCysMetValThrAspPheMetProGluAspIleTyrValGluTTPThrAsnA 432
DB 1217 CTCTGACTGATGATGATGATGATGATGATGATGATGATGATGATGATGATGATGATGATG 1276
QY 432 snGlyLysThrGluLeuAsnTyrLysAsnThrGluProValLeuAspSerAspGlySerT 452
DB 1277 ACGGAAACAGAGCTAAACTACAGAACACTGAAACAGCTGAAACAGCTGCTGATGTTCTT 1336
QY 452 yrPheMetTyrSerLysLeuArgValGluLysLysAsnTrpValGluArgAsnSerTyrS 472
DB 1337 ACTTCATGTACAGCAAGCTGAGTGGGAAAAGAGAACTGGGTGGAAAAGAAATAGCTACT 1396
QY 472 erCysSerValValHisGluGlyLeuHisAsnHisThrThrLysSerPheSerArgT 492
DB 1397 CTGTTTCTAGTGTCCAGGAGGTCTGCAATTCACACAGCTAAGAGCTTCTCCCGA 1456
QY 492 hrProGlyLys 495
DB 1457 CTCGGGTAAA 1467

```

RESULT 7

107390

LOCUS

DEFINITION

ACCESSION

107390

Sequence 4 from Patent EP 0338767.

107390

linear

DNA

PAT 02-DEC-1994

```

>ION      I07390.1 GI:589918
>WORDS    Unknown.
>ACE      Unknown.
>GANISM   Unclassified.
>RENCE    1 (bases 1 to 1341)
>THORS    Beavers, L.S., Bumol, T.F., Gadeki, R.A. and Weigel, B.J.
>TLE      Novel recombinant and chimeric antibodies directed against a human
>          adenocarcinoma antigen
>JURNAL   Patent: EP 0338767-A2 4 25-OCT-1989;
>TURES    Location/Qualifiers
>         1. 1341
>         /organism="unknown"
>         /mol_type="unassigned DNA"
>GIN

Alignment Scores:
d. No.:      5,05e-123      Length:      1341
re:          1320,50      Matches:      269
cent Similarity: 73.2%      Conservative: 26
t Local Similarity: 66.7%      Mismatches: 45
ry Match:     49.6%      Indels: 64
                2      Gaps: 7

>:0-048-116B-2 (1-495) x I07390 (1-1341)
98 GlytLeuThrLysArg-SerAsnPheThrProAlaThrAsnGluAlaProGlnAlaTh 117
312 GGACTACTGGGGTCAAGAACGTCAGTCACCGTCTCTCCAGCCAAACCAACAGCCCATC 371
117 rValPheProLysSerProVal-----LeuLeuGlyGlnProAsnThrLeuileCy 134
:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
372 GGTCTATCCACTGGCCCTGTGTGGAGATACAACTGGCTCCTCGGTGACTCTAGGATG 431
134 sPheValAspAsnLeuPheProValIleAsnIleThrTrpLeuArgAsnSerLysSe 154
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
432 CCTGGTCAAGGTTATTTCCTCGAGCCAGTGACCTTGACCTGG-----AACTCTGGATC 485
154 rValThrAspGlyValTyrgluThrSerPheLeuValAsnArgAspHisSerPheHisLy 174
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
486 CCTGTCCAGTGGTGGACACACTTCCAGCTGCTCTCGACGCTGAC-----CTCTACAC 539
174 sLeuSerTyrgluThrPheIleProSerAspAspIleTyrgluCysLysValGluHi 194
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
540 CCTCAGCAG-CTCAGT-----GACTGTAACTCGAGCA 571
194 s-TrpGlyLeuGluGluProValLeuLysHisTrpGluProGluIleProAlaProMetS 214
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
572 CCTGG-----CCCAAGCC 583
214 erGluLeuThrGluThrGlyGlyGlySerThrThrAlaProSerAlaGlnLeuGluL 234
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
584 AGTCCATCACC-----TGCATGTGGCCCGCCGCGAAGCAGCAGCAGGTGGACA 634
234 ysGluLeuGlnAlaLeuGluLysGluAsnAlaGlnLeuGluTrpGluLeuGlnAlaLeuG 254
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
635 AGAAATTT----- 642
254 luLysGluLeuAlaGlnAlaLaserGluProArgGlyProThrIleLysProCysProp 274
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
643 -----GAGCCCGAGGGGCCCAACATCAAGCCCTGTCTCTC 676
274 roCysLysCysProAlaProAsnLeuGlyGlyProSerValPheIlePheProL 294
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
677 CATGCAATATGCCAGACACTAACCTCTTGGGTGGACCATCGCTCTCATCTTCCCTCCA 736
294 ysIleLysAspValLeuMetIleSerLeuSerProIleValThrCysValValAspV 314
737 AGATCAAGGATGTACTCATGATCTCTCCCTGAGCCCATAGTCACATGTGTGGTGGATG 796
314 alSerGluAspAspProAspValGlnIleSerTrpPheValAsnAsnValGluValHisT 334
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
797 TGAGCGAGGATGACCCAGATGTCCAGATCAGCTGGTGTGTGAACAACTGGAAGTACACA 856

```

```

QY      334 hrAlaGlnThrGlnThrHisArgLysAspTyrgluSerThrLeuArgValValSerAlaL 354
      857 CAGCTCAGACACAAACCCATAGAGAGATTAACAACAGTACTCTCCGGGTGGTCAAGTCCC 916
QY      354 euProIleGlnHisGlnAspTrpMetSerGlyLysGluPheLysCysLysValAsnLeuL 374
      917 TCCCATCCAGCACACCAGGACTGGATGAGTGGCAAGGAGTTCAATGCAAGGTCAACAACA 976
QY      374 ysAspLeuProAlaPheIleGluArgThrIleSerLysProLysGlySerValArgAlap 394
      977 AAGACCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGTCAGTAAGAGCTC 1036
QY      394 roGlnValTyrgluValLeuProProGluGluGluMetThrLysLysGlnValThrLeuT 414
      1037 CACAGGTATATGCTTGGCTCCACAGAGAAGAGATGACTAAGAAACAGGTCACTCTGA 1096
QY      414 hrCysMetValThrAspPheMetProGluAspIleTyrgluValGluTrpThrAsnGlyL 434
      1097 CTTGCATGGTCAACAGACTTTCATGCTGAAGACATTTTACGTGGAGTGGACCAACACGGGA 1156
QY      434 yethrGluLeuAsnTyrgluAsnThrGluProValLeuAspSerAspGlySerTyrgluPheM 454
      1157 AACAGAGCTAAACTACAGAACACTGAACAGCTCTGGACTCTGATGGTCTTACTTCA 1216
QY      454 etTyrgluSerLysLeuArgValGluLysLysAsnTrpValGluArgAsnSerTyrgluCys 474
      1217 TGTACAGCAAGCTGAGAGTGGAAAGAAAGAACTGGGTGGAAAGAAATAGCTACTCTGTT 1276
QY      474 erValValHisGluGlyLeuHisAsnHisHisThrThrLysSerPheSerArgThrProG 494
      1277 CAGTGGTCCAGCGGGTCTGCACAATCACCACAGCTCTGGACTCTGATGGTCTTCCGGAGTCCGG 1336
QY      494 lLys 495
      1337 GTAAA 1341

RESULT 8
BD057272 1570 bp DNA linear PAT 27-AUG-2002
LOCUS    Gene encoding antimetastatic monoclonal antibody.
DEFINITION
ACCESSION BD057272
VERSION    BD057272.1 GI:22602878
KEYWORDS   JP 2001275682-A/9.
SOURCE     synthetic construct
ORGANISM   synthetic construct
other sequences: artificial sequences.
REFERENCE 1 (bases 1 to 1570)
AUTHORS   Okawa, H., Nakata, M. and Yuasa, Y.
TITLE     Gene encoding antimetastatic monoclonal antibody
JOURNAL   Patent: JP 2001275682-A 9 09-OCT-2001;
          KANKYO MENKEI GIJUTSU KENKYUSYO KK
COMMENT    PN JP 2001275682-A/9
          PD 09-OCT-2001
          PF 31-MAR-2000 JP 2000098323
          PI HIDEO OKAWA, MASANOBU NAKATA, YOJIRO YUASA
          PC C12N15/09, C07K16/44, C12N1/15, C12N1/19, C12N1/21, C12N5/10, C12P21/
          02, C12P21/08/(C12N1/21, C12R1:19), (C12P21/02, C12R1:19), C12N15/00,
          PC C12N5/00
          CC
FEATURES             Location/Qualifiers
     source           1..1570
                     /organism="synthetic construct"
                     /mol_type="genomic DNA"
                     /db_xref="taxon:32630"
ORIGIN
Alignment Scores:      6,32e-123      Length:      1570
Pred. No.:            1320,50      Matches:      272
Score:

```

Percent Similarity: 70.7% Conservative: 22
 at Local Similarity: 65.4% Mismatches: 42
 try Match: 49.6% Indels: 81
 : 2 Gaps: 9

-10-048-116B-2 (1-495) x BD057272 (1-1570)

```

84 GlnGlyGlyLeuGlnAsnIleAlaGluLysHisAsnLeuGlyIleLeuThrLysArg 103
423 CARGGGAGCTCTGGTCACTCTCTGCGAGCCAAA----- 455
104 SerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPheProLysSerPro 123
456 -----ACACAGCCCA-----TCGGTCTATCCACTGCGCCCT 488
124 Val-----LeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
489 GTGTGTGGAGATACAACTGGCTCTCGGTGACTCTAGGATGCTGCTCAAGGGTTATTTC 548
141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
549 CTTGAGCAGTACCTTGACCTGG-----AACTCTGGATCCCTGTCCAGTGGTGTGCAC 602
161 GluThrSerPheLeuAsnArgAspHisSerPheHisLeuLeuSerTyrLeuThrPhe 180
603 ACCTTCCAGCTGCTCTGAGTCTGAC-----CTCTACACCTCAGCAG-CTCAGT--- 652
181 IleProSerAspAspAspIleTyrAspCysLysValGluHis-TrpGlyLeuGluGluPr 200
653 -----GACTGTAACTCGAGCAGCTGG----- 674
200 oValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThrGl 220
675 -----CCAGCCAGTCCATCACC----- 692
220 yGlyGlySerThrAlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGl 240
693 -TGCAATGTGCCCCAGCCAGCAGCAGCAGCAGTGGACAGAAAT- 740
240 uLysGluAsnAlaGlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeuAlaGlnAl 260
740 ----- 740
260 aAlaSerGluProArgGlyProThrIleLysProCysProProCysLysCysProAlaPr 280
741 -----GAGCCAGAGGCCACCAATCAAGCCCTGCTCTCATCAATGCAATGCCAGCACC 793
280 oAsnLeuLeuGlyGlyProSerValPheIlePheProProLysIleLysAspValLeuMe 300
794 TAACTCTTGGTGGACCATCTCGTCTTCTCTCTCCCTCAAGATCAAGGATGACTCAT 853
300 ileSerLeuSerProIleValThrCysValValValAspValSerGluAspAspProAs 320
854 GATCTCTCTGAGCCCATAGTCACATGTGTGTGGTGGATGAGCAGGAGTACCCAGA 913
320 pValGlnIleSerTrpPheValAsnAsnValGluValHisThrAlaGlnThrGlnThrHi 340
914 TGTCAGATCAGCTGGTTGTGAAACAAGTGGAGTACACAGCTCAGACACAAACCCA 973
340 eArgGluAspTyrAsnSerThrLeuArgValValSerAlaLeuProIleGlnHisGlnAs 360
974 TAGAGAGATTAACAAGTACTCTCGGGTGTGAGTCCCTCCCTCCATCCAGCAGCAGA 1033
360 pTrpMetSerGlyLysGluPheLysCysValAsnAsnLysAspLeuProAlaProIle 380
1034 CTGGATGAGTGGCAAGGAGTTCAAAATGCAAGGTCAACAAAGACCTCCAGCGCCCAT 1093
380 eGluArgThrIleSerLysProLysGlySerValArgAlaProGlnValTyrValLeuPr 400
1094 CAGAGAAACCATCTCAAAACCAAGGGGTGAGTAAGAGCTCCAGAGGTATATGCTTCC 1153
400 oProProGluGluGluMetThrLysLysGlnValThrLeuThrCysMetValThrAspPh 420

```

```

Db 1154 TCCACGACGAGAGAGATGACTTAAGAAACAGGTCACTCTGACCTGCATGGTCACAGACTT 1213
Qy 420 eMetProGluAspIleTyrValGluTrpThrAsnAsnGlyLysThrGluLeuAsnTyrIly 440
Db 1214 CATGCTGAAGACATTTTACGTGGAGTGACCAACACGGAACAGAGCTTAATCTACAA 1273
Qy 440 aAsnThrGluProValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeuArgVa 460
Db 1274 GAACACTGACAGCTCTGGACTCTGATGGTCTTACTTCTATGACGACAGCTGAGAGT 1333
Qy 460 lGluLysLysAsnTrpValGluArgAsnSerTyrSerCysSerValValHisGluGlyLe 480
Db 1334 GGAAGAAAGAACTGGGTGGAAAGAAATAGCTACTCTCTGTTTCAGTGGTCCACGAGGTCT 1393
Qy 480 uHisAsnHisHisThrThrLysSerPheSerArgThrProGlyLys 495
Db 1394 GCACAAATCACACAGCAGCTTAAGAGCTTCTCCGAGACTCCGGGTAA 1439

RESULT 9
AB097847 1570 bp mRNA linear ROD 08-APR-2003
LOCUS Mus musculus mRNA for immunoglobulin gamma-2a heavy chain, complete
DEFINITION cds, anti-malathion monoclonal antibody MLT2-23.
ACCESSION AB097847
VERSION AB097847.1 GI:26665399
KEYWORDS
SOURCE Mus musculus (house mouse)
ORGANISM Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
Sciurognathi; Muridae; Murinae; Mus.
REFERENCE
AUTHORS Nishi K., Imajuku Y., Nakata M., Ohde K., Miyake S., Morimune K.,
Kawata M. and Ohkawa H.
TITLE Molecular characteristics of the monoclonal and recombinant
antibodies specific to the insecticide malathion
JOURNAL Unpublished
REFERENCE
AUTHORS Nishi K., Imajuku Y., Nakata M., Ohde K., Miyake S., Morimune K.,
Kawata M. and Ohkawa H.
TITLE Direct Submission
JOURNAL
FEATURES
location/Qualifiers
1..1570
/organism="Mus musculus"
/mol_type="mRNA"
/strain="BALB/c"
/db_xref="taxon:10090"
/clone="pG208"
/cell_lines="MLT2-23 hybridoma"
/cell_type="hybridoma"
/notes="anti-malathion monoclonal antibody MLT2-23"
5'UTR
1..41
CDS
42..1442
/notes="MLT2-23 heavy chain"
/codon_start=1
/product="immunoglobulin gamma-2a heavy chain"
/protein_id="BAC44883.1"
/db_xref="GI:26665400"
/translation="MMVLSLLYLLTALPGILSEVQLQESPLVKPSQTLSTLTCSTVTG
DSITSGYWNWIRKFPNGKLEYSYSGSYINPSPKLRISITRDTSRNQFSLHLNS
VITEDTATYTCAGSTMITTRAGHWGQGLTVLVAASAKTPAPSVPLAPVCGDTGSSVT
LGCIVKGYFPPEVTLTWNSGLSGVHTFPVLAQSLDLYLSSVTVTSSTWPSITSP
NVAHPASTKVDKKIIEPRKPKPCPKCPAPNLGGPSVIFPKIKDVLMSLSP
IVTCVVDVSEDDPDVQISWPNVVEVHTAQTOTHRDYNSTLRVVSALPIQHODWMS
GKEPKCKNNKDLPAPIERTISKPSVRAPQVYVLPPEEMTKQVTLTCMVTDPM
PEDIYVSWNNNGKTELNTKPEVLDSDGSYFMYSKLRVKNQVNRNSYSCSVVHEG
LNNHHTKPSFRTFGK"
42..95
sig_peptide
96..1439
mat_peptide

```

```

V_region      /product="immunoglobulin gamma-2a heavy chain"
96..449
/misc_feature /note="Balb/c heavy chain variable domain"
96..170
/misc_feature /standard_name="framework region 1"
171..200
/misc_feature /standard_name="complementarity-determining region 1"
201..242
/misc_feature /standard_name="framework region 2"
243..290
/misc_feature /standard_name="complementarity-determining region 2"
291..386
/misc_feature /standard_name="framework region 3"
387..416
/misc_feature /standard_name="complementarity-determining region 3"
417..449
/misc_feature /standard_name="framework region 4"
450..740
C_region     /note="Balb/c IgG2a CH1 domain"
741..788
/misc_feature /note="Balb/c IgG2a hinge"
789..1118
C_region     /note="Balb/c IgG2a CH2 domain"
1119..1439
C_region     /note="Balb/c IgG2a CH3 domain"
1443..1570
3'UTR
polyA_site
GIN

gment Scores:
d. No.:      6,32e-123      Length:      1570
re:          1320.50      Matches:    272
cent Similarity: 70.7%      Conservative: 22
i. Local Similarity: 65.4%      Mismatches: 42
y Match:      49.6%      Indels:    81
              6          Gaps:      9

:0-048-116B-2 (1-495) x AB097847 (1-1570)

84  GlnGlyGlyLeuGlnAsnIleAlaGluLysHisAsnLeuGlyIleLeuThrLysArg 103
|||||
423 CAAGGGAGCTCTGGTCACTGCTCTGCGACCCAAA----- 455

104 SerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPheProLysSerPro 123
|||||
456 -----ACAACACCCCA-----TCGGTCTATCCACTGCGCCCT 488

124 Val-----LeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
|||||
489 GTGTGTGGAGATACAACTGGCTCTCGGTGACTCTAGGATGCTGGTCAAGGGTTATTTC 548

141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
|||||
549 CTTGAGCAGTGACCTTGACCTGG-----AACTCTGGATCCCTGTCAGTGGGTGGC 602

161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
|||||
603 ACCCTCCAGCTGTCTCGACTGTGAC-----CTCTACACCCCTCAGCAG-CTCAGT--- 652

181 IleProSerAspAspAspIleTyrAspCysLysValGluHis-TrpGlyLeuGluGluPr 200
|||||
653 -----GACTGTAACTCGAGCACCTGG----- 674

200 ovalLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThrG1 220
|||||
675 -----CCGAGCCAGTCCATCACC----- 692

220 yGlyGlySerThrThrAlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuG1 240
|||||
693 -TGCAATGTGGCCACCCGCAAGCAGCACCAGGTGGCAAGAAAT- 740

240 uLysGluAsnAlaGlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeuAlaGlnAl 260

```

```

740 ----- 740
Db
Qy 260 aAlaSerGluProArgGlyProThrIleLysProCysProCysProCysProCysProAlaPr 280
|||||
741 -----GAGCCAGAGGGCCCAATCAAGCCCTGCTCTCCATGCAAAATGCCAGCAC 793
Db
Qy 280 oAsnLeuLeuGlyGlyProSerValPheIlePheProProLysIleLysAspValLeuMe 300
|||||
794 TAACCTCTGGTGGACCATCCGCTCTTCATCTCCCTCCAAAGATCAAGGATGACTCAT 853
Db
Qy 300 tIleSerLeuSerProIleValThrCysValValValValValValValValValValVal 320
|||||
854 GATCTCCCTGAGCCCATAGTCACATGTGTGGTGGTGGATGTGAGCAGGAGTACCCAGA 913
Db
Qy 320 pValGlnIleSerTrpPheValAsnValGluValHisThrAlaGlnThrGlnThrHi 340
|||||
914 TGTCCAGATCAGCTGGTTTGTGAACAACGTTGGAAGTACACACAGCTCAGACACAAACCCA 973
Db
Qy 340 sArgGluAspTyrAsnSerThrLeuArgValValValValValValValValValValVal 360
|||||
974 TAGAGAGATTACAAACAGTACTCTCCGGTGGTCCAGTGGCTCCCATCCAGCACCCAGGA 1033
Db
Qy 360 pTrpMetSerGlyLysGluPheLysCysLysValAsnAsnLysAspLeuProAlaProIl 380
|||||
1034 CTGGATCAGTGGCAGGAGTTCAAATGCAAGTTCACAAACAAAGACCTCCAGGCGCCCAT 1093
Db
Qy 380 eGluArgThrIleSerLysProLysGlySerValArgAlaProGlnValTyrValLeuPr 400
|||||
1094 CGAGAGAACCATCTCAAAACCCAAAGGGTCAGTAAGAGCTCCACAGGTATATGTTCTGCC 1153
Db
Qy 400 oProProGluGluGluMetThrLysLysGlnValThrLeuThrCysMetValThrAspPh 420
|||||
1154 TCCACCAAGAGAAGAGATGACTAAGAAACAGGTCACTCTGACCTGTCATGGTGCACAGCTT 1213
Db
Qy 420 eMetProGluAspIleTyrValGluTrpThrAsnAsnGlyLysThrGluLeuAsnTyrLy 440
|||||
1214 CATGCTTGAAGACATTTACGTGGAGTGACCAACACGGGAAACAGAGCTTAACATACNA 1273
Db
Qy 440 sAsnThrGluProValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeuArgVa 460
|||||
1274 GAACACTGAACAGCTCTCGACTCTGATGGTTCTTACTTCATGATACAGCAAGCTGAGAGT 1333
Db
Qy 460 lGluLysLysAsnTrpValGluArgAsnSerTyrSerCysSerValValHisGluGlyLe 480
|||||
1334 GGAAGAAGAACTGGGTGGAAAGAAATAGCTACTCTCTGTTTCAGTGGTCCAGGGGTCT 1393
Db
Qy 480 uHisAsnHisHisThrThrLysSerPheSerArgThrProGlyLys 495
|||||
1394 GCACATACCAACACGACTAAGAGCTTCTCCGAGCTCCGGGTAAA 1439
Db

RESULT 10
CS125905 1407 bp DNA linear PAT 21-JUL-2005
LOCUS Sequence 49 from Patent WO2005061545.
DEFINITION CS125905
ACCESSION CS125905.1 GI:71058939
VERSION
KEYWORDS
SOURCE Mus musculus (house mouse)
ORGANISM Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
Sciurognathi; Muroidea; Muridae; Murinae; Mus.
1
REFERENCE Hussain,I.
AUTHORS Nogo antibodies for the treatment of alzheimer disease
TITLE Patent: WO 2005061545-A 49 07-JUL-2005;
JOURNAL Glaxo Group Limited (GB)
FEATURES Location/Qualifiers
source 1..1407
/mol_type="unassigned DNA"
/db_xref="taxon:10090"
ORIGIN

```

Alignment Scores:
 Seq. No.: 6,08e-123 Length: 1407
 Percent Similarity: 1320.00 Matches: 285
 Percent Similarity: 64.0% Conservative: 26
 Percent Similarity: 58.6% Mismatches: 68
 Query Match: 49.6% Indels: 108
 Gaps: 13

-10-048-116B-2 (1-495) x CS125905 (1-1407)

```

39 ValTyrGlnSerProGlyAsp-----ileGly----- 47
178 GTGAGCAGAGGCTGGCAAGCCCTTGAGTGGATTGGAATTAATCTAGCAATGCT 237
48 -----GlnTyrThrHisGluPheAspGlyAspGluLeuPheTyrValAspLeuAspLys 65
238 GGTACTAACTACAAATGAGAAGTTCAAGAGCAAGGCCACACTGACTGTAGACAAATCCTCC 297
66 LysLysThrValTyrArgLeuPro----- 73
298 AGCAGAGCTACATGAGCTCAGCAGCTGACATCTGAGGACTCTGGCGTCTATTATTGT 357
74 GluPheGlyGlnLeuIleLeuPheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGlu 93
358 GAACTGGGACAG-----GGCTACTGGGGCCAGGACACTAGTCACTGCTCTCTCAGCC 411
94 LysHisAsnLeuGlyIleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAla 113
412 AAA-----ACAAACAGCC 423
114 ProGlnAlaThrValPheProLysSerProVal-----LeuLeuGlyGlnProAsn 130
424 CCA-----TCGGTCTATCCATCGCCCTGTGTGGAGATACAACTGGCTCTCTCGGTG 477
131 ThrLeuIleCysPheValAspAsnIlePheProProValIleAsnIleThrTrpLeuArg 150
478 ACTTAGGATGCTGGTCAAGGGTATTTCCTGAGCCAGTACCTTGACCTGG----- 531
151 AsnSerLysSerValThrAspGlyValTyrGluThrSerPheLeuValAsnArgAspHis 170
532 AACTCTGGATCCCTGCTGAGTGGTGTGCACACCTTCCAGCTGCTCTGAGCTGAC--- 588
171 SerPheHisLysLeuSerTyrLeuThrPheIleProSerAspAspIleTyrAspCys 190
589 ---CTCTACACCTCAGCAG-CTCAGT-----GACTGT 617
191 LysValGluHis-TrpGlyLeuGluGluProValLeuLysHisTrpGluProGluIlePr 210
618 AACCTGAGCAGCCTGG----- 633
210 oAlaProMetSerGluLeuThrGluThrGlyGlyGlySerThrThrAlaProSerAl 230
634 ----CCAGCCAGTCCATCCAC-----TGCAATGTGGCCACCCGCAAGCAGCAGC 680
230 agLnuGluLysGluLeuGlnAlaLeuGluLysGluAsnAlaGlnLeuGluTrpGluLe 250
681 CAAGTGGACAAGAAAT------ 699
250 uGlnAlaLeuGluLysGluLeuAlaGlnAlaAsnGluProArgGlyProThrIleLys 270
700 -----GAGCCAGAGGCCCAATCA 722
270 eProCysProProCysLysCysProAlaProAsnLeuGlyGlyProSerValPheI 290
723 GCCCTGTCTCCATGCAATGCCAGCAGCTAACTCTCTGGTGGCCCACTCGCTTTCAT 782
290 ePheProProLysIleLysAspValLeuMetIleSerLeuSerProIleValThrCysVa 310
783 CTTCCTCCAAAGATCAAGAGTACTCATGATCTCCCTGAGCCCACTAGTCACTATGT 842
310 lValValAspValSerGluAspAspProAspValGlnIleSerTrpPheValAsnVa 330

```

```

843 GGTGGTGGATGTGAGCGAGGATGAGCCAGATGTCAGATGTCAGTGTGTTGTGCAACAACGT 902
330 lGluValHisThrAlaGlnThrGlnThrHisArgGluAspTyrAsnSerThrIleuArgVa 350
903 GGAAGTACACACAGCTCGACACAAACCCATAGAGAGGATTACAACAGTACTCTCCGGGT 962
350 lValSerAlaLeuProIleGlnHisGlnAspTrpMetSerGlyLysGluPheLysCysLys 370
963 GGTGAGTGGCTCCCTCCCATCCAGCACAGGACTGGATGATGTCGACAGGAGTTCANATGCAA 1022
370 sValAsnAsnLysAspLeuProAlaProIleGluArgThrIleSerLysProLysGlySe 390
1023 GGTCAACAACAAGAGCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGGTCT 1082
390 sValArgAlaProGlnValTyrValLeuProProGluGluGluMetThrLysLysG 410
1083 AGTAGAGCTCCACAGGTATATGCTTGCTCCCTCCACAGAGAGAGATGACTAAGAAACA 1142
410 nValThrLeuThrCysMetValThrAspPheMetProGluAspIleTyrValGluTrpTh 430
1143 GGTCACTCTGACCTGCATGGTCAGAGCTTCATGCTGAGACATTTAGCTGGAGTGGAC 1202
430 rAsnAsnGlyLysThrGluLeuAsnTyrLysAsnThrGluProValLeuAspSerAspG 450
1203 CAACAACGGGAAAACAGAGCTAAACTACAAGAACACTGAACCCAGTCTCTGATGG 1262
450 ySerTyrPheMetTyrSerLysLeuArgValGluLysLysAsnTrpValGluArgAsnSe 470
1263 TTCTTACTTTCATGTACAGCAAGCTGAGAGTGGAAAAGAGAACTGGGTGGAAAGAAATAG 1322
470 rTyrSerCysSerValValHisGluGlyLeuHisAsnHisHisThrThrLysSerPheSe 490
1323 CTACTCTCTGTTGAGTGGTCCAGAGGGTCTGCAACAATCCACACAGCTAAGAGCTTCTC 1382
490 rArgThrProGlyLys 495
1383 CGGAGCTCCGGGTAAA 1398

RESULT 11
CS126190          1407 bp  DNA          linear  PAT 21-JUL-2005
LOCUS             Sequence 49 from Patent WO2005061544.
DEFINITION
ACCESSION         CS126190
VERSION           CS126190.1  GI:71059163
KEYWORDS
SOURCE            Mus musculus (house mouse)
ORGANISM          Mus musculus
                  /organism="Mus musculus"
                  /mol_type="unassigned DNA"
                  /db_xref="taxon:10090"

REFERENCE
AUTHORS           Ellis,J.H.
TITLE             Nogo-a neutralising immunoglobulins for treatment of neurological
                  diseases
JOURNAL           Patent: WO 2005061544-A 49 07-JUL-2005;
                  Glaxo Group Limited (GB)
FEATURES
source            1. 1407
                  Location/Qualifiers
ORIGIN
Alignment Scores:
Pred. No.:        6,08e-123      Length:      1407
Score:            1320.00      Matches:    285
Percent Similarity: 64.0%      Conservative: 26
Best Local Similarity: 58.6%    Mismatches: 68
Query Match:      49.6%        Indels:     108
DB:               2           Gaps:       13

US-10-048-116B-2 (1-495) x CS126190 (1-1407)

```

```
39 ValTyrGlnSerProGlyAsp-----IleGly----- 47
178 GTGAGCAGAGCCCTGGCAAGGCTTGAGTGGATTTGAATATATATCTTAGCAATGGT 237
48 -----GlnTyrThrHisGluPheAspGlyAspGluLeuPheTyrValAspLeuAspLys 65
238 GGTACTAACTACATGAGAGTTCAAGAGCAAGGCCACACTGACTGTAGACAAATCTCTCC 297
66 LysLysThrValTyrArgLeuPro----- 73
298 AGCAGAGCTACATGACCTCAGCAGCTGACATCTGAGGACTCTGCGGTCTATTATGT 357
74 GluPheGlyGlnLeuLeuPheGlnProGlnGlyGlyLeuGlnAsnIleAlaAlaGlu 93
358 GAACCTGGGACAG-----GGTACTGGGGCCAGGCACACTAGTCACCGTCTCTCAGCC 411
94 LysHisAsnLeuGlyIleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAla 113
412 AAA-----ACAACAGCC 423
114 ProGlnAlaThrValPheProLysSerProVal-----LeuLeuGlyGlnProAsn 130
424 CCA-----TCGGTCTATCCACTGCCCCCTGTGTGTGGAGATACAACTGGCTCTCTCGGTG 477
131 ThrLeuIleCysPheValAspAsnIlePheProValIleAsnIleThrTrpLeuArg 150
478 ACTCTAGGATGCTGCTCAAGGTTATTTCTCTGAGCCAGTGACCTTGACCTGG----- 531
151 AsnSerLysSerValThrAspGlyValTyrGluThrSerPheLeuValAsnAspHis 170
532 AACTCTGGATCCCTGCTCAGTGGTGTGCACACACTTCCAGCTGCTCTCAGCTGAC--- 588
171 SerPheHisLysLeuSerTyrLeuThrPheIleProSerAspAspAspIleTyrAspCys 190
589 ---CTCTACACCTCAGCAG-CTCAGT-----GACTGT 617
191 LysValGluHis-TrpGlyLeuGluGluProValLeuLysHisTrpGluProGluIlePr 210
618 AACCTGAGACCTGG----- 633
210 oAlaProMetSerGluLeuThrGluThrGlyGlyGlySerThrThrAlaProSerAl 230
634 ----CCCAGCCAGTCCATCACC-----TGCAATGTGGCCCCCAGCGGAGCAGCAG 680
230 aGlnLeuGluLysGluLeuGlnAlaLeuGluLysGluAsnAlaGlnLeuGluTrpGluLe 250
691 CAAGGTGGACAGAGAAATTT----- 699
250 uGlnAlaLeuGluLysGluLeuAlaGlnAlaSerGluProArgGlyProThrIleLy 270
700 -----GAGCCAGAGGGCCCAATCAA 722
270 aProCysProProCysLysCysProAlaProAsnLeuLeuGlyGlyProSerValPheIl 290
723 GCGCTGTCTCCATGCAATGCCCAGCACCTAACTCTCTGGTGGCCCATCGTCTTCAT 782
290 ePheProProLysIleLysAspValLeuMetIleSerLeuSerProIleValThrCysVa 310
783 CTTCCTCCAAAGATCAAGATGATCTCATGATCTCTCTGAGCCCATAGTCACATGTGT 842
310 lValValAspValSerGluAspAspProAspValGlnIleSerTrpPheValAsnVa 330
843 GGTGTGTGTGTGAGCGAGGATGATCCAGATGTCCAGATCAGTGGTTGTGAAACAGT 902
330 lGluValHisThrAlaGlnThrGlnThrHisArgGluAspTyrAsnSerThrLeuArgVa 350
903 GGAAGTACACACAGCTCAGACACAAACCCATAGAGAGATTACACAGTACTCTCCGGGT 962
350 lValSerAlaLeuProIleGlnHisGlnAspTrpMetSerGlyLysGluPheLysCysLy 370
963 GGTAGTGGCTTCCCATCCAGCACAGGACTGGATGATGGCAGGAGGTTCNAATGCA 1022
370 aValAsnAsnLysAspLeuProAlaProIleGluArgThrIleSerLysProLysGlyse 390
```

```
Db 1023 GGTCAACAAACAAGACCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGGTC 1082
Qy 390 rValArgAlaProGlnValTyrValLeuProProGluGluGluMetThrLysLysG1 410
Db 1083 AGTAAGAGCTCCACAGGTATATGTCTTGCCCTCCACCAAGAGAGATGACTAAGAAACA 1142
Qy 410 nValThrLeuThrCysMetValThrAspPheMetProGluAspIleTyrValGluTrpTh 430
Db 1143 GGTCACTCTGACCTGCATGTCACAGACTTCATGCTCGAAGACATTTACGTGGAGTGGAC 1202
Qy 430 rAsnAsnGlyLysThrGluLeuAsnTyrLysAsnThrGluProValLeuAspSerAspG1 450
Db 1203 CAACAACGGGAAACAGAGCTAAACTACAAGAACACTGAACCACTCTCTGGGACTCTGATGG 1262
Qy 450 ySerTyrPheMetTyrSerLysLeuArgValGluLysLysAsnTrpValGluArgAsnSe 470
Db 1263 TTCTTACTTCTATGATACAGCAAGCTGAGAGTGGAAAGAGAACTGGGTGGAAAGAAATAG 1322
Qy 470 rTyrSerCysSerValValHisGluGlyLeuHisAsnHisThrThrLysSerPheSe 490
Db 1323 CTACTCTCTGTTCAGTGTCCAGAGGGTCTGCACAATCACCACAGCACTAAGAGCTTCTC 1382
Qy 490 rArgThrProGlyLys 495
Db 1383 CCGGACTCCGGGTAAA 1398

RESULT 12
CS138860 CS138860 1401 bp DNA linear PAT 17-AUG-2005
LOCUS Sequence 1 from Patent WO2005068503.
DEFINITION CS138860
ACCESSION CS138860
VERSION CS138860.1 GI:73530223
KEYWORDS Mus musculus (house mouse)
SOURCE Mus musculus
ORGANISM Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
Sciurognathi; Muroidea; Muridae; Murinae; Mus.

REFERENCE
1 Liu, C.
AUTHORS M-csf-specific monoclonal antibody and uses thereof
TITLE Patent: WO 2005068503-A 1 28-JUL-2005;
JOURNAL CHIRON CORPORATION (US); Liu, Cheng (US)
FEATURES
Location/Qualifiers
1..1401
/organism="Mus musculus"
/mol_type="unassigned DNA"
/db_xref="taxon:10090"

ORIGIN

Alignment Scores:
Pred. No.: 6,79e-123 Length: 1401
Score: 1319.50 Matches: 267
Percent Similarity: 72.8% Conservative: 27
Best Local Similarity: 65.9% Mismatches: 49
Query Match: 49.6% Indels: 63
DB: 2 Gaps: 7

US-10-048-116B-2 (1-495) x CS138860 (1-1401)
Qy 95 HisAsnLeuGlyIleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAlaPro 114
Db 364 CACGCCATGATTAATCTGGGGCCAAAGGACTTCGGTCACTGTCTCTCCGCCAAACAACA 423
Qy 115 GlnAlaThrValPheProLysSerProVal-----LeuLeuGlyGlnProAsnThr 131
Db 424 GCGCCATCGGTCTATCCACTCGCCCCCTGTGTGTGGAGATACAACTGGCTCTCTCGGTGACT 483
Qy 132 LeuIleCysPheValAspAsnIlePheProProValIleAsnIleThrTrpLeuArgAsn 151
Db 484 CTAGATGCTCGGTGCTCAAGGGTTATTTCTCTGAGCCAGTGCCTTGACCTGG-----AAC 537
```



```
762 TAACTCTTGGTGGACCATCCGCTTTCATCTTCCCTCCAAAGATCAAGGATGACTCAT 821
300 tIleSerLeuSerProIleValThrCysValValValAspValSerGluAspAspProAs 320
|||||
822 GATCTCCCTGAGCCCCCATAGTACATGTGTGGTGGATGTGAGCGAGGATGACCCAGA 881
|||||
320 pValGlnIleSerTrpPheValAsnAsnValGluValHisThrAlaGlnThrGlnThrHi 340
|||||
882 TGTCCAGATCAGCTGTTTGTGAACAACGTGGNAGTACACACAGCTCAGACACAACCCCA 941
|||||
340 sArgGluAspTyrAsnSerThrLeuArgValValSerAlaLeuProIleGlnHisGlnAs 360
|||||
942 TAGAGAGGATTACAAACAGTACTCTCCGGGTGGTCAGTGCCTCCCCATCCAGCACCCAGA 1001
|||||
360 pTrpMetSerGlyLysGluPheLysCysValValAsnAsnLysAspLeuProAlaProIl 380
|||||
1002 CTGGATGATGGCAAGGAGTTCAAAATGCAAGGTCAACAACAAGACCTCCCGAGGCCCAT 1061
|||||
380 eGluArgThrIleSerLysProLysGlySerValArgAlaProGlnValTyrValLeuPr 400
|||||
1062 CGAGAGAACCATCTCAAAACCCAAAGGGTCAGTAAAGAGCTCCACAGGTATATGTCTTGCC 1121
|||||
400 oProProGluGluGluMetThrLysLysGlnValThrLeuThrCysMetValThrAspPh 420
|||||
1122 TCCACCAGAAGAAGAGATGACTTAAGAAACAGGTCACTCTGACCTGCATGTCACAGACTT 1181
|||||
420 eMetProGluAspIleTyrValGluTyrThrAsnAsnGlyLysThrGluLeuAsnTyrLY 440
|||||
1182 CATGCTGAAGACATTTACGTGGAGTGGACCAACACCGGAAACACAGAGCTAAACTACAA 1241
|||||
440 sAsnThrGluProValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeuArgVa 460
|||||
1242 GAACACTGAACCACTCCTGGACTCTGATGGTTCTTACTTTCATGTACAGCAAGCTGAGAGT 1301
|||||
460 lGluLysLysAsnTrpValGluArgAsnSerTyrSerCysSerValValHisGluGlyLe 480
|||||
1302 GGAAAGAAGAAGAACTGGGTGGAAAGAAATAGCTACTCTCTGTTTCAGTGGTCCACGAGGGTCT 1361
|||||
480 uHisAsnHisHisThrThrLysSerPheSerArgThrProGlyLys 495
|||||
1362 GCACATCACCACACGACTTAAGAGCTTCTCCGGACTCCGGGTAAA 1407
|||||
```

Job completed: June 1, 2006, 03:20:55
time : 9336.63 secs

GenCore version 5.1.8
Copyright (c) 1993 - 2006 Bioceleration Ltd.

protein - nucleic search, using frame_plus_p2n model

on: May 31, 2006, 22:51:28 ; Search time 992.561 seconds

(without alignments)
5215.692 Million cell updates/sec

US-10-048-116B-2

Effect score: 2660

quence: 1 MPCSRALILGLVLAATMLSL.....VHEGLNHHHTTKRSRTPGK 495

oring table:

BLOSUM62
Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

arched: 5244920 seqs, 3486124231 residues

al number of hits satisfying chosen parameters: 10489840

nimum DB seq length: 0

ximum DB seq length: 2000000000

st-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

nmand line parameters:

DEL=frame+p2n.model -DEV=xlh
=/abs/ABSSWEB spool/US10048116/runat 31052006 110043 25584/app query.fasta.1
3=N Geneseq -OFMT=fastap -SUFFIX=p2n.rng -MINMATCH=0.1 -LOOPCL=0 -LOOPEXT=0
VITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
CALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
JTFMT=ptc -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000 -HOST=abs04
SER=US10048116 @CGN 1 1 942 @runat 31052006 110043 25584 -NCPU=6 -ICPU=3
MAP -NEG SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG -DEV TIMEOUT=120
ARN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6 -FGAPEXT=7
ZAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

abase :

N_Geneseq 8:*

1: Geneseqn1980s:*

2: Geneseqn1990s:*

3: Geneseqn2000s:*

4: Geneseqn2001as:*

5: Geneseqn2001bs:*

6: Geneseqn2002as:*

7: Geneseqn2002bs:*

8: Geneseqn2003as:*

9: Geneseqn2003bs:*

10: Geneseqn2003cs:*

11: Geneseqn2003ds:*

12: Geneseqn2004as:*

13: Geneseqn2004bs:*

14: Geneseqn2005s:*

15: Geneseqn2006s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

sult No.	Score	Query Length	ID	Description
1	2655	99.8	1484 5	Aaf55098 DNA encod
2	2247	84.5	1676 4	Abi99041 Murine pc
3	1924.5	72.3	1446 2	Aat99707 DR2-IGG f

4	1924.5	72.3	1446	2	AAX87813
5	1924.5	72.3	1446	14	ADW44282
6	1738	65.3	2346	4	ABI99027
7	1737.5	65.3	2343	4	ABI99033
8	1521	57.2	2053	4	ABI99029
9	1521	57.2	2059	4	ABI99032
10	1332	50.1	7528	4	AAF30316
11	1328.5	49.9	3973	13	ADT77690
12	1324.5	49.8	1581	2	AAQ48037
13	1321.5	49.7	1560	14	AED19725
14	1320	49.6	1407	14	AEB21727
15	1320	49.6	1407	14	AEB08761
16	1319.5	49.6	1401	14	AEC20762
17	1318.5	49.6	990	12	ADL15694
18	1318.5	49.6	1569	14	ADV26108
19	1318.5	49.6	1569	14	ADW71834
20	1318.5	49.6	1570	12	AAQ12637
21	1318.5	49.6	1570	12	ADQ91058
22	1317.5	49.5	6729	4	AAF30341
23	1315.5	49.5	1645	2	AAQ54652
24	1312.5	49.3	1341	1	AAQ91559
25	1309.5	49.2	1356	12	ADN97544
26	1300.5	48.9	1389	14	AEA27480
27	1285.5	48.3	1140	10	ADE85817
28	1284	48.3	1194	2	AAV55415
29	1281.5	48.2	1524	14	AEE21946
30	1280.5	48.1	1473	13	ADS31748
31	1280.5	48.1	1473	13	ADS92750
32	1280	48.1	1045	12	ADO07566
33	1280	48.1	1509	14	AEE21942
34	1279.5	48.1	1140	10	ADE85819
35	1278	48.0	1131	2	AAV55416
36	1275	47.9	1108	12	ADO07578
37	1275	47.9	1108	12	ADO07577
38	1275	47.9	1461	6	AAD22972
39	1272	47.8	729	3	AAZ35704
40	1270	47.7	1707	3	AAZ35706
41	1269.5	47.7	1431	14	AEB12362
42	1269.5	47.7	1431	14	AED64242
43	1269	47.7	1188	2	AAT59349
44	1269	47.7	1275	2	AAT62850
45	1268	47.7	699	3	AAZ51300

ALIGNMENTS

RESULT 1

AAF55098

ID AAF55098 standard; DNA; 1484 BP.

XX AAF55098;

AC AAF55098;

XX 15-MAY-2001 (first entry)

DT DNA encoding a fusion protein comprising an alpha chain of MHC.

DE Recombinant protein; alpha chain; beta chain; MHC; immunoglobulin;

KW major histocompatibility complex; Fc region; antigen; T lymphocyte;

KW immunostimulant; vaccine; infection; tumour; ss.

XX Synthetic.

OS Synthetic.

XX Key

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

FT CDS

Location/Qualifiers
1..1482
/*tag= a

(CNRS) CNRS CENT NAT RECH SCI.

Glaichenhaus N, Malherbe L;

WPI; 2001-182944/18.

P-PSDB; AAB67480.

New soluble recombinant protein, useful e.g. as immunostimulant, comprises dimeric major histocompatibility complex molecule fused to immunoglobulin Fc region.

Example 1; Page 31-33; 43pp; French.

The specification describes soluble recombinant proteins that comprise at least a dimer formed from the alpha and beta-chains of MHC (major histocompatibility complex) Class I and II molecules in which at least one chain has, attached to its C-terminus, at least part of the Fc region of an immunoglobulin. The recombinant proteins, when linked to an antigenic peptide, are used to count and/or purify antigen-reactive T lymphocytes and to characterize their phenotype, e.g. in preclinical evaluation of vaccines. They are also used as immunostimulants, particularly for vaccine development (against infections and tumours), to count and determine phenotype of autoreactive T cells in subjects with, or at risk of developing, autoimmune diseases, e.g. for staging or evaluating treatments, and to purify and/or enrich Ag-reactive T cells from cell cultures or patient samples, for use in subsequent curative or preventative cellular therapy. The present sequence encodes a recombinant protein of the invention, comprising an alpha chain of MHC molecules

Sequence 1484 BP; 414 A; 394 C; 362 G; 314 T; 0 U; 0 Other;

gment Scores:

cl. No.:	1.06e-218	Length:	1484
re:	2655.00	Matches:	494
cent Similarity:	100.0%	Conservative:	0
t Local Similarity:	100.0%	Mismatches:	0
ry Match:	99.8%	Indels:	0
	5	Gaps:	0

10-048-116B-2 (1-495) x AAF55098 (1-1484)

```

1 MetProCysSerArgAlaLeuLeuGlyValLeuAlaLeuAenThrMetLeuSerLeu 20
1 ATGCGTGCGAGCAGAGCTGATTCTGGGGTCTCGCCCTCGAACACCATGCTCAGCCTC 60
21 CysGlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
61 TCGGAGGTGAAGACGACATTGAGGCCGACCACTGAGGCTTCTATGGTACAACTGTTTAT 120
41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
121 CAGTCTCTCGAGACATTGGCCAGTACACACATGATNTTGTATGGTATGATGTTCTAT 180
61 ValAspLeuAspLysGlyLysThrValTrpArgLeuProGluPheGlyGlnLeuLeu 80
181 GTGGACTTGGATAAGAGAAACTGCTGGAGGCTTCTGAGGCTTCTGAGTGGCAATTGATCTC 240
81 PheGluProGlnGlyGlyGlnHisValGluGlnHisValGluGlnHisValGluGln 100
241 TTTGAGCCCCAAGGTGGAGCTGCAAAACATAGCTGCAGAAACACCAACTTGGGAATCTTG 300
101 ThrLysArgSerAspPheThrProAlaThrAenGluAlaProGlnAlaThrValPhePro 120
301 ACTAAGAGTCAAAATTCACCCAGCTACCAATGAGGCTCTCAAGGACATGTTTCCCC 360
121 LysSerProValLeuLeuGlyGlnProAenThrLeuIleCysPheValAspAsnIlePhe 140
361 AAGTCCCCTGTGCTGCTGGGTGAGGCCAAGACCCCTTATCTGCTTGTGGACAAACATCTTC 420
141 ProProValIleAsnIleThrTrpLeuArgAenSerLysSerValThrAspGlyValTyr 160
421 CCACCTGTGATCAACATCACATGGCTCGAATAAGTAGCAAGTCAGTCACAGCGGGTATTAT 480

```

RESULT 2

ABI99041

ID ABI99041 standard; cDNA; 1676 BP.

XX

```

Qy 161 GluThrSerPheLeuValAenArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
Db 481 GAGACCAGCTTCTCGTCAACCGTGACCATCTCTTCCACAAGCTGTCTTATCTCACCTTC 540
Qy 181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluGluPro 200
Db 541 ATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCAGCTGGGGCCTGGAGAGCCG 600
Qy 201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThrGly 220
Db 601 GTTCTGAACACTGGGAACCTGAGATTCAGCCCCCATGTTCAGAGCTGCAGAGAATCGGA 660
Qy 221 GlyGlyGlySerThrThrAlaProSerAlaGlnLeuGlyLysGluLeuGlnAlaLeuGlu 240
Db 661 GGTGGAGATCCACTACAGCTCCATCAGCTCAGCTCGAAAAAGAGCTCCAGGCCCTGGAG 720
Qy 241 LysGluAenAlaGlnLeuGluTrpGluLeuGlnAlaLeuGlyLysGluLeuAlaGlnAla 260
Db 721 AAGGAAAAATGCACAGCTGGAAATGGGAGTTTCAAGCACTGGAAAAAGGAATGGCTCAGGCA 780
Qy 261 AlaSerGluProArgGlyProThrIleLysProCysProProCysLysCysProAlaPro 280
Db 781 GCATCTGAGCCAGAGAGGCCCAACATCAGCCCTGTCTCTCATGCAAAATGCCAGACCT 840
Qy 281 AsnLeuLeuGlyGlyProSerValPheIlePheProProLysIleLysAspValLeuMet 300
Db 841 AACCTCTTGGGTGGACCATCGTCTTCTATCTTCCCTCCAAAGATCAAGGATGTACTCATG 900
Qy 301 IleSerLeuSerProIleValThrCysValValValAspValSerGluAspAspProAsp 320
Db 901 ATCTCCCTGAGCCCCATAGTCACATGTGTGGTGTGTGAGCGAGGATGAGCCAGAT 960
Qy 321 ValGlnIleSerTrpPheValAenAsnValGluValHisThrAlaGlnThrGlnThrHis 340
Db 961 GTCCAGATCAGCTGGTTGTGAACACGTGGAAGTACACACAGCTCAGACACAACCCAT 1020
Qy 341 ArgGluAspTyrAenSerThrLeuArgValValSerAlaLeuProIleGlnHisGlnAsp 360
Db 1021 AGAGAGGATTACAACAGTACTCTCCGGGTGTGTGAGTGTGCTCCCTCCCATCCAGCAGGAC 1080
Qy 361 TrpMetSerGlyLysGluPheLysCysLysValAenAsnLysAspLeuProAlaProIle 380
Db 1081 TGGATGATGGCAGGAGTTCAAATGCAAGGTCAACAAACAAAGACCTCCCAAGCCCATC 1140
Qy 381 GluArgThrIleSerLysProLysGlySerValArgAlaProGlnValTyrValLeuPro 400
Db 1141 GAGAGAACCATCTCAAAACCCCAAGGTCAGTAAGAGCTCCACAGGTATATGTCTTGCT 1200
Qy 401 ProProGluGluMetThrLysLysGlnValThrLeuThrCysMetValThrAspPhe 420
Db 1201 CCACAGAGAAGAGATGACTAAGAAAACAGGTCACTCTGACCTGCATGGTGCACAGACTTC 1260
Qy 421 MetProGluAspIleTyrValGluTrpThrAenAsnGlyLysThrGluLeuAenTyrLys 440
Db 1261 ATGCCTCAAGACATATTACGTGGAGTGGACCAACCAACGGGAAAAACAGAGCTAAACTACAG 1320
Qy 441 AsnThrGluProValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeuArgVal 460
Db 1321 AACACTGACAGCTCTGGAGCTCTGATGTTCTTACTTCTATGTACAGCAAGCTCAGAGTG 1380
Qy 461 GluLysLysAenTrpValGluArgAenSerTyrSerCysSerValValHisGlnGlyLeu 480
Db 1381 GAAAGAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAGTGGTGTCCACGAGGGTCTG 1440
Qy 481 HisAenHisThrThrLysSerPheSerArgThrProGly 494
Db 1441 CACAATCACCACAGCTAAGAGCTTCTCCGGGACTCCGGGT 1482

```


1222 CTCGGGTGGTCAAGTCCCTCCCATCCAGCACCAGGACTGGATGAGTGGCAAGGAGTTC 1281
 368 LysCysLysValAsnAsnLysAspLeuProAlaProIleGluArgThrIleSerLysPro 387
 1282 AAATGCAAGGTCAACAACAAGACCTCCAGCGGCCCATCGAGAGAACCATCTCAAAACCC 1341
 388 LysGlySerValArgAlaProGlnValTyrValLeuProProGluGluGluMetThr 407
 1342 AAAGGTCAGTAAGAGCTCCACAGGTATATGTCTTGCCCTCCACCAGAGAGAGATGACT 1401
 408 LysLysGlnValThrLeuThrCysMetValThrAspPheMetProGluAspIleTyrVal 427
 1402 AAGAAACAGGTCACTCTGACCTGCATGTGTACAGACTTCATGSCCTGAAGACATTTACGTG 1461
 428 GluTrpThrAsnAsnGlyLysThrGluLeuAsnTyrLysAsnThrGluProValLeuAsp 447
 1462 GAGTGGACCAACAACGGGAACAAGAGCTAACTACAGAAGACCTGAACACAGTCTCTGGAC 1521
 448 SerAspGlySerTyrPheMetTyrSerLysLeuArgValGluLysAsnTrpValGlu 467
 1522 TCTGATGTTCTTACTTCTATGATACAGCAAGCTGAGAGTGGAAAGAGAACTGGGTGAA 1581
 468 ArgAsnSerTyrSerCysSerValValHisGluGlyLeuHisAsnHisThrThrLys 487
 1582 AGAAATAGCTACTCTCTGTTCAAGTGTCCACGAGGCTCTGCACAATCAACACAGCTAAG 1641
 488 SerPheSerArgThrProGlyLys 495
 1642 AGCTTCTCCCGAGCTCCGGGTAAA 1665

ULT 3

99707

AAT99707 standard; cDNA; 1446 BP.

AAT99707;

17-OCT-2003 (revised)

17-AUG-1998 (first entry)

DR2-IGG fusion construct.

Major histocompatibility complex class II; MHC class II; human; mouse; fusion protein; HLA-DR2; DR2*0101; binding domain; Fos; dimerization domain; Igg; allergy; autoimmune disease; vaccine; multiple sclerosis; therapy; ss.

Homo sapiens.

Mus musculus.

Chimeric.

W09806749-A2.

19-FEB-1998.

15-AUG-1997; 97WO-US014503.

16-AUG-1996; 96US-0024077P.

(HARD) HARVARD COLLEGE.

Wucherpennig KW, Strominger JL;

WPI; 1998-159459/14.

New Class II MHC fusion proteins - comprising a MHC Class II binding domain and a dimerization domain or an immunoglobulin region used for modulating immune responses.

Example; Page 49; 76pp; English.

This nucleotide sequences codes for a bivalent DR2 fusion protein obtained by fusion of the Fc portion of IgG2a to the 3' end of a DR-alpha -Fos cDNA construct (see AAV16866). The Fc portion was amplified by RT-

CC PCR from mouse hybridoma L243. The PCR product was then fused in frame
 CC with the DR-alpha-Fos construct by overlapping PCR. The DR2-IgG fusion
 CC was expressed in the Drosophila Schneider cell system. The invention
 CC relates to new soluble monovalent and multivalent Class II MHC fusion
 CC proteins comprising a MHC Class II binding domain and a dimerization
 CC domain or an immunoglobulin region that can be used for the treatment
 CC of allergic and autoimmune diseases (e.g. multiple sclerosis), for
 CC transplasing a subject to foreign tissue before or after organ or tissue
 CC transplantation, or for vaccination against pathogens. (Updated on 17-OCT
 CC -2003 to standardise OS field)

XX Sequence 1446 BP; 414 A; 375 C; 356 G; 301 T; 0 U; 0 Other;
 SQ

Alignment Scores:

Pred. No.:	8-16e-156	Length:	1446
Score:	1924.50	Matches:	364
Percent Similarity:	83.2%	Conservative:	32
Best Local Similarity:	76.5%	Mismatches:	73
Query Match:	72.3%	Indels:	7
DB:	2	Gaps:	4

US-10-048-116B-2 (1-495) x AAT99707 (1-1446)

Qy 26 AspleGluAlaAspHisValGlyPheTyrGlyThrThrValTyrGlnSerProGlyAsp 45

Db 13 GAGATCAAGAAGAACATGTG---ATCATCCAGCGCGAGTTCTATCTGAAATCCCTGACCAA 69

Qy 46 IleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyrValAspLeuAspLys 65

Db 70 TCAGGCGAGTTTATGTTTGACTTTTGATGGTGATGAGATTTTCCATGTGGATATGGCAAG 129

Qy 66 LysLysThrValTrpArgLeuProGluPheGlyGlnLeuLeuPheGluProGlnGly 85

Db 130 AAGGAGACGCTCTGGCGCTTGAAGAAATTTGGACGATTTGCCAGCTTTTGAGGCTCAAGGT 189

Qy 86 GlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeuThrLysArgSerAsn 105

Db 190 GCATTGGCCAAACATAGCTGTGGACAAAGCCCAACTTGGAAATCATGACAAAGCGCTCCAAC 249

Qy 106 PheThrProAlaThrAsnGluAlaProGlnAlaThrValPheProLysSerProValLeu 125

Db 250 TATACTCCGATCAACAAATGATCTCCAGAGTAACTGTCTCAGAACACGCCCTGTGGAA 309

Qy 126 LeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePheProProValIleAsn 145

Db 310 CTGAGAGAGCCCAACGCTCATCTGTTTCATAGACAAAGTTCAACCCACAGTGGTCAAT 369

Qy 146 IleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyrGluThrSerPheLeu 165

Db 370 GTCACGTGGCTTCGAAATGGAAACCTGTCAACACAGGAGTGTCCAGACAGCTCTCTCTG 429

Qy 166 ValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPheIleProSerAspAsp 185

Db 430 CCAGGGAAGACCACTTTCCGCAAGTTCCACTATCTCCCTCTCCCTCACTGAG 489

Qy 186 AspleTyrAspCysLysValGluHisTrpGlyLeuGluProValLeuLysHisTrp 205

Db 490 GAGCTTTACGACTGACGGGTGGAGCACTGGGGCTTGGATGAGCTCTTCTCAAGCACTGG 549

Qy 206 GluProGluLeuProAlaProMetSerGluLeuThrGluThr---GlyGlyGlySer 224

Db 550 GAGTTTGATGCTCCAAAGCCCTCTCCAGAGACTACAGAGGTTCGAGGAGTGGCGGGCGGT 609

Qy 225 ThrThr-----AlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGlu 240

Db 610 TTAAGTATACACTCCAGCGGAGACATCACTTGAACAGAGAGTCTGCGTTCGAG 669

Qy 241 LysGluAsnAlaGlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeu---AlaGln 259

Db 670 ACCGAGATTGCCAATCTACTGAAAGAGAGAGGAACTGGAGTTTCATCTGGCGGCCCAT 729

Qy 260 AlaAlaSerGluProArgGlyProThrIleLysProCysProProCysLysCysProAla 279

730 GCAGCATCTGAGCCAGAGGGCCACATCAAGCCCTGTCTCCATGCAGAAATGCCAGCA 789
 280 ProAsnLeuLeuGlyGlyProSerValPheIlePheProProGlyIleIleLysAspValLeu 299
 790 CCTAACCTCTGGGTGGACCATCGCTTTCATCTTCCCTCCAAAGATCAAGGATGACTC 849
 300 MetIleSerLeuSerProIleValThrCysValValValValValValValValValVal 319
 850 ATGATCTCTCCAGGCCCATAGTACATGTGTGGTGGATGTGAGGAGATGACCA 909
 320 AspValGlnIleSerTrpPheValAsnAsnValGluValHisThrAlaGlnThrGlnThr 339
 910 GATGTCCAGATCAGCTGGTTTCTGAACACAGTGGAGTACACACAGCTCAGACACAAACC 969
 340 HisArgGluAspTyrAsnSerThrLeuArgValValSerAlaLeuProIleGlnHisGln 359
 970 CATGAGAGGATTACACAGTACTCTCCGGGTGGTCAAGTGGTCCATCCAGCACCAG 1029
 360 AspTrpMetSerGlyLysGluPheLysCysLysValAsnAsnLysAspLeuProAlaPro 379
 1030 GACTGTATGATGGGCAAGGATTCATATGCAAGGTCAACACAAAGACCTCCACGGCCC 1089
 380 IleGluArgThrIleSerLysProLysGlySerValArgAlaProGlnValTyrValLeu 399
 1090 ATCGAGAGAACCATCTCAAAACCCAAAGGGTCAGTAAGAGCTCCACAGGTATATGCTTG 1149
 400 ProProProGluGluGluMetThrLysLysGlnValThrLeuThrCysMetValThrAsp 419
 1150 CCTCCACCAAGAAAGAGATGACTAAGAAACAGGTCACCTCTGACCTGTCATGGTCCAGAC 1209
 420 PheMetProGluAspIleTyrValGluTyrThrAsnAsnGlyLysThrGluLeuAsnTyr 439
 1210 TTATGCTCTGAAGACATTTACGTGGAGTGACCAACACGGGAAACACAGAGCTAACTAC 1269
 440 LysAsnThrGluProValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeuArg 459
 1270 AAGACACTGAACCATCTGACCTGATGGTGTCTTACTTCTTACAGCAAGCTGAGA 1329
 460 ValGluLysLysAsnTrpValGluArgAsnSerTyrSerCysSerValValHisGluGly 479
 1330 GTGGAAAGAGAACTGGGTGGAAAGAAATAGCTACTCTGTTCAGTGTGCCAGGGGT 1389
 480 LeuHisAsnHisThrThrLysSerPheSerArgThrProGlyLys 495
 1390 CTGCACATCCACACAGCACTAAGAGCTTCTCCGAGCTCCCGGTAAA 1437

SULT 4
 X87813

AAx87813 standard; DNA; 1446 BP.

AAx87813;

09-NOV-1999 (first entry)

HLA-DR2 alpha-Fos-IgG fusion construct.

Major histocompatibility complex Class II; MHC; binding domain; HLA-DR2; leucine zipper; Fos; IgG; FC; immunoglobulin; antibody; fusion protein; multiple sclerosis; rheumatoid arthritis; graft rejection; allergy; autoimmune disease; pemphigus vulgaris; systemic lupus erythematosus; T lymphocyte; T cell; diagnosis; therapy; adoptive immunotherapy; 88.

Homo sapiens.
 Saccharomyces cerevisiae.
 Synthetic.
 Chimeric.

Key Location/Qualifiers
 CDS 1..1440
 /tag= a
 sig_peptide 1..15
 /tag= b
 /note= "alpha-mating factor secretion signal"

FT mat_peptide 16..1437
 FT /tag= C
 FT /product= "DR2-Fos-Fc"
 PN WO9942597-A1.
 XX 26-AUG-1999.
 XX 19-FEB-1999; 99WO-US003603.
 XX 19-FEB-1999; 98US-0075351P.
 XX (HARD) HARVARD COLLEGE.
 XX Wuchterfennig KW, Strominger JL;
 XX WPI; 1999-527481/44.
 DR P-PSDB; AAY31654.
 XX New HMC Class II binding domain fusion proteins and conjugates - used
 XX for, e.g. treating allergic and autoimmune diseases or detecting,
 XX isolating, activating or killing specific T cells.
 XX Example 7; Page 100-102; 113pp; English.
 XX This nucleotide sequence codes for a divalent HLA-DR2 MHC binding domain
 CC fusion protein (see AAY31654) comprising an alpha-mating factor secretion
 CC signal, the extracellular domain of the HLA-DR2 alpha chain (residues 1-
 CC 191 of DR*0101), a 7-amino acid linker, the 40-amino acid leucine zipper
 CC dimerization domain of Fos, and the Fc portion of IgG2a. The DR-alpha-Fc
 CC chain corresponds to an antibody heavy chain. The invention provides new
 CC monovalent, multivalent and multimeric MHC Class II binding domain fusion
 CC proteins and conjugates comprising at least a binding domain of an MHC
 CC Class II alpha or beta chain and a dimerization domain, especially a Fos
 CC or Jun leucine zipper domain. The MHC fusion proteins and conjugates can
 CC be used for detecting and isolating T cells having a defined MHC/peptide
 CC complex specificity (claimed); to confer to a subject adoptive immunity
 CC to a defined MHC/peptide complex (claimed); to stimulate or activate T
 CC cells reactive to a defined MHC/peptide complex (claimed); for selective
 CC killing of T cells reactive to a defined MHC/peptide complex (claimed); to
 CC tolerate a subject to a defined MHC/peptide complex (claimed); to treat
 CC allergic and autoimmune diseases, e.g. multiple sclerosis, rheumatoid
 CC arthritis, pemphigus vulgaris, and systemic lupus erythematosus; and to
 CC prevent organ or tissue transplant rejection. The DR2-IgG design was
 CC chosen to increase the affinity for the T cell receptor by increasing
 CC valency, and to attach an effector domain, the Fc region of IgG2a.
 CC Complement fixation may result in the lysis of target T cells following
 CC binding of DR2-IgG molecules to the T cell receptor. DR2-IgG molecules
 CC may therefore be useful for the selective depletion of autoaggressive T
 CC cells
 XX SQ Sequence 1446 BP; 414 A; 375 C; 356 G; 301 T; 0 U; 0 Other;
 Alignment Scores:
 Pred. No.: 8,16e-156 Length: 1446
 Score: 1924.50 Matches: 364
 Percent Similarity: 93.2% Conservative: 32
 Best Local Similarity: 76.5% Mismatches: 73
 Query Match: 72.3% Indels: 7
 DB: 2 Gaps: 4
 US-10-048-116B-2 (1-495) x AAX87813 (1-1446)
 QY 26 AsplleGluAlaAspHisValGlyPheTyrGlyThrThrValTyrGlnSerProGlyAsp 45
 Db 13 GAGATCAAAAGAAAGACATGTG---ATCATCCAGCCGCGATTCCTATCTGAATCCTGACCAA 69
 QY 46 lIeGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyrValAspLeuAspLys 65
 Db 70 TCAGCCGAGTTATGTTGTTGACTTTGATGATGATGATTTCCATGTGGATATGCCAAG 129
 QY 66 LysLysThrValTrpArgLeuProGluPheGlyGlnLeuLeuLeuPheGluProGlnGly 85

130 AAGGAGCGGTCTGGCGGCTTGAAGCAATTTGGACGATTTGGCAGCTTTGAGGCTCAAGGT 189
86 GlyLeuGlnAenIleAlaAlaGluLysHisLeuGlyIleLeuThrLysArgSerAen 105
190 GCATTGGCCAACTAGCTGTGGACAAAGCCAACTTGGAAATCATGACAAAGCGCTCAAC 249
106 PheThrProAlaThrAsnGluAlaProGlnAlaThrValPheProLysSerProValLeu 125
250 TATACTCCGATCACCACCAATGTACCTCCAGAGTAACTGTGCTCACGAACAGCCCTGTGAA 309
126 LeuGlyGlnProAenThrLeuIleCysPheValAspAenIlePheProProValIleAen 145
310 CTGAGAGGCCCAACGCTCTCATCTGTGTTTCATGACAAAGTTTCACCCACCAAGTGTCAAT 369
146 IleThrTrpLeuArgAsnSerLysSerValThrAspGlyValThrGluThrSerPheLeu 165
370 GTCAGTGGCTTGGAAATGGAAACCTGTCAACAGGAGTGTGAGACAGATCTTCTCTG 429
166 ValAenArgAspHisSerPheHisLysLeuSerTyrLeuThrPheIleProSerAspAsp 185
430 CCCAGGGAAGACCACCTTTTCGCAAGTTCCACTATCTCCCTTCTGCGCTCAACTGAG 489
186 AspIleTyrAspCysLysValGluHisTrpGlyLeuGluGluProValLeuLysHisTrp 205
490 GACGTTTACGACTGACGGGTGGAGCACTGGGGCTTGGATGAGCCTCTTCTCAAGCACTGG 549
206 GluProGluIleProAlaProMetSerGluLeuThrGluThr--GlyGlyGlyGlySer 224
550 GAGTTTGATGCTCCAGCCCTCTCCAGAGACTACAGAGGTCGACGGAGGTGGCGCGGT 609
225 ThrThr-----AlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGlu 240
610 TTAACGTATACACTCCAGCGGAGACAGATCACTTGAAGACGAGAGTCTGCGTTGCAG 669
241 LysGluAenAlaGlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeu---AlaGln 259
670 ACCGAGATTGCCAATCTACTGAAGAGAAGAACTGGAGTTTCATCTCGCGCGCCCAT 729
260 AlaAlaSerGluProArgGlyProThrIleLysProCysProCysLysCysProAla 279
730 GCAGCATCTGAGCCAGAGGCGCCCAATCAAGCCCTGTCTCCATGCAATGCCAGCA 789
280 ProAenLeuLeuGlyGlyProSerValPheIlePheProProLysIleLysAspValLeu 299
790 CCTAACCTCTGGGTGGACCATCGCTCTTCATCTTCCCTCCAAAGATCAAGGATGTACTC 849
300 MetIleSerLeuSerProIleValThrCysValValValAspValSerGluAspAspPro 319
850 ATGATCTCCCTGAGCCCATATGTCATGTGTGGTGGTGTGATGTGAGCGAGGATGACCCA 909
330 AspValGlnIleSerTrpPheValAenAenValGluValHisThrAlaGlnThrGlnThr 339
910 GATGTCCAGATCAGCTGGTTGTGAAACAACGTGGAGGTACACACAGCTCACACAAACC 969
340 HisArgGluAspTyrAsnSerThrLeuArgValValSerAlaLeuProIleGlnHisGln 359
970 CATAGAGAGGATTACAACAGTACTCTCCGGGTGGTCACTGCGCTCCCATCCAGCACCAG 1029
360 AspTrpMetSerGlyLysGluPheLysCysLysValAenAenLysAspLeuProAlaPro 379
1030 GACTGGATGAGTGGCAAGGAGTTCAAAATGCAAGGTCAACAACAAAGACCTCCACGCGCC 1089
380 IleGluArgThrIleSerLysProLysGlySerValArgAlaProGlnValTyrValLeu 399
1090 ATCGAGAGAACCATCTCAAAACCCAAAGGGTCAGTAAAGGTCTCCACAGGTATATGTCTTG 1149
400 ProProProGluGluGluMetThrLysLysGlnValThrLeuThrCysMetValThrAsp 419
1150 CCTCCACCAAGAAGAGATGACTAAGAAACAGGTCACCTGACCTGCATGCTGCACAGAC 1209
420 PheMetProGluAspIleTyrValGluTrpThrAenAenGlyLysThrGluLeuAenTyr 439
1210 TTCATGCTGAAGACATTTACGTGGTGGAGCCAAACCGGGAACAGAGCTAAACTAC 1269

Qy 440 LysAenThrGluProValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeuArg 459
Db 1270 AAGNACACTGACACAGTCTCGGACTCTGATGGTTCTTACTTCACTGACAGCAAGCTGAGA 1329
Qy 460 ValGluLysLysAenTrpValGluArgAsnSerTyrSerCysSerValHisGluGly 479
Db 1330 GTGAAAAGAAGAACTGGTGGAAAGAAATAGCTACTCTCTGTTTCAGTGGTCCACGAGGT 1389
Qy 480 LeuHisAenHisThrThrLysSerPheSerArgThrProGlyLys 495
Db 1390 CTGCACAATCACACAGACTTAAGAGCTTCTCCCGGACTCCGGGTAAA 1437
RESULT 5
ADM44282
ID ADM44282 standard; DNA; 1446 BP.
XX
AC ADM44282;
XX 24-MAR-2005 (first entry)
XX DR2-IgG fusion protein encoding DNA.
XX Major histocompatibility complex; fusion protein; immunoconjugate;
KW adoptive immunotherapy; dermatological; immunosuppressive; anti-rheumatic;
KW anti-arthritis; neuroprotective; anti-inflammatory; autoimmune diseases;
KW pemphigus vulgaris; rheumatoid arthritis; multiple sclerosis;
KW systemic lupus erythematosus; immune disorder; DR2-IgG protein; gene; ds.
XX Homo sapiens.
OS Chimeric.
OS Unidentified.
FH Key Location/Qualifiers
CDS 1..1440
FT /*tag= b
FT /product= "DR2-IgG fusion protein"
FT /partial
FT /note= "No start codon"
FT 1..15
FT misc_feature /*tag= a
FT /note= "3' end of secretory signal"
FT 16..588
FT misc_feature /*tag= c
FT /note= "DRA*0101extracellular domain"
FT 589..609
FT misc_feature /*tag= d
FT /note= "Linker sequence"
FT 610..729
FT misc_feature /*tag= e
FT /note= "Fos Leucine zipper domain"
FT 730..1437
FT misc_feature /*tag= f
FT /note= "IgG domain"
XX US2005003431-A1.
XX
XX 06-JAN-2005.
XX 21-JUL-2004; 2004US-00895543.
XX
XX 16-AUG-1996; 96US-0024077P.
XX 15-AUG-1997; 97WO-US014503.
XX 19-FEB-1998; 98US-0075351P.
XX 12-FEB-1999; 99US-00248964.
XX (WUCH/) WUCHERPFENNIG K W.
XX (STRO/) STROMINGER J L.
XX Wucherpennig KW, Strominger JL;
XX WPI; 2005-089945/10.
XX P-PSDB; ADM44283.
DR

Novel class II major histocompatibility complex (MHC) fusion protein having MHC class II binding domain of MHC class II alpha chain, and dimerization domain, useful for treating pemphigus vulgaris, rheumatoid arthritis.

Example; SEQ ID NO 11; 55pp; English.

The present invention relates to the class II major histocompatibility complex (MHC) fusion protein having MHC class II binding domain of MHC class II alpha chain and a dimerization domain. The invention is useful in adoptive immunotherapy and tolerizing against foreign tissue. The invention is also useful for treating autoimmune diseases such as pemphigus vulgaris, rheumatoid arthritis, multiple sclerosis and systemic lupus erythematosus. The present sequence is the DR2-15g fusion protein encoding DNA.

Sequence 1446 BP; 414 A; 375 C; 356 G; 301 T; 0 U; 0 Other;

Alignment Scores:
Seq. No.: 8,16e-156 Length: 1446
Score: 1924.50 Matches: 364
Percent Similarity: 83.2% Conservative: 32
Local Similarity: 76.5% Mismatches: 73
Identity Match: 72.3% Indels: 7
Gaps: 4

-10-048-116B-2 (1-495) x ADW44282 (1-1446)

```

26 AsplleGluAlaAspHisValGlyPheTyrGlyThrValTyrGlnSerProGlyAsp 45
13 GAGATCAAGAGAACATGTG---ATCATCCAGCGCGATTCTATCTGAATCTGACCAA 69
46 IleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyrValAspLeuAspLys 65
70 TCAGCGCGAGTTTATGTTTACCTTGATGTTGATGATGATTTTCATGTGATATGGCAAG 129
66 LysLysThrValTyrArgLeuProGluPheGlyGlnLeuLeuPheGluProGlnGly 85
130 AAGGAGACGGTCTGGCGGCTTGAAGAAATTTGGACGATTTGCGCGCTTTCAGGCTCAAGT 189
86 GlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeuThrLysArgSerAsn 105
190 GCATTGGCCCAATAGCTGTGACCAAGCCAACTTGGAAATCATGACAAAGCGCTCCAAAC 249
106 PheThrProAlaThrAsnGluAlaProGlnAlaThrValPheProLysSerProValLeu 125
250 TATACTCCGATCACCAGTGTACTCTCCAGAGTAACTGTCTCAGCAACAGCCCTGTGGAA 309
126 LeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePheProValIleAsn 145
310 CTGAGAGAGCCCAACGCTCTCATCTGTGTTTCATAGACAAGTTTCAACCCCAAGTGTGCAAT 369
146 IleThrTyrLeuArgAsnSerLysSerValThrAspGlyValTyrGluThrSerPheLeu 165
370 GTACGTGTGCTTGAATGGAAAACCTGTCCACCAAGAGGTGTGACAGACAGCTTCTCTG 429
166 ValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPheIleProSerAspAsp 185
430 CCAGGGAAGACACACCTTTTCCGAAAGTTCCACTATCTCCCTTCTGCGCTCAACTGAG 489
186 AsplleTyrAspCysLysValGluHisTyrGlyLeuGluGluProValLeuLysHisTyr 205
490 GAGCTTTACGACTGCGAGGTGGAGCACTGGGCTTGGATGAGCCCTCTTCAAGCACTGG 549
206 GluProGluIleProAlaProMetSerGluLeuThrGluThr---GlyGlyGlyLys 224
550 GAGTTTGATGCTCCAGCCCTCTCCAGAGACTTACAGAGGTGACGAGGTGGCGCGGT 609
225 ThrThr-----AlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGlu 240
610 TTAACGTGATACACTCCAGCGGAGACAGATCAACTTGAAGACGAGAGTCTGGTTGACG 669

```

```

241 LysGluAsnAlaGlnLeuGluTyrProGluLeuGlnAlaLeuGluLysGluLeu---AlaGln 259
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
670 ACCGAGATTGCCATCTACTGAAGAGAAAGAAACTGGAGTTTCATCTGCGCCCAT 729
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
260 AlaAlaSerGluProArgGlyProThrIleLysProCysProCysProCysLysCysProAla 279
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
730 GCAGCATCTGAGCCAGAGGCGCCCAATCAAGCCCTGTCTCTCCATGCAAAATGCCAGCA 789
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
280 ProAsnLeuLeuGlyProSerValPheIlePheProLysIleLysAspValLeu 299
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
790 CTAACCTCTTGGGGGAGCAATCCCTCTTCATCTTCTCCCTCCAAAGATCAAGATGTACTC 849
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
300 MetIleSerLeuSerProIleValThrCysValValValAspValSerGluAspAspPro 319
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
850 ATGATCTCTCCCTGAGCCCATAGTCATGTGTGTGGTGGATGTGAGCGAGGATGACCCA 909
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
330 AspValGlnIleSerTyrPheValAsnValGluValHisThrAlaGlnThrGlnThr 339
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
910 GATGTCCAGATCAGCTGGTGTGTGAACAACGTTGGAAGTACACACAGCTTCAGACCAACC 969
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
340 HisArgGluAspTyrAsnSerThrLeuArgValValSerAlaLeuProIleGlnHisGln 359
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
970 CATGAGAGGATTACACAGTACTCTCCGGGGTGGTCAGTGCCTCCCATCCAGACCCAG 1029
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
360 AspTyrMetSerGlyLysGluPheLysCysLysValAsnAsnLysAspLeuProAlaPro 379
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
1030 GACTGATGAGTGGCAAGGATTCAAATGCAAGGTCAACAACAAGACCTCCAGCGCCC 1089
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
380 IleGluArgThrIleSerLysProLysGlySerValArgAlaProGlnValTyrValLeu 399
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
1090 ATCGAGAGAACCATCTCAAAACCCAAAGGTCAGTAAGAGCTCCACAGGTATATGTCTTG 1149
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
400 PropProGluGluGluMetThrLysLysGlnValThrLeuThrCysMetValThrAsp 419
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
1150 CCTCACCAGAGAGAGATGACTAAGAAACAGGTCTCTGACCTGCAATGGTCAAGAC 1209
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
420 PheMetProGluAspIleTyrValGluTyrAsnAsnGlyLysThrGluLeuAsnTyr 439
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
1210 TTATGCTGTGAGACATTTACGTGGAGTGGACCAACACGCGGAAACAGAGCTAACTAC 1269
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
440 LysAsnThrGluProValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeuArg 459
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
1270 AAGAACACTGAACACAGTCTGAGCTCTGATGGTCTTACTTCTCATGTACAGCAAGCTGAG 1329
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
460 ValGluLysLysAsnTyrValGluArgAsnSerTyrSerCysSerValValHisGluGly 479
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
1330 GTGGAAAAGAGAACTGGGTGAAAAGAAATAGTACTCTCTGTTCAGTGTGCCAGGGGT 1389
Qy      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
480 LeuHisAsnHisThrThrLysSerPheSerArgThrProGlyLys 495
Db      |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||  |||
1390 CTGCACATCACCACAGCTAAGAGCTTCTCCCGGACTCCCGGTAAA 1437

```

RESULT 6

ABI99027.

ID ABI99027 standard; cDNA; 2346 BP.

XX AC ABI99027;

XX DT 25-FEB-2002 (first entry)

XX DE IAS MBP 1-14 CH1.CH2.CH3 coding sequence.

XX KW Mouse; MHC; major histocompatibility complex; MHC class II; multimer;

XX KW single chain; immunosuppressive; antidiabetic; antiinflammatory;

XX KW antianemic; antirheumatoid; antidiabetic; neuroprotective; vaccine;

XX KW autoimmune disease; insulin dependent diabetes; multiple sclerosis;

XX KW myasthenia gravis; pernicious anaemia; autoimmune encephalomyelitis;

XX KW rheumatoid arthritis; systemic lupus erythematosus; ss.

XX OS Mus sp.

XX OS Synthetic.

XX XX WO200170245-A1.

27-SEP-2001.

22-MAR-2001; 2001WO-US009616.

22-MAR-2000; 2000US-0191274P.

15-MAY-2000; 2000US-0204249P.

23-JAN-2001; 2001US-0264003P.

(CORI-) CORIXA CORP.

Carter D, Zhu S, Arimilli S, Wang A;

WPI; 2001-616371/71.

P-PSDB; ABB56457.

Multimeric complex for treating autoimmune diseases, comprises first and second single chain MHC class II molecules, each comprising alpha1 and beta1 domain linked through amino acid linker and multimerization domain.

Disclosure; Page 91-92; 147pp; English.

The invention relates to a multimeric complex comprising a first recombinant single chain major histocompatibility complex (MHC) class II molecule and a second recombinant single chain MHC class II molecule, each comprising an alpha1 domain and a beta1 domain linked through an amino acid linker and a multimerization domain. The first and the second molecule are linked through the multimerization domain to form a multimeric complex. The complex is useful for treating autoimmune diseases. It is useful for treating insulin dependent diabetes, multiple sclerosis, myasthenia gravis, pernicious anaemia, autoimmune encephalomyelitis (EAE), rheumatoid arthritis and systemic lupus erythematosus. The present sequence encodes a single chain MHC class II molecule of the invention

Sequence 2346 BP; 560 A; 663 C; 646 G; 477 T; 0 U; 0 Other;

Comment Scores:

Id. No.:	1-77e-139	Length:	2346
Score:	1738.00	Matches:	336
Ident Similarity:	70.8%	Conservative:	44
Local Similarity:	62.6%	Mismatches:	79
Match:	65.3%	Indels:	78
	4	Gaps:	8

: 0-048-116B-2 (1-495) x ABI99027 (1-2346)

22 GlyGly-----GluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrThr 38
 766 GCGCGTTTCCTCGAGTGAAGACGACATTGAGGCGGACCACTGATGGCGTCTATGGTACAACT 825

39 ValTyrGlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeu 58
 826 GTATATCATGTCCTCTGGAGACATTGGCCAGTACACATGAATTTGATGGTATGATGG 885

59 PheTyrValAspLeuAspLysLysLysThrValTyrArgLeuProGluPheGlyGlnLeu 78
 886 TTCTATGTGGACTGGATAAGAGGAGACTATCTGGATGCTTCCTGAGTTTGGCCAAITG 945

79 IleLeuPheGluProGlnGlyGlyLeuGlnAsnIleAlaGluLysHisAsnLeuGly 98
 946 ACAAGCTTTGACCCCAAGTGGAGCTGCANAAACATAGCTACAGGAAAAATACACCTTGGGA 1005

99 IleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrVal 118
 1006 ATCTTGACTAGAGGTCAAAATTCACCCAGCTACCAATAGGCTCTCTCAAGCCGACTGTG 1065

119 PheProLysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsn 138
 1066 TTCCCCAAGTCCCTGTGCTGGTTCAGCCCAACACCCCTCATCTGCTTGTGTGACAAAC 1125

139 IlePheProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGly 158

Db	1126	ATCTTCCCTCCTGTGATCAACATCAATGCTCAGAAATAGTAGTCAGTCACAGACGGC	1185
Qy	159	ValTyrGluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeu	178
Db	1186	GTATTATGAGACAGCTTCTTGTACCCGTGACCATTTCTTCCACAAAGCTGTCTTATCTC	1245
Qy	179	ThrPheIleProSerAspAspIleTyrAspCysLysValGluHisTyrGlyLeuGlu	198
Db	1246	ACCTTCATCCCTTCTGACGATGATATTTATGACTGCAAGGTGGAGCACTGGGGCTGGAG	1305
Qy	199	GluProValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGlu	218
Db	1306	GAGCCGGTCTGAACACTGG-----GCT	1329
Qy	219	ThrGlyGlyGlyGlySer-----ThrThrAlaProSer-----	229
Db	1330	AGCGAGGGGGCGGAGCGGGGAGGAGCCAAAACGACACCCCATCTGTCTATCCA	1389
Qy	229	-----	229
Db	1390	CTGGCCCTGGATCTGCTGCCCAAACTAACTCCATGCTGTGACCTCTGGGATGCTCTGGTCAAG	1449
Qy	229	-----	229
Db	1450	GGCTATTTCCCTGAGCAGTGACAGTGACCTGGAACTCTCGATCCCTGTCCAGCGGTGTG	1509
Qy	230	-----AlaGlnLeuGluLysGluLeuAlaLeuGluLysGluAsnAla---	244
Db	1510	CACACCTTCCAGCTGCTGTCAGCTCTACACTCTGACGAGCTCAGTGACTGTG	1569
Qy	245	---GlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeuAlaGlnAlaAsnSerGlu	263
Db	1570	CCCTCCAGCAGCTGGCCGAGCGCTCACCTGTCAACGTTGCCACCCCGCCGAGCAGC	1629
Qy	264	ProArg---GlyProThrIleLysPro-----CysProProCysLysCysPro	278
Db	1630	ACCAAGGTGGACAGAAAATTGTGCCCGGAGTTGTGTTGTAAGCTTTGCATATGTACA	1689
Qy	279	AlaProAsnLeuLeuGlyGlyProSerValPheIlePheProProLysIleLysAspVal	298
Db	1690	GTCCAGAGTA-----TCATCTGTCTTCATCTTCCCCCAAGCCCAAGGATGTG	1740
Qy	299	LeuMetIleSerLeuSerProIleValThrCysValValValAspValSerGluAspAsp	318
Db	1741	CTCACCATTACTCTGACTCTCAAGTCAAGTCAAGTGTGTGTGTGTGTGTGTGTGTGTGT	1800
Qy	319	ProAspValGlnIleSerTrpPheValAsnAsnValGluValHisThrAlaGlnThrGln	338
Db	1801	CCGAGGTCCAGTTCAGT	1860
Qy	339	ThrHisArgGluAspTyrAsnSerThrLeuArgValValSerAlaLeuProIleGlnHis	358
Db	1861	CCCGGGGAGGAGCAGTTCAACAGCACCTTCGCTCAGTCAGTGAACCTTCCCATCATGCAC	1920
Qy	359	GlnAspTrpMetSerGlyLysGluPheLysCysLysValAsnAsnLysAspLeuProAla	378
Db	1921	CAGGACTGGCTCAATGCAAGGAGTTCAAAATGCGAGGTCAACAGTCAGCTTCCCTGCC	1980
Qy	379	ProIleGluArgThrIleSerLysProLysGlySerValArgAlaProGlnValTyrVal	398
Db	1981	CCCATCGAGAAACCATCTCCAAACCCAAAGGAGAGCGAGGCTCCACAGGTGTACACC	2040
Qy	399	LeuProProGluGluGluMetThrLysLysGlnValThrLeuLeuThrCysMetValThr	418
Db	2041	ATTCACCTCCAGGAGCAGATGCGCCAAAGGATAAAGTCAGTCTGACCTGATGATAACA	2100
Qy	419	AspPheMetProGluAspIleTyrValClnTrpThrAsnAsnGlyLysThrGluLeuAsn	438
Db	2101	GACTTCTTCCCTGAAGACATTTACTGTGGAGTGGCAGTGGAAATGGGCGAGCGAGAAC	2160
Qy	439	TyrLysAsnThrGluProValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeu	458
Db	2161	TACAAAGAACTCAGCCCATCATGACACAGATGGCTCTTACTTCTGCTCTACAGCAAGCTC	2220

459 ArgValGluLysLysAsnTrpValGluArgAsnSerTyrSerCysSerValValHisGlu 478
 2221 AATGTGCAAGAGCAACTGGGAGGCGAGAAATACATTTTCCCTGCTCTGTGTACATGAG 2280
 479 GlyLeuHisAsnHisHisThrThrLysSerPheSerArgThrProGlyLys 495
 2281 GGCCTGCACACCACTACTGAGAGAGCCTCTCCCACTCTCCTGGTAA 2331

SULT 7

I99033

ABI99033 standard; cDNA; 2343 BP.

ABI99033;

25-FEB-2002 (first entry)

MBP 90-101 CH1.H.CH2.CH3 coding sequence.

Mouse; MHC; major histocompatibility complex; MHC class II; multimer;
 single chain; immunosuppressive; antidiabetic; antiinflammatory;
 antianemic; antirheumatoid; antiarthritic; neuroprotective; vaccine;
 autoimmune disease; insulin dependent diabetes; multiple sclerosis;
 myasthenia gravis; pernicious anaemia; autoimmune encephalomyelitis;
 rheumatoid arthritis; systemic lupus erythematosus; ss.

Mus sp.

Synthetic.

WO200170245-A1.

27-SEP-2001.

22-MAR-2001; 2001WO-US009616.

22-MAR-2000; 2000US-0191274P.

15-MAY-2000; 2000US-0204249P.

23-JAN-2001; 2001US-0264003P.

(CORI-) CORIXA CORP.

Carter D, Zhu S, Arimilli S, Wang A;

WPI; 2001-616371/71.

P-PSDB; ABB56463.

Multimeric complex for treating autoimmune diseases, comprises first and
 second single chain MHC class II molecules, each comprising alpha1 and
 beta1 domain linked through amino acid linker and multimerization domain.

Disclosure; Page 96; 147pp; English.

The invention relates to a multimeric complex comprising a first
 recombinant single chain major histocompatibility complex (MHC) class II
 molecule and a second recombinant single chain MHC class II molecule,
 each comprising an alpha1 domain and a beta1 domain linked through an
 amino acid linker and a multimerization domain. The first and the second
 molecule are linked through the multimerization domain to form a
 multimeric complex. The complex is useful for treating autoimmune
 diseases. It is useful for treating insulin dependent diabetes, multiple
 sclerosis, myasthenia gravis, pernicious anaemia, autoimmune
 encephalomyelitis (EB), rheumatoid arthritis and systemic lupus
 erythematosus. The present sequence encodes a single chain MHC class II
 molecule of the invention

Sequence 2343 BP; 562 A; 665 C; 635 G; 481 T; 0 U; 0 Other;

ignment Scores:

sd. No.:	1.95e-139	Length:	2343
ore:	1737.50	Matches:	336
cent Similarity:	70.6%	Conservative:	44
at Local Similarity:	62.5%	Mismatches:	79
ary Match:	65.3%	Indels:	79

DB:	4	Gaps:	8
US-10-048-116B-2 (1-495) x ABI99033 (1-2343)			
Qy	22 GlyGly-----GluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrThr 38		
Db	760 GCGCGTTCCTCGAGTGAAGACGACATTTAGGCGCGACACGCTAGGCGCTCTATGTGCAACT 819		
Qy	39 ValTyrGlnSerProGlnGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeu 58		
Db	820 GTATATCAGTCTCCCTGGAGACATTTGCCAGTAGTACACATGAATTTTATGGTATGATGG 879		
Qy	59 PheTyrValAspLeuAspLysLysThrValTTPArgLeuProGluPheGlyGlnLeu 78		
Db	880 TTCTATGTGGACTTGGATAAGAGAGACTATCTGGATGCTTCTGAGTTTGGCCAATTG 939		
Qy	79 IleLeuPheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisLeuGly 98		
Db	940 ACAAGCTTTGACCCCAAGTGGACTGCAAAACATAGCTACAGGAAATACACCTTTGGGA 999		
Qy	99 IleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaVal 118		
Db	1000 ATCTTGACTAAGAGGTCAAAATTTCCACCCAGCTACCAATGAGGCTCTCAAGCGACTGG 1059		
Qy	119 PheProLysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsn 138		
Db	1060 TTCCCAAGTCCCTGTGCTGTGGTTCAGCCCAACACCCCTCATCTGCTTTGTGGACAC 1119		
Qy	139 IlePheProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGly 158		
Db	1120 ATCTTCCCTCTCTGTGATCAACATCATGTGCTCAGAAATAGTAAGTCAGTCACAGCGC 1179		
Qy	159 ValTyrGluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeu 178		
Db	1180 GTTATGAGACAGCTTCTTGTCAACCGTGACCATCTCTCCACAGCTGCTTATCTC 1239		
Qy	179 ThrPheIleProSerAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGlu 198		
Db	1240 ACCTTCATCCCTCTGACGATGATATTATGACTGCAAGTGGAGCAGCTGGGCGCTGGAG 1299		
Qy	199 GluProValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGlu 218		
Db	1300 GAGCGGTTCTGAACACACTGG-----ThrThralaProSer----- 229		
Qy	219 ThrGlyGlyGlyGlySer-----ThrThralaProSer----- 229		
Db	1324 AGCGAGGGGGCGGAAGCGCGGAGGAGAGCTTAGCCAAACACGACACCCCATCTGCTAT 1383		
Qy	229 ----- 229		
Db	1384 CCACCTGGCCCCCTGGATCTGCTGCCCAACTAACTCCATCGTGCCTGGGATCGCTGGTC 1443		
Qy	229 ----- 229		
Db	1444 AAGGGCTATTTCCCTGAGCCAGTGACAGTGACCTTGGAACTCTGGATCCCTGTCCAGCGGT 1503		
Qy	230 -----AlaGlnLeuGlnLysGluLeuGlnAlaLeuGlnLysGluAsnAla 244		
Db	1504 GTGCACACCTTCCAGCTGCTCCTGCACTGTGACCTCTACACTCTGAGCAGCTCAGTGACT 1563		
Qy	245 -----GlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeuAlaGlnAlaLaser 262		
Db	1564 GTCCCTCCAGCACCTGGCCCGAGCAGCGTCACTGCAACGTTGCCACCGCGGCAGC 1623		
Qy	263 GluProArg---GlyProThrIleLysPro-----CysProCysLysCys 277		
Db	1624 AGCACCAAGGTGGACAAGAAATTTGGCCAGGAGTTGGTTGTAAGGCTTGCAATGT 1683		
Qy	278 ProAlaProAsnLeuLeuGlyGlyProSerValPheIlePheProProLysIleLysAsp 297		
Db	1684 ACAGTCCCAAGAGTA-----TCATCTGCTTTCATCTTCCCCCAAGCCCAAGGAT 1734		
Qy	298 ValLeuMetIleSerLeuSerProIleValThrCysValValValAspValSerGluAsp 317		


```
|||||
1186 GTTATGAGACGAGCTTCCTTGTCAACCGTGACCACTTCCTTCCACAGCTGCTTATCTC 1245
179 ThrPheIleProSerAspAspIleTyrAspCysLysValGluHisTyrGlyLeuGlu 198
1246 ACCTTTCATCCCTCTGAGCGATGATTTATGACTGCAAGGTGGAGCACTGGGGCTGGAG 1305
199 GluProValLeuLysHisTyrGluProGluIleProAlaProMetSerGluLeuThrGlu 218
1306 GAGCGGTTCTGAACACTGG-----GCT 1329
219 ThrGlyGlyGlySer-----ThrAlaProSer----- 229
:::|||||
1330 AGCGAGGGGCGGAAGCGGGAGGGGAGCAAAACAAACACCCCATCAGTCTATCCA 1389
229 ----- 229
1390 CTGGCCCTGGGTGTGGAGATACAACTGGTTCCTCCGTGACTCTGGGATGCTGTGTCAG 1449
229 ----- 229
1450 GGCTACTTCCCTGAGTCACTGACTTGGAACTCTGGCTCCCTGTCAGCAGTGTG 1509
230 -----AlaGlnLeuGluLysGluLeuGlnAlaLeuGluLysGluAsnAla--- 244
|||||:::
1510 CACACCTTCCAGCTCTCTCGACTCTGCACTTACACTATGACGAGCTCAGTCACTGTC 1569
245 ---GlnLeuGluTyrGluLeuAlaLeuGluLysGluLeuAlaGlnAlaSer--- 262
|||||:::
1570 CCCTCCAGCAGCTGGCCAAAGTCAGACCTGACCTGACGGTGTCTCACCAGCAGCAGC 1629
263 -----GluProArgGlyPro-----ThrIleLysProCysPro 273
1630 ACCACGGTGGACAAAACCTTGAGCCGAGCGGGCCCATTTCAACAATCAACCCCTGTCT 1689
274 ProCys-----LysCysProAlaProLeuLeuGlyGlyProSerValPhe 289
|||||
1690 CCATGCAAGGAGTGTGCACAAATGCCAGCTCTTAACCTGGAGGGTGGACCATCGTCTTC 1749
290 IlePheProProLysIleLysAspValLeuMetIleSerLeuSerProIleValThrCys 309
|||||
1750 ATCTTCCCTCAAATATCAGATGTACTCATGATCTCCCTGACACCCAGCAGTCACTGT 1809
310 ValValValAspValSerGluAspAspProAspValGlnIleSerTyrPheValAsnAsn 329
1810 GTGGTGTGGATGTGAGCGAGGATGACCCAGAGCTCCAGATCAGCTGTTGTGAACAAC 1869
330 ValGluValHisThrAlaGlnThrGlnThrHisArgGluAspTyrAsnSerThrLeuArg 349
|||||
1870 GTGGAAGTACACACAGCTCAGACACAAACCCATAGAGAGGATTACAACAGTACTATCCGG 1929
350 ValValSerAlaLeuProIleGlnHisGlnAspTyrMetSerGlyLysGluPheLysCys 369
1930 GTGTTCAGACCTCCCCATCCAGCACCCAGGACTGGATGGATGGCAGGAGTTCAATGC 1989
370 LysValAsnAsnLysAspLeuProAlaProIleGluArgThrIleSerLysProLys 388
1990 AAGGTCACAACAAGAGCTCCCATCCATCCCATCGAGAGAACCATCTCAAAATAATAA 2046
```

UT 10
0316

AAF30316 standard; cDNA; 7528 BP.

AAF30316;

11-SEP-2003 (revised)

14-MAY-2001 (first entry)

Bicistronic idiotype plasmid VR1642.

Flt-3 ligand; Fms-like tyrosine kinase; mouse; human; vaccine;
immunotherapy; therapy; tumour; lymphoma; gene therapy; VR1642;
plasmid VAXID; antibody; idiotype; vector; ss.

```
XX Cytomegalovirus.  
OS Mus musculus.  
OS Homo sapiens.  
OS Bos taurus.  
OS Chimeric.  
XX WO200109303-A2.  
XX 08-FEB-2001.  
XX 31-JUL-2000; 2000WO-US020679.  
XX 30-JUL-1999; 99US-0146170P.  
XX (VICA-) VICAL INC.  
XX Hermanson GG;  
XX WPI; 2001-123319/13.  
XX Immunogenic compositions comprising Flt-3 ligand encoding polynucleotide  
PT and one or more antigen, or cytokine encoding polynucleotides, useful for  
PT suppressing tumor growth and for treating autoimmune diseases (e.g.  
PT rheumatoid arthritis).  
XX Example 2; Page 101-106; 149pp; English.  
XX The present sequence is that of patient-specific bicistronic chimeric  
CC idiotype VR1642 (plasmid VAXID), which is used to treat B-cell lymphoma  
CC patients. The plasmid includes the cytomegalovirus immediate-early  
CC promoter, enhancer and 5' untranslated sequences, driving the expression  
CC of mouse-human chimeric immunoglobulin light and heavy chain sequences.  
CC The human light and heavy chain variable regions are derived from B-cell  
CC lymphoma cell line RAMOS. The transcriptional terminator region includes  
CC polyA and termination signals from the bovine growth hormone gene.  
CC According to the invention, co-administration of VR1642 with a plasmid  
CC (see AAF30314) encoding human Fms-like tyrosine kinase (Flt-3 ligand)  
CC provides a means of treating a patient with B-cell lymphoma. (Updated on  
CC 11-SEP-2003 to standardise OS field)  
XX SQ Sequence 7528 BP; 1896 A; 1980 C; 1847 G; 1805 T; 0 U; 0 Other;
```

Alignment Scores:

Pred. No.:	7.53e-104	Length:	7528
Score:	1332.00	Matches:	290
Percent Similarity:	64.8%	Conservative:	42
Best Local Similarity:	56.6%	Mismatches:	89
Query Match:	50.1%	Indels:	92
DB:	4	Gaps:	15

US-10-048-116B-2 (1-495) x AAF30316 (1-7528)

Qy	10	GlyValLeuAlaLeuAnThrMetLeuSerLeu---CysGlyGlyGluAspAspIleGlu	28
Db	1322	GGACTGTGAAGCCTTCGGAGACCTGTCCCTACCTGCGGT-----GTTTATGGT	1372
Qy	29	AlaAspHisValGlyPheTyrGlyThrValTyrGlnSerProGlyAsp-----	45
Db	1373	GGGTCTTCAGTGGTTACTACTGGAGCTGGATCGCCAGCCGCCAGGAGGGGTGGAG	1432
Qy	46	---IleGlyGlnTyrThrHis-----GluPheAspGlyAsp	56
Db	1433	TGGATTGGGGAATCAATCATAGTGGAGACCACTACACCGCTCCCTCAAGAGTCCA	1492
Qy	57	GluLeuPheTyrValAspLeuAspLysLysThrValTyrArgLeuProGlu-----	74
Db	1493	GTCACCATATCAGTAGACACGCTCCCTCGAAGTGTGAGCTCTGTGAAC	1552
Qy	75	-----PheGlyGlnLeuIleLeuPheGluProGlnGlyGlyLeu	87
Db	1553	GCCGCGGACACGGCTGTGTATTACTGTGCGGAGAGTTATTACTAGGGCGAGTCTCTG	1612

immune response is dependent on the glycosylation pattern of the antibody. Recombinant antibody expressed in hamster or human cells shown to have a similar immunogenicity as antibody expressed by murine hybridoma cells. This is of particular relevance for antibodies that are to be used for immunisation purposes. The antibody may have a murine amino acid sequence or any other mammalian amino acid sequence that is combined with the murine IgG2a part. Preferably mammalian sequences are human, humanized, human/murine chimeric or murine sequences. The antibody may also be an anti-idiotypic antibody or a mimotopic Abi antibody. The IgG2a immunogenic recombinant antibody can be directed against a tumour associated antigen. The invention also provides vaccines comprising the IgG2a immunogenic antibody. The vaccines may be used for the prophylaxis and therapy of cancer associated diseases, e.g. metastatic disease in cancer patients. The vaccine specifically modulates antigen-presenting cells in vivo or ex vivo, thus generating an immune response to the epitope that is targeted by the IgG2a immunogenic antibody. The preferred method of producing the antibody comprises: transforming a CHO host cell with a multicistronic antibody-expression construct containing at least a nucleotide sequence encoding a kappa light chain and a nucleotide sequence encoding a gamma heavy chain, where at least one of these sequences comprises a nucleotide sequence encoding at least a part of a murine IgG2a subtype amino acid sequence, and at least 2 IRES elements; and expressing the sequences under the control of a single CMV promoter to produce an intact antibody. The kappa light chain and gamma heavy chain are expressed in about equimolar quantity, and antibody concentrations of 5-300 ug/ml are achieved.

Sequence 3973 BP; 1052 A; 1038 C; 993 G; 888 T; 0 U; 2 Other;

Alignment Scores:

d. No.:	6.48e-104	Length:	3973
cent Similarity:	1328.50	Matches:	281
t Local Similarity:	65.0%	Conservative:	26
ry Match:	59.5%	Mismatches:	71
	49.9%	Indels:	95
	13	Gaps:	11

:-0-048-116B-2 (1-495) x ADT77690 (1-3973)

```

42 SerProGlyAspIleGly--GlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
1567 AATCCTGGAAAGTGGTGTACTAATGAGAGTTCAAGGGCAAGGCAACACTGACT 1626
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
61 ValAspLeuAspLysLysLysThrValTyrArgLeuProGluPhe----- 75
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
1627 GCAGACAAATCTCCAGCACTGCCTACATGAGCTCAGCTCAGCAGCTGATGACTCT 1686
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
76 -----GlyGlnLeuLeuLeuPheGluProGlnGlyGlyLeu 87
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
1687 GCGGTCTATTCTGTGCAAGAGATGGTCCCTGGTTTGTCTTACTGGGGCCAGGACTCTG 1746
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
88 GlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeuThrLysArgSerAsnPheThr 107
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
1747 GTCACTGTCTCTGCAGCCCAA----- 1767
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
108 ProAlaThrAsnGluAlaProGlnAlaThrValPheProLysSerProVal----- 124
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
1768 -----ACACAGCCCA-----TCGGTCTATCCACTGGCCCTGTGTGGAGAT 1812
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
125 LeuLeuGlyGlnProAsnThrLeuLeuCysPheValAspAsnIlePheProValIle 144
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
1813 ACAACTGGCTCTCGGTGACTTAGGATGCTGGTCAAGGGTATTTCCCTGAGCCAGTG 1872
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
145 AsnIleThrTropLeuArgAsnSerLysSerValThrAspGlyValTyrSerPhe 164
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
1873 ACCGTGACCTGG-----AATCTGGATCCCTGCTCAGTGGTGACACCTTCCCGACT 1926
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
165 LeuValAsnArgAspHisSerPheHisLysLysSerTyrThrPheIleProSerAsp 184
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
1927 GTCTGTCAGTCTGAC-----CTACACCTCAGCAG-CTCAGT----- 1964
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :
185 AspAspIleTyrAspCysLysValGluHis--TyrGlyLeuGluProValLeuLysHi 204
   : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : : :

```

Db	1965	-----GACTGTAACTCGAGCACCTGG-----	1986
Qy	204	sTrpGluProGluIleProAlaProMetSerGluLeuThrGluThrGlyGlyGlyGlyse	224
Db	1987	-----CCAGCCAGTCCATCACC-----	2015
Qy	224	rThrAlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGluLysGluAsnAl	244
Db	2016	CCACCCGGCAAGCAGCACCAAGGTGGACAAGAAATT-----	2052
Qy	244	aGlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeuAlaAlaSerGluPr	264
Db	2053	-----GAGCC-----	2057
Qy	264	oAtsGlyProThrIleLysProCysProCysLysCysProAlaProAsnLeuLgl	284
Db	2058	CAGAGGCCCAATCAATCAAGCCCTGCTCCATCAATGCCAGCACCTAACCTCTTGGG	2117
Qy	284	yGlyProSerValPheIlePheProLysLysLysLysLysLysLysLysLysLysLys	304
Db	2118	TGGACCATCGGTCTTCACTTCCCTCCAAAGATCAAGGATGTACTCATGTCTCCCTGAG	2177
Qy	304	rProIleValThrCysValValValValValValValValValValValValValVal	324
Db	2178	CCCATAGTCACATGT	2237
Qy	324	rTrpPheValAsnValGluValHisThrAlaGlnThrGlnThrHisArgGluAspTy	344
Db	2238	CTGGTTGTGAACACCTGGAGTACACACAGCTCAGACACCAACCCATGAGAGGATTA	2297
Qy	344	rAsnSerThrLeuArgValValSerAlaLeuProIleGlnHisGlnAspTrpMetSerGl	364
Db	2298	CAACAGTACTCTCGGGT	2357
Qy	364	yLysGluPheLysCysLysValAsnAsnLysAspLeuProAlaProIleGluArgThrIl	384
Db	2358	CAAGGAGTTCAATGCAAGGTCAACAAAGAGCTCCAGCGCCCATCGAGAGAACCAT	2417
Qy	384	eSerLysProLysGlySerValArgAlaProGlnValTyrValLeuProProGluGl	404
Db	2418	CTCAAAACCCCAAGGGTCACTAGAGCTCCACAGGTATATGTCTTGTCTCCACCAAGA	2477
Qy	404	uGluMetThrLysLysGlnValThrLeuThrCysMetValThrAspPheMetProGluAs	424
Db	2478	AGAGATGACTAAGAAAACAGGTCTACTCTGACCTGCTGCTGCTGCTGCTGCTGCTGCTG	2537
Qy	424	pIleTyrValGluTrpThrAsnAsnGlyLysThrGluLeuAsnTyrLysAsnThrGluPr	444
Db	2538	CAITTTAGTGGAGTGGACCAACACGGGAAACAGAGCTAAACTTCAAGAACACTGAACC	2597
Qy	444	oValLeuAspSerAspGlySerTyrPheMetTyrSerLysLeuArgValGluLysLysAs	464
Db	2598	AGTCTGAGCTCTGATGGTTCTTACTTCTCATGTACAGCAAGCTGAGAGTGGAAAAAGAA	2657
Qy	464	nTrpValGluArgAsnSerTyrSerCysSerValValHisGluGlyLeuHisAsnHisHi	484
Db	2658	CTGGGTGGAAAGAAATAGTACTCTCTTTCAGTGTGTCCACGAGGGTCTGCAATACCA	2717
Qy	484	sThrThrLysSerPheSerArgThrProGlyLys 495	
Db	2718	CAGACTAAGAGCTTCTCCCGGACTCCCGGTAA 2751	
DE	AAQ48037	standard; cDNA to mRNA; 1581 BP.	
XX	AAQ48037;		
XX	25-MAR-2003 (revised)		
DT	10-MAR-2003 (revised)		
DT	08-FEB-1994 (first entry)		
XX	Monoclonal antibody M(alpha)2-3 H-chain coding sequence.		

anti-snake small neurotoxin antibody; heavy chain; IgG2; immunoglobulin;
bispecific bivalent antibody; cell-targeting; cytotoxic agent; ss.

Unidentified.

Key Location/Qualifiers
CDS 61..1470
/tag= b
/product= "Ig_heavy-chain"
61..117
/tag= a
118..477
/tag= c
/product= "Ig_variable_region"
478..768
/tag= d
/product= "Ig_constant_region"
769..816
/tag= e
/product= "Ig_joining_region"
817..1146
/tag= f
/product= "Ig_constant_region"
1147..1167
/tag= g
/product= "Ig_constant_region"

EP556111-A1.

18-AUG-1993.

09-FEB-1993; 93EP-00400323.

11-FEB-1992; 92FR-00001505.

(COMS) COMMISSARIAT ENERGIE ATOMIQUE.

Boulain J, Ducancel F, Gillet D, Menez A;

WPI; 1993-260351/33.
P-PSDB; AAR40384.

New immunoglobulin hybrid proteins - with immunoglobulin fragments linked
to dimeric protein, for diagnostic or therapeutic use.

Example 1; Fig 3A; 37pp; French.

A fragment of the heavy chain (VH + CH1) from the anti-snake small
neurotoxin monoclonal antibody M(alpha)2-3 was PCR-amplified from
hybridoma-derived cDNA using primers AAQ48039 and AAQ48040. A light chain
fragment (VL + CL) was amplified from the same source using primers
AAQ48041 and AAQ48042. The two amplified fragments were inserted into the
same vector; the H-chain fragment was inserted (in-frame) between codons
6-7 of the phoA coding sequence and the L-chain fragment was inserted
into a cassette which contained a phoA 8-D sequence, a signal peptide and
the first 6 codons of phoA. The cassette was positioned between the
termination codon and the transcription termination sequence of phoA. The
fusion construct is expected to encode a hybrid protein comprising two
identical Ab-derived units. The invention also covers hybrid proteins
containing two different Ab-derived units (i.e. to produce bispecific
antibodies). When a toxic protein is used in place of phoA, the hybrid
molecules can be used as cell-targeting therapeutic agents. (Updated on
10-MAR-2003 to add missing OS field.) (Updated on 25-MAR-2003 to correct
PN field.)

Sequence 1581 BP; 435 A; 448 C; 373 G; 325 T; 0 U; 0 Other;

ignment Scores:

ad. No.:	4.24e-104	Length:	1581
ore:	1324.50	Matches:	286
recent Similarity:	65.4%	Conservative:	31
st Local Similarity:	59.0%	Mismatches:	81

Query Match:	49.8%	Indels:	89
DB:	2	Gaps:	11
US-10-048-116B-2 (1-495) x AAQ48037 (1-1581)			
QY 34 PheTyrGlyThrThrValTyrGlnSerProGlyAsp-----IleGly-----			47
DB 211 TACTATATAAACTGGGTGAAGCAGAGCTTGACAGGGACTTAAATGGATTGGATTGATT			270
QY 48 -----GlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60			
DB 271 TATCTGCAAGCGGTAATACTAAGTACAACTTCAAGGCAAGCCACATTGACT			330
QY 61 ValAspLeuAspLysLysThrValTrpArgLeu-----ProGluPhe 75			
DB 331 GTAGACACATCTCTCCAGCACAGCTTACATGAGCTCAGAGCTGACATCTGAGGACACT			390
QY 76 GlyGlnLeuLeuPheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHis 95			
DB 391 GCTGT-CTATTCTGTGCAAGAGCTATGGGGCTAC-----GGCTAC 431			
QY 96 AsnLeuGlyIleLeuThrLysArg-SerAsnPheThrProAlaThrAsnGluAlaProGl 115			
DB 432 ACTTTTGACTACTGGGGCCCAAGGCACCACTCTCACAGTCTCTCAGCCAAACACAGC 491			
QY 115 nAlaThrValPheProLysSerProVal-----LeuLeuGlyGlnProAsnThrLe 132			
DB 492 CCCATCGGTCTATCCACTGCGCCCTGTGTGGAGATACAACTGCTCTCGTGACTCT 551			
QY 132 uIleCysPheValAspAsnIlePheProValIleAsnIleThrTrpLeuArgAsnSe 152			
DB 552 AGGATGCTTGGTCAAGGGTTATTTCCCTGAGCCAGTACCTTGACTGG-----AACTC 605			
QY 152 rLysSerValThrAspGlyValTyrGluThrSerPheLeuValAsnArgAspHisSerPh 172			
DB 606 TGGATCCCTGTCAGTGGTGACACCTTCCAGCTGTCTGCTGAGTCTGAC-----CT 659			
QY 172 eHisLysLeuSerTyrLeuThrPheIleProSerAspAspAlaIleTyrAspCysLysVa 192			
DB 660 CTACACCTCTCAGCAG-CTCAGT-----GACTGAACCT 691			
QY 192 lGluHis-TrpGlyLeuGluGluProValLeuLysHisTrpGluProGluIleProAlaP 212			
DB 692 CGAGCACCTGG-----C 703			
QY 212 roMetSerGluLeuThrGluThrGlyGlyGlySerThrThrAlaProSerAlaGlnJ 232			
DB 704 CCAGCCAGTCCATCACC-----TGCAATGTGGCCCAAGCCAGCAGCAGCAGG 754			
QY 232 euGluLysGluLeuGlnAlaLeuGluLysGluAsnAlaGlnLeuGluTrpGluLeuGlnA 252			
DB 755 TGGCAAGAAATTT----- 768			
QY 252 laLeuGluLysGluLeuAlaGlnAlaAspGluProArgGlyProThrIleLysProC 272			
DB 769 -----GAGCCCAAGGGCCCAATCAAGCCCT 796			
QY 272 ysProProCysLysCysProAlaProAsnLeuLeuGlyGlyGlyProSerValPheIlePheP 292			
DB 797 GTCTCTCCATGCAAAATGCCAGCACCTTCTGGTGGACCATCCGCTTTCATCTTCC 856			
QY 292 roProLysIleLysAspValLeuMetIleSerLeuSerProIleValThrCysValValV 312			
DB 857 CTCCAAGATCAAGATGATCTCATGATCTCTCCAGCCCCCATAGTACATGTGTGTGG 916			
QY 312 alAspValSerGluAspAspProAspValGlnIleSerTrpPheValAsnAsnValGluV 332			
DB 917 TGGATGTGAGCGAGGATGACCCAGATGTCAGATCAGCTGGTTTGTGAACACAGCTGGA 976			
QY 332 alHisThrAlaGlnThrGlnThrHisArgGluAspTyrAsnSerThrLeuArgValValS 352			
DB 977 TACACACAGCTCAGACACAAACCCATAGAGGATTACAAACAGTACTCTCCGGTGGTCA 1036			

```
352 eAlaLeuProIleGlnHisGlnAspTyrMetSerGlyLeuPheLysCysLysVala 372
|||||
1037 GTGCCCTCCCATCCAGCACCAGGACTGGATGGTGGCAAGAGTTCAATGCAAGGTCA 1056
|||||
372 snAenLysAspLeuProAlaProIleGlnAsgThrIleSerLysProLysGlySerVala 392
|||||
1097 ACAACAAGAGACTGCCAGCGCCCATCGAGAGAACCATCTCAAAACCCCAAGGGTCAGTAA 1156
|||||
392 rGAlaProGlnValTyrValLeuProProGluGluGluMetThrLysLysGlnValT 412
|||||
1157 GAGCTCCACAGGTATATGTTGCTCCACAGAGAGAGATGACTAAGAAACAGGTCA 1216
|||||
412 hrLeuThrCysMetValThrAspPheMetProGluAspIleTyrValGluTyrThrAsnA 432
|||||
1217 CTCTGACCTGCATGGTCCACAGACTTCATGCTGAGACATTTACGTGGAGTGGACCAACA 1276
|||||
432 snGlyLysThrGluLeuAsnTyrLysAsnThrGluProValLeuAspSerSpgLysert 452
|||||
1277 ACGGAAACACAGAGCTAAACTACAGAAACACTGAACCACTGCTGGACTCTGATGGTTCTT 1336
|||||
452 yrPheMetTyrSerLysLeuArgValGluLysLysAsnTyrValGluArgAsnSerTyrS 472
|||||
1337 ACTTCATGTACAGCAAGCTGAGTGGAAAGAGAACTGGTGGAAAGAATAAGTACT 1396
|||||
472 erCysSerValHisGluGlyLeuHisAsnHisThrThrLysSerPheSerArgT 492
|||||
1397 CCTGTTAGTGGTCCAGCAGGGCTGTCACAAATCACCACAGACTTAAGAGCTTCTCCCGGA 1456
|||||
492 hrProGlyLys 495
1457 CTCCGGGTAAA 1467
```

ULT 13

: 9725

AED19725 standard; DNA; 1560 BP.

AED19725;

15-DEC-2005 (first entry)

Anti-PrP antibody heavy chain 44BH DNA SEQ ID NO 5.

cerebroprotective; cell therapy; gene therapy; drug delivery;

prion disease; 44BH; ds; therapeutic; monoclonal antibody; heavy chain.

Unidentified.

W02005094846-A1.

13-OCT-2005.

30-MAR-2005; 2005WO-JP006189.

30-MAR-2004; 2004JP-00100649.

(RENO-) RENOMEDIX INST INC.

Fujinaga K, Shinagawa M, Niitsu Y, Hamada H, Horiuchi M;

Homou O, Umetani A;

WPI; 2005-725409/74.

Agent useful for treating prion disease or delivering a substance to a
lesioned region of prion disease, comprises a mesenchymal cell.

Claim 4; SEQ ID NO 5; 34pp; Japanese.

The invention describes an agent (I) for treating prion disease or
delivering a substance to the lesioned region of prion disease,
comprising a mesenchymal cell. Also described are: a nucleic acid (II)
having an anti-prion antibody gene comprising: an antibody heavy chain
gene having SEQ ID No: 1, 3, 5, 30, 32 and 34; a nucleotide sequence
consisting of a degenerate genetic code, which encodes a polypeptide same

as that of the above nucleotide sequence, a nucleotide sequence, which is
a mutant of the above sequences, or a nucleotide sequence that is
complementary to the above sequences and that hybridizes under stringent
conditions with the above sequences; and an antibody light chain gene
having SEQ ID No: 2, 4, 6, 31, 33 and 35; a nucleotide sequence
consisting of degenerate genetic code, which encodes a polypeptide same
as that of the above nucleotide sequence, a nucleotide sequence that is
a mutant of the above sequences, or a nucleotide sequence that is
complementary to the above sequences and that hybridizes under stringent
conditions with the above sequences; a vector (III) comprising (II); an
anti-prion chimeric antibody (IV) comprising variable region of antibody
encoded by (II) and constant region of antibody of animal other than
mouse; a nucleic acid that encodes (IV); preparing (MI) a cell having
abnormal prion proliferation inhibition activity, comprising transducing
a gene that provides abnormal prion proliferation inhibition activity to
the cell; a cell (V) having abnormal prion proliferation inhibition
activity, being obtainable by (MI) or by utilizing (II) or (III); a
sustainable formulation (VI) for discharge of an anti-prion antibody
utilized for treating prion disease; use of a mesenchymal cell for
producing an agent for delivering a substance to the lesioned region of
prion disease; and delivering a substance to the lesioned region of a
prion disease, comprising utilizing mesenchymal cell. (I) is useful for
treating prion disease or delivering a substance to the lesioned region
of prion disease. (II), (III) Or (MI) is useful for preparing a cell
having abnormal prion proliferation inhibition activity. (I), (II),
(III), (IV) Or (VI) is useful for treating prion disease. (I) Enables
improvement of the symptoms of prion disease. This sequence an anti-PrP
monoclonal antibody heavy chain. Note: This sequence does not appear in
the printed specification but has been obtained in electronic format
directly from WIPO at ftp.wipo.int/pub/published_pct_sequences.

SQ Sequence 1560 BP; 413 A; 424 C; 388 G; 335 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.:	7.55e-104	Length:	1560
Score:	1321.50	Matches:	269
Percent Similarity:	73.7%	Conservative:	19
Best Local Similarity:	68.8%	Mismatches:	39
Query Match:	49.7%	Indels:	65
DB:	14	Gaps:	8

US-10-048-116B-2 (1-495) x AED19725 (1-1560)

```
Qy 109 AlaThrAsnGlnAlaProGlnAlaThrValPheProLysSerProVal-----Leu 125
|||
Db 560 GCCAATAACAACAGCCCA-----TCGGTCTATCCACTGGCCCTGTGTGGAGGTACA 613
|||
Qy 126 LeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePheProProValIleAsn 145
|||
Db 614 ACTGGCTCCTCGGTGACTTAGGATGCTTCAAGGGTTATTTCCCTGAGCCAGTGACC 673
|||
Qy 146 IleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyrGluThrSerPheLeu 165
|||
Db 674 TTGACCTGG-----AACTCTGGATCCCTGTCAGTGGTGTGCACACCTTCCCAGCTCTC 727
|||
Qy 166 ValAsnArgAspHisSerPheHisLysLysSerTyrLeuThrPheIleProSerAspAsp 185
|||
Db 728 CTGCAGTCTGAC-----CTCTACACCCCTCAGCAG-CTCAGT-----762
|||
Qy 186 AspIleTyrAspCysLysValGluHis-TrpGlyLeuGluGluProValLeuLysHisTr 205
|||
Db 763 -----GACTGTAACTCGAGCACCTGG-----784
|||
Qy 205 pGluProGluIleProAlaProMetSerGluLeuThrGluThrGlyGlyGlySerTh 225
|||
Db 785 -----CCAGCCAGTCCATCACC-----TGCAATGTGGCCCA 816
|||
Qy 225 rThrAlaProSerAlaGlnLeuLysGluLeuGlnAlaLeuGluLysGluAsnAlaGl 245
|||
Db 817 CCGGCAAGCAGCAGCACCAGGTCGAGCAAGAAATTT-----850
|||
Qy 245 nLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeuAlaGlnAlaAlaSerGluProAr 265
|||
```

851 -----GAGCCAG 858
 265 gGlyProThrIleLysProCysProCysLysCysProAlaProAsnLeuGlyGI 285
 859 AGGGCCCAACATCAAGCCCTGCTCATGCAAAATGCCAGCACCTAACCTCTGGGTGG 918
 285 yProSerValPheIlePheProProLysIleLysValLeuMetIleSerLeuSerPr 305
 919 ACATCCGCTTCATCTTCCCTCCAAAGATCAAGGATGACTCATGATCTCCCTGAGCCC 978
 305 oileValThrCysValValValAspValSerGluAspAspProAspValGlnIleSerTr 325
 979 CATAGTCACATGTGTGGTGGTGTGAGCGGAGGATGACCCAGATGTCAGATCAGCTG 1038
 325 pPheValAsnValGluValHisThrAlaGlnThrGlnThrHisArgGluAspTyrAs 345
 1039 GTTTGTGAACAACAGTGGAAAGTACACACAGCTCAGACACAAACCCATAGAGAGATTACAA 1098
 345 nSerThrLeuArgValValValSerAlaLeuProIleGlnHisGlnAspTyrMetSerGlyLy 365
 1099 CAGTACTCTCCGGGTGGTCAAGTGCCTCCCATCCAGCACCCAGGACTGGATGAGTGGCAA 1158
 365 sGluPheLysCysLysValAsnAsnLysAspLeuProAlaProIleGluArgThrIleSe 385
 1159 GGAGTTCAAATGCAGGTCAACACAAAGACCTCCAGCGCCCATCGAGAGAACCATCTC 1218
 385 rLysProLysGlySerValArgAlaProGlnValTyrValLeuProProProGluGluGI 405
 1219 AAAACCCAAAGGTCAGTAAGAGCTCCACAGGTATATGTCTTGGCTCCACAGAGAGAGA 1278
 405 uMetThrLysLysGlnValThrLeuThrCysMetValThrAspPheMetProGluAspTr 425
 1279 GATGACTAAGAAACAGGTCACTGTGACCTGCATGGTGCACAGACTTCATGCCCTGAAGACAT 1338
 425 eTyrValGluTyrThrAsnAsnGlyLysThrGluLeuAsnTyrLysAsnThrGluProVa 445
 1339 TTACGTGGAGTGGACCAACACGGGAAACAGACGCTAACTACAGAACACTGAACAGT 1398
 445 lleuAspSerAspGlySerTyrPheMetTyrSerLysLeuArgValGluLysLysAsnTr 465
 1399 CCTGCACTCTGATGGTCTTACTTCATGTACAGCAAGCTGAGAGTGGAAAGAGAACTG 1458
 465 pValGluArgAsnSerTyrSerCysSerValValHisGluGlyLeuHisAsnHisTh 485
 1459 GGTGGAAGAAATAGTACTCTCTGTTCACTGTGTCACAGAGGCTGTCACAAATCACACAC 1518
 485 rThrLysSerPheSerArgThrProGlyLys 495
 1519 GACTAAGAGCTTCTCCGAGCTCCGGGTAAA 1549
 SULT 14
 B21727
 AEB21727 standard; DNA; 1407 BP.
 AEB21727;
 08-SEP-2005 (first entry)
 Anti-Nogo-antibody 2A10 heavy chain polynucleotide.
 neuroprotective; nototropic; cerebroprotective; vasotropic;
 antiparkinsonian; anticonvulsant; protein production; therapeutic;
 pharmaceutical; amyloidosis; metabolic disorder;
 cerebrovascular ischemia; cardiovascular disease; neurological disease;
 brain injury; injury; spinal cord injury; vulnerability; dementia;
 peripheral neuropathy; parkinson's disease; Huntington's chorea;
 genetic disorder; Creutzfeldt Jakob disease; infection;
 motor neuron disease; cns-gen.; muscular-gen.; myositis;
 antiinflammatory; inflammation; musculoskeletal disease;
 Alzheimers disease; degeneration; antibody; heavy chain; ds.
 Mus sp.

PN WO2005061545-A2.
 XX 07-JUL-2005.
 XX 20-DEC-2004; 2004WO-GB005343.
 XX 22-DEC-2003; 2003GB-00029684.
 PR 22-DEC-2003; 2003GB-00029711.
 XX (GLAX) GLAXO GROUP LTD.
 XX Hussain I, Prinjha RK;
 XX WPI; 2005-522181/53.
 XX Modulating production of amyloidogenic peptide in, e.g. Alzheimer's
 PT disease, by contacting cell and Nogo polypeptide with Nogo antagonist.
 XX Example 4; SEQ ID NO 49; 53pp; English.
 XX The invention describes a method of modulating production of an
 CC amyloidogenic peptide comprising contacting a cell which is expressing
 CC the precursor from which the amyloidogenic peptide is derived and a Nogo
 CC polypeptide, with a Nogo antagonist. Also described are: use of a Nogo
 CC antagonist in the manufacture of a medicament for the treatment or
 CC prophylaxis of a disease involving amyloidosis; and a method of treatment
 CC or prophylaxis of Alzheimer's disease comprising administering to the
 CC human in need an anti-Nogo antibody. The invention is used for modulating
 CC production of amyloidogenic peptide in, e.g. Alzheimer's disease, stroke,
 CC traumatic brain injury and spinal cord injury, fronto-temporal dementias,
 CC peripheral neuropathy, Parkinson's disease, Huntington's disease,
 CC Creutzfeldt-Jakob disease, amyotrophic lateral sclerosis, multiple
 CC sclerosis, or inclusion body myositis. The invention provides an
 CC unexpected route for therapeutic intervention in particularly Alzheimer's
 CC disease. This sequence represents an anti-Nogo-antibody 2A10 heavy chain
 CC polynucleotide.
 XX Sequence 1407 BP; 378 A; 396 C; 346 G; 287 T; 0 U; 0 Other;
 SQ
 Alignment Scores:
 Pred. No.: 8.87e-104 Length: 1407
 Score: 1320.00 Matches: 285
 Percent Similarity: 64.0% Conservative: 26
 Best Local Similarity: 58.6% Mismatches: 68
 Query Match: 49.6% Indels: 108
 DB: 14 Gaps: 13
 US-10-048-116B-2 (1-495) x AEB21727 (1-1407)
 QY 39 ValTyrGlnSerProGlyAsp-----IleGly----- 47
 Db 178 GTGAAGCAGAGGCGCTGGACAAAGCCCTTGATGGTGGAAATATTAACTCTAGCAATGTT 237
 QY 48 -----GlnTyrThrHisGluPheAspGlyAspGluLeuPheTyrValAspLeuAspLys 65
 Db 238 GGTACTAATAATGAGAAGTTCAAGAGCAGAGGCCACACTGACTGTAGACAAATCCTCC 297
 QY 66 LysLysThrValTrpArgLeuPro----- 73
 Db 298 AGCAGACCTACATGCAGCTCAGCAGCCTGACATCTGAGGAGCTCTGCGGTCTATTATTGT 357
 QY 74 GluPheGlyGlnLeuIleLeuPheGluProGlnGlyGlyLeuGlnAsnIleAlaGlu 93
 Db 358 GAACTGGGACAG-----GGCTACTGGGGCCCAAGGCACACTAGTCCCTCTCAGCC 411
 QY 94 LysHisAsnLeuGlyIleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAla 113
 Db 412 AAA-----ACACAGCC 423
 QY 114 ProGlnAlaThrValPheProLysSerProVal-----LeuLeuGlyGlnProAsn 130
 Db 424 CCA-----TCGGTCTATCCACTGCGCCCTGTGTGGGAGATACAACTGCTCCTCGGTG 477

131 ThrLeuIleCysPheValAspAsnIlePheProValIleAsnIleThrTrpLeuArg 150
|||||
478 ACTCTAGGATCCCTGGTCAAGGGTATTTCCTCGAGCCAGTGACCTTGACCTGG----- 531
151 AsnSerIysSerValThrAspGlyValTrpGluThrSerPheLeuValAsnArgAspHis 170
|||||
532 AACTCTGGATCCCTCGAGTGGTGACACACCTTCCAGCTGCCAGCTCTGCAC--- 588
171 SerPheHisIysLeuSerTyThrPheIleProSerAspAspAspIleTyThrAspCys 190
|||||
589 ---CTCTACACCTCAGCAG-CTCAGT-----GACTGT 617
191 LysValGluHis-TrpGlyLeuGluGluProValLeuLysHisTrpGluProGluIlePr 210
|||||
618 AACCTCGAGCACCTGG----- 633
210 oAlaProMetSerGluLeuThrGluThrGlyGlyGlySerThrThrAlaProSerAl 230
|||||
634 ---CCCAGCCAGTCCATCAC---TGCAATGTGGCCACCCCGGCAACGACGAC 680
230 aGlnLeuGluLysGluLeuGlnAlaLeuGluLysGluAsnAlaGlnLeuGluTrpGluLe 250
|||||
681 CAAGTGGCAGCAAGAAAT----- 699
250 uGlnAlaLeuGluLysGluLeuAlaGlnAlaSerGluProArgGlyProThrIleLy 270
|||||
700 -----GAGCCACAGAGGGCCCAACATCAA 722
270 sProCysProProCysLysCysProAlaProAsnLeuLeuGlyGlyProSerValPheIl 290
|||||
723 GCCCTGTCTCCATGCAAAATCCCGACACCTTAACCTCTCTGGTGGCCCATCCGCTTCAT 782
290 ePheProProLysIleLysAspValLeuMetIleSerLeuSerProIleValThrCysVa 310
|||||
783 CTTCCTCCCAAGATCAAGATGATCTCATGATCTCCCTGAGCCCATGATGACATGTGT 842
310 lValValAspValSerGluAspAspProAspValGlnIleSerTrpPheValAsnAsnVa 330
|||||
843 GGTGGTGGATGTGAGCGAGGATGATCCAGATGTCCAGATCAGCTGGTTGTGAACAACGT 902
330 lGluValHisThrAlaGlnThrGlnThrHisArgGluAspTyThrAsnSerThrLeuArgVa 350
|||||
903 GGAAGTACACACAGCTCAGACACAAACCATAGAGAGGATTAACAACGATCTCTCCGGGT 962
350 lValSerAlaLeuProIleGlnHisGlnAspTrpMetSerGlyLysGluPheLysCysLy 370
|||||
963 GGTAGTGCCTCCCTCCATCCAGCACCAGGACTGGATGATGGTGGCAAGGATTCAAATGCAA 1022
370 sValAsnAsnLysAspLeuProAlaProIleGluArgThrIleSerLysProLysGlyse 390
|||||
1023 GGTCAACAACAAGACCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGGTCC 1082
390 rValArgAlaProGlnValTrpValLeuProProGluGluGluMetThrLysLysG1 410
|||||
1083 AGTAAGAGCTCCACAGGTATATGTCTTCCCTCCACCAAGAAGAGATGACTAAGAAACA 1142
410 nValThrLeuThrCysMetValThrAspPheMetProGluAspIleTyThrValGluTrpTh 430
|||||
1143 GGTACTCTGACCTCGATGGTCAAGACTTTATGCTCGAAGACATTTACGTGGAGTGGAC 1202
430 rAsnAsnGlyLysThrGluLeuAsnTyLysAsnThrGluProValLeuAspSerAspG1 450
|||||
1203 CAACAACGGGAAAACAGAGCTAAACTACAAGAACACTGAACAGCTCTCTGGACTCTGATGG 1262
450 ySerTyThrPheMetTyThrLysLeuArgValGluLysLysAsnTrpValGluArgAsnSe 470
|||||
1263 TTCTTACTTTCATGTACAGCAAGCTGAGAGTGGAAAAGAGAACTGGGTGGAAAGAAATAG 1322
470 rTyThrSerCysSerValValHisGluGlyLeuHisAsnHisThrThrLysSerPheSe 490
|||||
1323 CTACTCTCTGTTGATGGTCCAGCAGGGTCTGCACAACTCACCACGACATTAAGAGCTTCTC 1382
490 rArgThrProGlyLys 495

Db 1383 CCGACTCCGGTAAA 1398
RESULT 15
AEB08761
ID AEB08761 standard; DNA; 1407 BP.
XX
AC AEB08761;
XX
DT 08-SEP-2005 (first entry)
XX
DE antibody 2A10 heavy chain polynucleotide SEQ ID NO 49.
XX
KW cerebroprotective; vasotropic; neuroprotective; vulnerary; nootropic;
KW antiparkinsonian; anticonvulsant; neuroleptic; antibody engineering;
KW pharmacological; cerebrovascular ischemia; cardiovascular disease;
KW neurological disease; brain injury; injury; spinal cord injury;
KW Alzheimers disease; degeneration; dementia; neuropathy;
KW parkinsons disease; Huntingtons chorea; genetic disorder;
KW multiple sclerosis; immune disorder; Creutzfeldt Jakob disease;
KW infection; schizophrenia; psychiatric disorder; motor neurone disease;
KW cns-gen.; muscular-gen.; ds.
XX
OS Unidentified.
XX
FN WO2005061544-A2.
XX
PD 07-JUL-2005.
XX
PF 20-DEC-2004; 2004WO-GB005325.
XX
PR 22-DEC-2003; 2003GB-00029684.
XX
PR 22-DEC-2003; 2003GB-00029711.
XX
PA (GLAXO) GLAXO GROUP LTD.
XX
PI Ellis JH, Bon-Duval A, Grundy RI, Hussain F, Mcadam R;
PI Plumpton C, Prinjha RK, Wilson PA;
XX
DR WPI; 2005-479448/48.
XX
FT New antibody or its functional fragment that binds with and neutralizes
FT human neurite outgrowth useful for treating or prophylaxis of stroke and
FT other neurological disease e.g. traumatic brain injury, spinal cord
FT injury, Alzheimer's disease.
XX
PS Example 3; SEQ ID NO 49; 143pp; English.
XX
CC The invention describes an antibody (A1) or its functional fragment, that
CC binds with and neutralizes human neurite outgrowth (NOGO). Also described
CC are: providing a first vector encoding a heavy chain of the antibody;
CC providing a second vector encoding a light chain of the antibody; co-
CC transfecting a mammalian host cell with the first and second vectors;
CC culturing the host cell in culture media (preferably serum free) under
CC conditions permissive to the secretion of the antibody from the host cell
CC into the culture media; recovering (and optionally purifying) the
CC secreted antibody; and promoting axonal sprouting involving contacting a
CC human axon with an anti-NOGO antibody. The antibody is useful in the
CC preparation of a medicament for treating or prophylaxis of stroke and
CC other neurological diseases/disorders (e.g. traumatic brain injury, spinal
CC cord injury, Alzheimer's disease, frontotemporal dementias (tauopathies),
CC peripheral neuropathy, Parkinson's disease, Huntington's disease and
CC multiple sclerosis); Creutzfeldt-jakob disease (CJD), Schizophrenia,
CC amyotrophic lateral sclerosis (ALS), inclusion body myositis. The
CC antibody inhibits neurodegeneration and/or promotes functional recovery
CC in a human patient suffering, or at risk of developing, stroke or other
CC neurological diseases/disorder. This sequence represents an antibody 2A10
CC heavy chain polynucleotide used in the creation of recombinant anti-NOGO
XX antibodies.
SQ Sequence 1407 BP; 378 A; 396 C; 346 G; 287 T; 0 U; 0 Other;

Alignment Scores:

ed. No.: 8 87e-104 Length: 1407
ore: 1320.00 Matches: 285
cent Similarity: 64.0% Conservative: 26
st Local Similarity: 58.6% Mismatches: 68
ery Match: 49.6% Indels: 108
14 Gaps: 13

-10-048-116B-2 (1-495) x AEB08761 (1-1407)

39 ValTyrGlnSerProGlyAsp-----ilegly----- 47
178 GTGAAGCAGAGCCCTGGCAAGCCCTTGAGTGGATTGGAAATATTAATCTAGCAATGGT 237
48 -----GlnTyrThrHisGluPheAspGlyAspGluLeuPheTyrValAspLeuAspLys 65
238 GGTACTAATACTAATGAGAAGTTCAAGAGCAAGGCCACACTGCTAGACAAATCTCTCC 297
66 LysLysThrValTyrArgLeuPro----- 73
298 AGCAGAGCTACATGACCTGACGCTGACATCTGAGGACTCTGCGGTCTATTATTGT 357
74 GluPheGlyGlnLeuLeuPheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGlu 93
358 GAACCTGGGACAG-----GGCTACTCTGGGGCCCAAGGCACACTAGTCACCGTCTCTCTCAGCC 411
94 LysHisAsnLeuGlyIleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAla 113
412 AAA-----ACACAGCC 423
114 ProGlnAlaThrValPheProLysSerProVal-----LeuLeuGlyGlnProAsn 130
424 CCA-----TCGGTCTATCCACTGGCCCTGTGTGGAGATACAACTGGCTCTCTCGGTG 477
131 ThrLeuIleCysPheValAspAsnIlePheProProValIleAsnIleThrTrpLeuArg 150
478 ACTTAGGATGCTGCTCAAGGGTATTTCCTGAGCCAGTACCTGACCTGG----- 531
151 AsnSerLysSerValThrAspGlyValTyrGluThrSerPheLeuValAsnArgAspHis 170
532 AACTCTGATCTCTCCAGTGGTGTGCACACCTTCCAGCTGTCTCTGAGTCTGAC--- 588
171 SerPheHisLysLeuSerTyrLeuThrPheIleProSerAspAspIleTyrAspCys 190
589 ---CTCTACACCTCAGCAG-CTCAGT-----GACTGT 617
191 LysValGluHis-TrpGlyLeuGluGluProValLeuLysHisTrpGluProGluIlePr 210
618 AACCTCGAGCACCTGG----- 633
210 oAlaProMetSerGluLeuThrGluThrGlyGlyGlySerThrThrAlaProSerAl 230
634 -----CCAGCCAGTCCATCAC-----TGCAATGTGGCCCAAGCAGCAGC 680
230 eGlnLeuGluLysGluLeuGlnAlaLeuGlnLysGluAsnAlaGlnLeuGluTrpGluLe 250
681 CAAGGTGGACAGAAAT----- 699
250 uGlnAlaLeuGluLysGluLeuAlaGlnAlaSerGluProArgGlyProThrIleLy 270
700 -----GAGCCAGAGGGCCCAATCAA 722
270 sProCysProProCysLysCysProAlaProAsnLeuLeuGlyGlyProSerValPheIl 290
723 GCCCTGTCTCATGCAATGATCCAGCACCTTAACCTCTCTGGGTGGCCCATCGTCTTCAT 782
290 ePheProProLysIleLysAspValLeuMetIleSerLeuSerProIleValThrCysVa 310
783 CTTCCCTCCAAAGATCAAGGATGTACTCATGTATCTCTCTGAGCCCAATAGTCACATGTGT 842
310 lValValAspValSerGluAspAspProAspValGlnIleSerTrpPheValAsnAsnVa 330
843 GGTGTGGATGTGAGCGGAGGATGACCCAGATGTCCAGATCAGTGGTGTGTGAAACAAGT 902

QY 330 lgluValHisThrAlaGlnThrGlnThrHisArgGluAspTyrAsnSerThrLeuArgVa 350
Db 903 GGAAGTACACAGCTCAGACACAAACCCATAGAGAGGATTACAAAGTACTCTCCGGT 962
QY 350 lValSerAlaLeuProIleGlnHisGlnAspTrpMetSerGlyLysGluPheLysCysLy 370
Db 963 GGTCAAGTCCCTCCCATCCAGCACCCAGGACTGGATGAGTGCAGAGGAGTTCAATGCNA 1022
QY 370 sValAsnAsnLysAspLeuProAlaProIleGluArgThrIleSerLysProLysGlySe 390
Db 1023 GGTCAACAAACAAAGACCTCCAGCGCCCATCGAGAGAACCAATCTCAAAACCCAAAGGTC 1082
QY 390 rValArgAlaProGlnValTyrValLeuProProGluGluMetThrLysLysG1 410
Db 1083 AGTAAGAGCTCCACAGGTATATGTCTTCCCTCCACAGAGAGAGATGACTAAGAAACA 1142
QY 410 nValThrLeuThrCysMetValThrAspPheMetProGluAspIleTyrValGluTrpTh 430
Db 1143 GGTCACTCTGACCTGCATGGTCAAGACTTCATGCTGAAGACATTTACGTGGAGTGGAC 1202
QY 430 rAsnAsnGlyLysThrGluLeuAsnTyrLysAsnThrGluProValLeuAspSerAspCl 450
Db 1203 CAACAAACGGGAAACAGAGCTAAACTACAAGAACTGAAACAGTCTCTGGACTCTGATGG 1262
QY 450 ySerTyrPheMetTyrSerLysLeuArgValGluLysLysAsnTrpValGluArgAsnSe 470
Db 1263 TTCTTACTTCATGTACAGCAAGCTGAGAGTGGAAAGAGAACTGGGTGGAAAGAAATAG 1322
QY 470 rTyrSerCysSerValValHisGluGlyLeuHisAsnHisThrThrLysSerPheSe 490
Db 1323 CTACTCTCTGTTTCAGTGGTCCAGAGGGTCTGCACAATCACCACAGCTAAGAGCTTCTC 1382
QY 490 rArgThrProGlyLys 495
Db 1383 CCGGACTCCGGGTAAA 1398

Search completed: May 31, 2006, 23:18:22
Job time : 1013.56 secs

THIS PAGE BLANK (USPTO)

GenCore version 5.1.8
 Copyright (c) 1993 - 2006 Bioceleration Ltd.

protein - nucleic search, using frame_plus_p2n model

on: May 31, 2006, 22:51:28 ; Search time 557.439 Seconds
 (without alignments)
 5215.692 Million cell updates/sec

le: US-10-048-116B-2_COPY_1_278
 ffect score: 1496
 quence: 1 MPCRALLIIGVLNLTMSL.....QAASBRGPTIKCPCKCP 278

ring table: BLOSUM62
 Xgapop 10.0 , Xgapext 0.5
 Ygapop 10.0 , Ygapext 0.5
 Fgapop 6.0 , Fgapext 7.0
 Delop 6.0 , Delext 7.0

atched: 5244920 seqs, 3486124231 residues
 al number of hits satisfying chosen parameters: 10489840

imum DB seq length: 0
 ximum DB seq length: 2000000000
 Maximum Match 100%
 Listing first 45 summaries

st-processing: Minimum Match 0%
 Maximum Match 100%
 Listing first 45 summaries

mmand line parameters:
 DEL=frame+ p2n.model -DRV=xlh
 /abs/ABSSWEB spool/US10048116/runat 31052006 110043 25584/app query.fasta 1
 3=N Geneseq -QMT-fastap -SUFFIX=p2n.rng -MINMATCH=0.1 -LOOPCL=0 -LOOPEXT=0
 NITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANSHUMAN40.cdi -LIST=45
 CALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
 JTFMT=pc -NORM=ext -HEADSIZE=500 -WINLEN=0 -MAXLEN=2000000000 -HOST=abs804
 SER=US10048116 @CGN 1 1 942 @runat 31052006 110043 25584 -NCPU=6 -ICPU=3
 WMAP -NEG SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG -DEV TIMEOUT=120
 RN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6 -FGAPEXT=7
 APOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

abase : N Geneseq 8:*

```

1: Geneseqn1980s:*
2: Geneseqn1990s:*
3: Geneseqn2000s:*
4: Geneseqn2001as:*
5: Geneseqn2001bs:*
6: Geneseqn2002as:*
7: Geneseqn2002bs:*
8: Geneseqn2003as:*
9: Geneseqn2003bs:*
10: Geneseqn2003cs:*
11: Geneseqn2003ds:*
12: Geneseqn2004as:*
13: Geneseqn2004bs:*
14: Geneseqn2005s:*
15: Geneseqn2006s:*

```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

sult No.	Score	Query Match	Length	ID	Description
1	1496	100.0	1484	5 AAF55098	Aaf55098 DNA encod
2	1214.5	81.2	777	12 ADQ31223	Adq31223 Class II
3	1182	79.0	4713	2 AAV12067	AAV12067 Murine IA

ALIGNMENTS

RESULT 1

AAF55098
 ID AAF55098 standard; DNA; 1484 BP.

XX AC AAF55098;

XX DT 15-MAY-2001 (first entry)

XX DE DNA encoding a fusion protein comprising an alpha chain of MHC.

XX KW Recombinant protein; alpha chain; beta chain; MHC; immunoglobulin;
 major histocompatibility complex; FC region; antigen; T lymphocyte;
 immunostimulant; vaccine; infection; tumour; ss.

XX OS Synthetic.

XX FH Key Location/Qualifiers
 CDS 1..1482
 FT /*tag= a

XX PN WO200109194-A1.

XX PD 08-FEB-2001.

XX PF 28-JUL-2000; 2000WO-FR002193.

XX PR 29-JUL-1999; 99FR-00009862.

Aat60705 cDNA enco
 Abi99041 Murine pc
 AaQ3169 Sequence
 Adx26089 Novel cel
 Aat06285 I-Ab-alpha
 AaQ56919 Mouse I-A
 Aat17587 Vector SC
 Aat86988 SCTL aing
 Aax89069 Single ch
 Aca60743 Mouse MHC
 Aat60698 Alphalalp
 AaQ35054 IAB alpha
 Abi99044 Murine pc
 Aat60700 cDNA enco
 Aat17588 Vector SC
 Aat86989 SCTL aing
 Aca60744 cDNA enco
 Aat60704 cDNA MHC
 Aat60701 Alphalalp
 Aat17586 Vector SS
 Aat86987 SSCl aing
 Aca60742 Mouse MHC
 Abn84048 Single ch
 Abi99029 IAS MBP 9
 Abi99032 MBP 1-14
 Abi99028 IAS MBP 1
 Abi99027 IAS MBP 1
 Abi99033 MBP 90-10
 Abi99039 Murine pc
 Abi99021 I-As MBP.
 Abi99031 MBP 1-14
 Abi99038 Murine pc
 Abi99030 IAS MBP 9
 Aeb23395 HLA-DQ al
 Aeb23394 HLA-DQ al
 Aeb23392 HLA-DQ al
 Abq74306 Human leu
 Adv43942 Human psy
 Aeb23385 HLA-DQ al
 Aeb23386 HLA-DQ al
 Aeb23393 HLA-DQ al
 Aai58351 Human pol

(CNRS) CNRS CENT NAT RECH SCI.

Glaichenhaus N, Malherbe L;

WPI; 2001-182944/18.

P-PSDB; AAB67480.

New soluble recombinant protein, useful e.g. as immunostimulant, comprises dimeric major histocompatibility complex molecule fused to immunoglobulin Fc region.

Example 1; Page 31-33; 43pp; French.

The specification describes soluble recombinant proteins that comprise at least a dimer formed from the alpha and beta-chains of MHC (major histocompatibility complex) Class I and II molecules in which at least one chain has, attached to its C-terminus, at least part of the Fc region of an immunoglobulin. The recombinant proteins, when linked to an antigenic peptide, are used to count and/or purify antigen-reactive T lymphocytes and to characterize their phenotype, e.g. in preclinical evaluation of vaccines. They are also used as immunostimulants, particularly for vaccine development (against infections and tumours), to count and determine phenotype of autoreactive T cells in subjects with, or at risk of developing, autoimmune diseases, e.g. for staging or evaluating treatments, and (to purify and/or enrich Ag-reactive T cells from cell cultures or patient samples, for use in subsequent curative or preventative cellular therapy. The present sequence encodes a recombinant protein of the invention, comprising an alpha chain of MHC molecules

Sequence 1484 BP; 414 A; 394 C; 362 G; 314 T; 0 U; 0 Other;

Comment Scores:
 Cl. NO.: 7,62e-140 Length: 1484
 e: 1496.00 Matches: 278
 ent Similarity: 100.0% Conservative: 0
 Local Similarity: 100.0% Mismatches: 0
 y Match: 100.0% Indels: 0
 Gaps: 0

0-048-116B-2_COPY_1_278 (1-278) x AAF55098 (1-1484)

1 MetProCysSerArgAlaLeuLeuLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
 1 ATGCCGTGCAGCAGAGCTCTGATTCTGGGGTCTCGCCCTGAACACACATGCTCAGCCTC 60
 21 CysGlyGlyGluAspIleGluAlaAspHisValGlyPheTyrGlyThrThrValTyr 40
 61 TCGCGAGGTGAAGACGACATTGAGCCGACCGTAGGCTTCTATGGTACAACTGTTTAT 120
 41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
 121 CAGTCTCTCGGAGACATTGGCCAGTACACACATGAATTTGATGGTGTGATGTTCTAT 180
 61 ValAspLeuAspLysLysLysThrValTyrArgLeuProGluPheGlyGlnLeuLeu 80
 181 GTGGACTTGGATAAAGAAGAAACTGTCTGAGGCTTCTCTGAGTTTGGCCAAATTGATCTC 240
 81 PheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeu 100
 241 TTTGAGCCCCAAGGTGGACTGCAAAACATAGCTGCAGAGAAAAACACAACTTGGGAATCTTG 300
 101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
 301 ACTAAGAGTCAAAATTCACCCAGCTACCAATGAGGCTCTCCTCAGCGACTGTGTCCCC 360
 121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
 361 AAGTCCCTGTGCTGGGTGAGCCCAACACCTTATCTGTTTGTGGACAACATCTTC 420
 141 ProProValIleAsnIleThrTyrLeuArgAsnSerLysSerValThrAspGlyValTyr 160
 421 CCACCTGTGATCAACATCATCTGGCTCAGAAATAGCAAGTCAGTCAACACGGCGTTTAT 480

QY 161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
 DB 481 GAGACCAGCTTCTCGTCAACCGTGACCATTTCTTCCACAAGCTGTCTTATCTCACCTTC 540
 QY 181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTyrGlyLeuGluPro 200
 DB 541 ATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCTTGGAGAGCGG 600
 QY 201 ValLeuLysHisTyrGluProGluIleProAlaProMetSerGluLeuThrGluThrGly 220
 DB 601 GTTCTGAACAACACTGGGAACCTGAGATTCAGCCCCCAATGTCAGAGCTGACAGAACTGGA 660
 QY 221 GlyGlyGlySerThrThrAlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGlu 240
 DB 661 GGTGGAGGATCCACTACAGCTCCATCAGCTCGAATAAAGAGACTCCAGGCCCTGGAG 720
 QY 241 LysGluAsnAlaGlnLeuGluTyrGluLeuGlnAlaLeuGluLysGluLeuAlaGlnAla 260
 DB 721 AAGGAAATGCACAGCTGGAATGGAGTTGCAAGCACTGGAAGCACTGGAAGCACTGGCTCAGGCA 780
 QY 261 AlaSerGluProArgGlyProThrIleLysProCysProCysProCysLysCysPro 278
 DB 781 GCATCTGAGCCGAGAGGGCCCAACAATCAGGCCCTGTCTCCATGCAAAATGCCCA 834

RESULT 2

ADQ31223

ID ADQ31223 standard; cDNA; 777 BP.

XX ADQ31223;

XX ADQ31223;

XX 07-OCT-2004 (first entry)

XX Class II MHC-related I-Ab(alpha)-leucine zipper (LZ) fusion cDNA.

XX class II major histocompatibility complex; MHC; CD4+ T-cell detection;

XX flow cytometry; mucous membrane invasive antigen;

XX I-Ab(alpha)-leucine zipper fusion; ss; gene.

XX Unidentified.

XX Key Location/Qualifiers

FT 1..777

FT /*tag= a

FT /product= "Class II MHC-related I-Ab(alpha)-leucine

FT zipper (LZ) fusion protein"

XX JP2004196789-A.

XX 15-JUL-2004.

XX 03-DEC-2003; 2003JP-00404367.

XX 03-DEC-2002; 2002JP-00351818.

XX (SENT-) SENTAN KAGAKU GIJUTSU INCUBATION CENT KK.

XX WPI; 2004-546819/53.

XX P-PSDB; ADQ31222.

XX Peptide-Class II major histocompatibility complex (MHC) composite, useful

XX for detecting antigen specific CD4+ T-cell, comprises antigen peptide

XX containing epitope of mucous membrane invasive protein, and extracellular

XX region of MHC.

XX Example 1; SEQ ID NO 8; 30pp; Japanese.

XX The invention relates to a novel class II major histocompatibility

XX complex (MHC) antigenic peptide composite comprising a peptide containing

XX the T-cell antigenic determinant of a mucous membrane invasive protein

XX and the extracellular region of a class II MHC molecule or at least part

XX of the extracellular region of the class II MHC molecule having an amino

XX acid sequence comprising one or more deletions, substitutions or

additions. The molecule of the invention may be useful for detecting an antigen-specific CD4+ T-cell by flow cytometry and for presenting a microorganism-derived mucous membrane invasive protein as an antigen. The method of the invention enables efficient detection of antigen-specific activation of CD4+ T-cells in the mucous membrane. The current sequence is that of the class II major histocompatibility complex-related I-Ab(alpha)-leucine zipper (Lz) fusion cDNA of the invention.

Sequence 777 BP; 193 A; 207 C; 195 G; 182 T; 0 U; 0 Other;

Alignment Scores:

Seq. No.: 5,278-112 Length: 777
 Pre: 1214.50 Matches: 232
 Percent Similarity: 92.3% Conservative: 7
 Best Local Similarity: 89.6% Mismatches: 19
 Query Match: 81.2% Indels: 1
 : 12 Gaps: 1

-10-048-116B-2_COPY_1_278 (1-278) x A0Q31223 (1-777)

```

1 MetProCysSerArgAlaLeuLeuLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
1 ATGCCGCGCAGCAGAGCTCTGATTTCTGGGGGTCTCGCCCTGCACCACTGCTCAGCCTC 60
21 CysGlyGlyLeuAspAspIleGluAlaAspHisValGlyPheTyrGlyThrThrValTyr 40
61 TGTGGAGGTGAAGACACATTGAGGCCGACCGTAGGACCTATGGTATAGTGTATAT 120
41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
121 CAGTCTCTCTGGAGACATTGCCAGTACACATTGAAATTTGATGGTGTGATGTTCTAT 180
61 ValAspLeuAspIleGlyThrValTyrArgLeuProGluPheGlyGlnLeuLeuLeu 80
181 GTGGACTTGGATAAAGAAGAGACTGTCTGGATGCTTCTCGAGTTGGCCCAATTTGGCAAGC 240
81 PheGluProGluGlyGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeu 100
241 TTTGACCCCAAGGTGGACTGGAAACATAGCTGTAGTAAACACACTTGGAGTCTTG 300
101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
301 ACTAGAGGTCAAATTCACCCAGCAGTACCAATGAGGCTCTCTCAAGCGACTGTGTCCCC 360
121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
361 AAGTCCCTGTGCTGGGTGAGCCCAACACCCCTCATCTGCTTTGTGGACAACATCTTC 420
141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
421 CTCTCTGTGATCAACATCATCTGGCTCAGAAATAGCAAGTCACTGCACAGCGGTGTAT 480
161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
481 GAGACCACTCTTCTCGTCAACGTGACTATCTCTCCCAAGCTGCTTTATCTCACTTC 540
181 IleProSerAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluGluPro 200
541 ATCCCTTCTGACGATGACATTTATGACTGCAAGGTGGAACTCTGGGGCCCTGGAGGAGCG 600
201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThrGly 220
601 GTTCTGAACACTGGGAACCTGAGATTCAGGCCCATGTGTCTCA---CGACACCTGGTT 657
221 GlyGlyGlySerThrThrAlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGlu 240
658 CCGCGCGGATCCACTACAGCTCCATCAGCTCAGCTCGAAGAAAGAGCTCCAGGCCCTGCAG 717
241 LysGluAsnAlaGlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeuAlaGln 259
718 AAGGAAATGCAAGCTGGAATGGGAGTTGCAAGCACTCGAAAGGAAGCACTGGCTCAG 774

```

AAV12067

ID AAV12067 standard; cDNA; 4713 BP.

AC AAV12067;

DT 08-JUN-1998 (first entry)

DE Murine IAD alpha chain cDNA.

KW Major histocompatibility class II antigen; MHC class II; T cell;

KW T lymphocyte; Th1; Th2; activation; CD4+; antigen presenting cell; APC;

KW autoimmune disease; diabetes; multiple sclerosis; autoimmune thyroiditis;

KW systemic lupus erythematosus; myasthenia gravis; Crohn's disease;

KW inflammatory bowel disease; allergy; asthma; contact sensitivity;

XX immunotherapy; therapy; IAD alpha chain; mouse; ds; circular; cyclic.

OS Mus musculus.

PN W09746256-A1.

PD 11-DEC-1997.

PF 22-MAY-1997; 97WO-US008697.

PR 23-MAY-1996; 96US-0018175P.

PA (SCRI) SCRIPPS RES INST.

PI Webb SR, Winqvist O, Karlsson L, Jackson MR, Peterson PA;

DR WPI; 1998-041895/04.

PT Synthetic antigen presenting cell for activating CD4+ T cells - useful to treat autoimmune disease, e.g. diabetes, multiple sclerosis, Crohn's disease and inflammatory bowel disease, or allergy, e.g. asthma and contact sensitivity.

PS Example 2; Page 92-94; 141pp; English.

CC This nucleotide sequence comprises a PCR product obtained by amplification of mouse splenocyte cDNA using primers (see AAV12063 and AAV12064) designed for the amplification of IAD alpha chain full-length cDNA. IAD beta chain cDNA (see AAV12068) has been similarly obtained. The IAD sequences were cloned into metallothionein promoter (see AAV12062) - driven vector pRmHs-3 prior to sequencing. Major histocompatibility complex (MHC) class II IAD heterodimers were expressed at the cell surface of transfected *Drosophila* Schneider 2 (ATCC CRL 10974) cells. The invention relates to the preparation and use of synthetic antigen presenting matrices, in particular antigen presenting cells such as insect cells that have been transfected to produce MHC antigen presenting molecules with one or more accessory molecules. The matrices are used to activate naive CD4+ T cells and to shift the ongoing activation state into a preferred differentiated population of Th1 or Th2 cells. Applications include the treatment of autoimmune disease, e.g. diabetes, multiple sclerosis, autoimmune thyroiditis, systemic lupus erythematosus, myasthenia gravis, Crohn's disease and inflammatory bowel disease, or an allergy, e.g. asthma and contact sensitivity

SQ Sequence 4713 BP; 1211 A; 1166 C; 1152 G; 1184 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.: 1,150-107 Length: 4713
 Score: 1182.00 Matches: 219
 Percent Similarity: 100.0% Conservative: 0
 Best Local Similarity: 100.0% Mismatches: 0
 Query Match: 79.0% Indels: 0
 DB: 2 Gaps: 0

US-10-048-116B-2_COPY_1_278 (1-278) x AAV12067 (1-4713)

QY 1 MetProCysSerArgAlaLeuLeuLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
 Db 459 ATGCCGTCAGCAGAGCTCTGATTTCTGGGGGTCTCGCCCTGCACCACTGCTCAGCCTC 518

21 CysGlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
 519 TCGGAGGTGAAGACGACATTCAGGCGCCACCGAGCTTCTATGGTACAACTGTTTAT 578
 41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
 579 CAGTCTCTGGAGACATTCGCCAGGTACACACATGAATTTGATGGTGATGATGTTCTAT 638
 61 ValAspLeuAspLysLysThrValTrpArgLeuProGluPheGlyGlnLeuIleLeu 80
 639 GTGGACTTGGATAAGAGAAACTGCTCGAGGCTTCTCGAGTTTGGCCAAATTGATCTC 698
 81 PheGluProGlnGlyGluGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeu 100
 699 TTTGAGCCCCAAGGTGGACTGCAGAAACATAGCTGCAGAGAAACACAACTTGGGAATCTTG 758
 101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
 759 ACTAAGAGGTCAAAATTCACCCAGCTACCAATGAGGCTCTCAAGCGACTGTGTCCCC 818
 121 LysSerProValLeuLeuGlyGlnProAsnThrIleLeuCysPheValAspAsnIlePhe 140
 819 AAGTCCCTGTGCTGCTGGTCCAGCCCAACACCTTATCTGCTTTGTGGCAACATCTTC 878
 141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
 879 CCACCTGTGATCAACATTCATGCTCAGGATAGCAATAGTCAAGTCAAGACGGCGTTTAT 938
 161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
 939 GAGACCGCTTCTCGTCAACCGTCACCATCTCTCCCAAGCTGTCTTATCTCACCTTC 998
 181 IleProSerAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluPro 200
 999 ATCCCTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCTGGAGAGCG 1058
 201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
 1059 GTTCTGAACACTGGGAACCTGAGATTTCAGGCCCCCATGTTCAGACTGACAGAACT 1115

'LT 4

'0705

AAT60705 standard; cDNA; 1344 BP.

AAT60705;

27-AUG-2003 (revised)

12-SEP-1997 (first entry)

cDNA encoding soluble fused MHC heterodimer:peptide complex pLJ23.
 Soluble; fusion; major histocompatibility complex; MHC; heterodimer;
 complex; antigen; binding groove; tolerance; autoantigen; disease;
 insulin dependent; diabetes mellitus; IDDM; antagonist; T cell; anergy;
 presenting cell; ds.

Mus sp.

Synthetic.

Key Location/Qualifiers
 mat_peptide 1..1344
 /tag= a

WO9640944-A2.

19-DEC-1996.

07-JUN-1996; 96WO-US010102.

07-JUN-1995; 95US-00480002.

07-JUN-1995; 95US-00482133.

07-JUN-1995; 95US-00483241.

PR 27-OCT-1995; 95US-0005964P.
 XX (ZYMO) ZYMOGENETICS INC.
 PA (ANER-) ANERGEN INC.
 XX Kindevogel W, Reich EP, Gross JA, Deshpande S, Sheppard PO;
 PI WPI; 1997-052337/05.
 XX P-PSDB; AAW10513.
 DR Novel fused major histocompatibility complex:antigenic peptide complex -
 XX useful to induce tolerance to an autoantigen-related disease e.g. insulin
 PT -dependent diabetes mellitus.
 PT

Example 3; Page 129-132; 142pp; English.

CC The present sequence encodes a novel soluble fused major
 CC histocompatibility complex (MHC) heterodimer:peptide complex, comprising
 CC 1st and 2nd MHC domains, linked by a 5-25 residue linker, an antigenic
 CC peptide able to associate with a peptide binding groove of the MHC
 CC molecule, linked in frame to the 2nd domain by a 5-25 residue linker and
 CC a DNA encoding a 3rd MHC domain linked in frame to the DNA encoding the
 CC antigenic peptide by a DNA encoding a 5-25 residue linker. The complex
 CC can be used to induce immunological tolerance in adults susceptible to,
 CC or suffering from an autoantigen related disease, e.g. insulin dependent
 CC diabetes mellitus (IDDM), by antagonising the binding of particular T
 CC cells and antigen presenting cells, to induce anergy (immunological non-
 CC responsiveness) in the targeted T cell. As the heterodimers and
 CC corresponding antigen are permanently linked into a single chain,
 CC obviating the requirement for complex heterodimer truncation or
 CC formation, the complex eliminates inefficient and non-specific peptide
 CC loading. (Updated on 27-AUG-2003 to correct OS field.)
 XX

SQ Sequence 1344 BP; 326 A; 356 C; 390 G; 272 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.: 1.07e-100 Length: 1344
 Score: 1105.00 Matches: 203
 Percent Similarity: 100.0% Conservative: 0
 Best Local Similarity: 100.0% Mismatches: 0
 Query Match: 73.9% Indels: 0
 DB: 2 Gaps: 0

US-10-048-116B-2_COPY_1_278 (1-278) x AAT60705 (1-1344)

Qy 22 GlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyrGln 41
 Db 388 GTGGCGAGACGACATTCAGGCGCCACCGAGCTTCTATGGTACAACTGTTTATCAG 447
 Qy 42 SerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyrVal 61
 Db 448 TCTCCTGGAGACATTCGCCAGTACACATGAATTTGATGGTGATGAGTTGTTCTATGTG 507
 Qy 62 AspLeuAspLysLysThrValTrpArgLeuProGluPheGlyGlnLeuIleLeuPhe 81
 Db 508 GACTTGGATAAGAGAAACTGCTCGAGGCTTCTCGAGTTTGGCCAAATTGATCTCTTT 567
 Qy 82 GluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeuThr 101
 Db 568 GAGCCCCAGGTGGAGCTGCAGAAACATAGCTGCAGAGAAACACAACTTGGGAATCTTGACT 627
 Qy 102 LysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPheProLys 121
 Db 628 AAGAGGTCAAATTTCAACCCAGCTACCAATGAGGCTCTCAAGCGACTGTGTGTCCCAAG 687
 Qy 122 SerProValLeuLeuGlyGlnProAsnThrIleLeuIleCysPheValAspAsnIlePhePro 141
 Db 688 TCCCTGTGCTGGTGGGTCAGCCCAACACCTTATCTGCTTTGTGGCAACAACTCTTCCA 747
 Qy 142 ProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyrGlu 161
 Db 748 CCTGTGATCAACATCACATGCTCAGAAATAGCAAGTCAGTCAGACAGCGCGCTTATGAG 807

922 AATGTGGCCACCAGCAGCAGCAACCAAGGTGGACAAAGAAATGAGCCAGAGGGCCC 981
268 ThrLeuLysProCysProCysProCysProCysPro 278
982 ACAATCAAGCCCTGTCTCCATGCAAAATGCCCA 1014

LT 6
3169
AAQ03169 standard; DNA; 776 BP.

AAQ03169;

25-MAR-2003 (revised)
31-OCT-2002 (revised)
23-AUG-1990 (first entry)

Sequence encoding the I-Ab-alpha chain of the Class II major histocompatibility complex (MHC) antigens.

I-A (Class II) histocompatibility protein;
major histocompatibility complex antigen; MHC-II; acetylcholine receptor;
myasthenia gravis; autoantigen; autoimmune disease; epitope.

Unidentified.

W08912459-A.
28-DEC-1989.
23-JUN-1989; 89WO-US002784.
23-JUN-1988; 88US-00210594.
21-JUN-1989; 89US-00367751.

(BIOS-) BIOSPAN CORP.

Sharma SD, Lerch BL, Clark BR;

WPI; 1990-022384/03.

New complexes of histo-compatible glyco:protein - with antigenic peptide(s) and label or toxin, used to target antigen specific T helper cells.

Figure 8; Page ?; 74pp; English.

The patent claims complexes of formulae (I), (II) and (III) which are as follows: (i) X - MCH - peptide; (ii) MHC - peptide - X; (iii) MHC - peptide. Where X = toxin or labelling gp.; MHC = effective portion of the major histocompatibility glycoprotein; and the peptide includes an epitope associated with one of the major autoimmune diseases. The MHC is the N-terminal of alpha1, alpha2, beta1 or beta2 regions of MHC-II. The complexes can be used to treat and monitor the autoimmune disease. In one protocol, an oligonucleotide encoding the ACHR peptide 195-212 - an epitope in myasthenia gravis patients - was attached to the DNA encoding the N-terminal of the I-Ab-alpha chain. (Updated on 31-OCT-2002 to add missing OS field.) (Updated on 25-MAR-2003 to correct PR field.) (Updated on 25-MAR-2003 to correct PI field.)

Sequence 776 BP; 177 A; 205 C; 199 G; 195 T; 0 U; 0 Other;

Comment Scores:
Cl. No.: 2,56e-98 Length: 776
e: 1078.00 Matches: 201
cent Similarity: 94.1% Conservative: 5
Local Similarity: 91.8% Mismatches: 13
y Match: 72.1% Indels: 0
Gaps: 0

0-048-116B-2_COPY_1_278 (1-278) x AAQ03169 (1-776)

1 MetProCysSerArgAlaLeuLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
|||||

Db 6 ATGCCGCGCAGCAGAGCTCTGAATTTCTGGGGGTCTCGCCCTGACACCATGCTCAGCCTC 65
Qy 21 CysGlyGlyLeuAspAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
Db 66 TGTGAGGTGAAGACGACATTTAGCCGACCACTAGGCACCTATGGTATTAAGTATAT 125
Qy 41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
Db 126 CAGTCTCTGGAGACATTGGCCAGTACACATTTGAATTTGATGGTATGATGTTGTTCTAT 185
Qy 61 ValAspLeuAspLysLysLysThrValTyrArgLeuProGluPheGlyGlnLeuLeu 80
Db 186 GTGGACTTGGATAAGAGGAGACTGTCTGGATGCTTCTGAGTTTGGCCAATTGGCAAGC 245
Qy 81 PheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeu 100
Db 246 TTTGACCCCAAGGTGGACTGCAAAACATAGCTGTAGTAAACACAACTTGGAGTCTTG 305
Qy 101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
Db 306 ACTAAGAGGTCAAATTCACCCAGCTACCAATGAGGCTCCTCAAGCGACTGTGTTCGCC 365
Qy 121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
Db 366 AAGTCCCTGTGCTGGGTGAGCCCAACCCCTCATCTGCTTTGTGGACAACTCTTC 425
Qy 141 ProProValIleAsnIleThrTyrLeuArgAsnSerLysSerValThrAspGlyValTyr 160
Db 426 CCTCTGTGATCAACATCAGTGTCTGAGTGTAGTAAACACAACTTGGAGTCTTTAT 485
Qy 161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLysLeuSerTyrLeuThrPhe 180
Db 486 GAGACAGCTTCTTCGTCAACCGTACTATTCCTTCCACAAGCTGTCTTATCTCACCTTC 545
Qy 181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTyrGlyLeuGluPro 200
Db 546 ATCCCTTCTGACGATGACATTTATGACTGCAAGGTGGAACTGGGGCTTGGAGAGCGG 605
Qy 201 ValLeuLysHisTyrGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
Db 606 GTTCTGAACACTGGGAACCTGAGATTCACGCCCCCTGATTCAGAGCTGACAGAGACT 662
RESULT 7
ADX26089
ID ADX26089 standard; DNA; 978 BP.
XX AC ADX26089;
XX DT 05-MAY-2005 (first entry)
XX DE Novel cell pain response detection method-related mouse gene SeqID435.
XX KW pain; animal disease model; expression; analgesic; antiaddictive;
KW neurotic; anticonvulsant; vasotropic; neuroprotective; tranquilizer;
KW antiasthmatic; antirheumatic; antiarthritic; osteopathic;
KW ophthalmologic; antiinflammatory; antipruritic; dermatological;
KW antitumor; gastrointestinal-Gen.; nephrotropic; gynecological;
KW hepatotropic; antiparkinsonian; neuroleptic; laxative; gene therapy;
KW neuropathic pain; Alzheimers disease; Parkinsons disease;
KW motor neurone disease; Huntingtons disease; schizophrenia; gene; ds.
XX OS Mus sp.
XX PN WO2005014849-A2.
XX PD 17-FEB-2005.
XX PF 06-JUL-2004; 2004WO-US023166.
XX PR 03-JUL-2003; 2003US-0485101P.
XX PA (EURO-) EUROCELTIQUE SA.
XX XX

Tong J, Jin G, Ji R, Xu Y, Chiang LW, Lavery DJ;

WPI; 2005-163258/17.

Detecting pain responses in a cell, useful in identifying potential therapeutic and diagnostic candidates for treating pain, by identifying genes that are differentially expressed in a model of neuropathic pain.

Example 1; SEQ ID NO 435; 173pp; English.

This invention relates to a novel method of detecting a pain response in a cell which comprises determining the expression level in a test cell of at least one nucleic acid molecule and comparing the expression level to a level in an animal model of pain, where similar or identical expression levels indicate a pain response in the test cell. The invention may be useful for the development of compounds with an analgesic, antiaddictive, neurotropic, anticonvulsant, vasotropic, neuroprotective, tranquilizer, antiaesthetic, antirheumatic, antiarthritic, osteoprotective, ophthalmological, antiinflammatory, antipruritic, dermatological, antiulcer, gastrointestinal-Gen., nephrotropic, gynecological, hepatotropic, antiparkinsonian, neuroleptic or laxative activity whilst the disclosed sequences may prove useful for gene therapy. The methods and compositions of the present invention are useful for identifying agonists and antagonists for the gene or gene products as potential therapeutic and diagnostic candidates for treating pain, including neuropathic pain, nociceptive pain, chronic pain, inflammatory pain, pain associated with cancer, and pain associated with a rheumatic disease, and also for addiction, seizure, stroke, ischemia, a neurodegenerative disorder, anxiety, depression, headache, asthma, rheumatic disease, osteoarthritis, retinopathy, inflammatory eye disorders, pruritus, ulcer, gastric lesions, uncontrollable urination, an inflammatory or unstable bladder disorder, inflammatory bowel disease, irritable bowel syndrome (IBS), irritable bowel disease (IBD), gastroesophageal reflux disease (GERD), functional dyspepsia, functional chest pain of presumed esophageal origin, functional dysphagia, non-cardiac chest pain, symptomatic gastroesophageal disease, gastritis, aerophagia, functional constipation, functional diarrhea, borbulence, chronic functional abdominal pain, recurrent abdominal pain (RAP), function abdominal bloating, functional biliary pain, functional incontinence, functional ano-rectal disorder, cholecystalgia, interstitial cystitis, dysmenorrhea, or dyspareunia. They can also be used for diagnosing or treating Alzheimer's disease, Parkinson's disease, amyotrophic lateral sclerosis, Huntington's disease and schizophrenia. The present sequence is that of a mouse gene which demonstrated homology to a human gene whose expression level analysed in the method of the invention.

Sequence 978 BP; 218 A; 263 C; 247 G; 250 T; 0 U; 0 Other;

Alignment Scores:

Seq. No.:	7.05e-98	Length:	978
Score:	1075.00	Matches:	203
Percent Similarity:	93.6%	Conservative:	2
Best Local Similarity:	92.7%	Mismatches:	14
Identity Match:	71.9%	Indels:	0
	14	Gaps:	0

-10-048-116B-2_COPY_1_278 (1-278) x ADX26089 (1-978)

1 MetProCysSerArgAlaLeuLeuLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
 24 ATGCCGCGCAGACAGCTCTGATTCCTGGGGTCTCGCCCTGACCATGCTCAGCCTC 83
 21 CysGlyGlyGluAspIleGluAlaAspHisValGlyPheThrGlyThrThrValTyr 40
 84 TGGCGAGGTGAACACACATTGAGCGCGACACAGTAGGCTCTTATGATTAAGTATAT 143
 41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyValPheTyr 60
 144 CAGTCTCTGGAGACATTGGCCAGTACACATTGAAATTTGATGATGATGATGTTCTAT 203
 61 ValAspLeuAspIleValThrValTyrArgLeuProGluPheGlyGlnLeuLeu 80
 204 GTGGACTTGGATAAGAGGAGACTGCTGGATGCTTCTCGAGTTCCTCACTGAGAAGA 263

QY	81	PheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisLeuLeuGlyIleLeu	100
DB	264	TTTGAGCCCCAAGGTGGACTGCAAAACATAGCTACAGGAAACACAACTTGGAAATCTTG	323
QY	101	ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro	120
DB	324	ACTNAGAGGTCAAATTCCACCCAGCTACCAATGAGGCTCCTCAAGGAGCTGTGTTC	383
QY	121	LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe	140
DB	384	AAAGTCTCTGCTGCTGGGTGAGCCCAACACCTTATCTGCTTGTGGCAACATCTTC	443
QY	141	ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr	160
DB	444	CTTCTCTGATCAACATCATCATGCTCAGAAATAGCAAGTCACTCAGACGCGGTTAT	503
QY	161	GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe	180
DB	504	GAACACGCTTCTTCTGCTCAACCGTGACTATTCTTCCACAGCTGTCTTATCTCACCTTC	563
QY	181	IleProSerAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluPro	200
DB	564	ATCCCTTCTGAGCATGACATTTATGACTGCAAGGTGGAGCAGCTGGGCGCTGGAGGAGCG	623
QY	201	ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThr	219
DB	624	GTTCGAAACACTGGGAACCTGAGATTCCAGGCCCCCATGTGACAGCTGACAGAGACT	680
RESULT 8			
ID	AAT06285	AAT06285 standard; DNA; 776 BP.	
XX	AAT06285;		
AC	AAT06285;		
DT	10-APR-1996	(first entry)	
XX	I-Ab-alpha chain DNA.		
DE	I-Ab-alpha chain; acetylcholine receptor; myelin basic protein;		
KW	autoantigen; MHC class II; major histocompatibility complex;		
KW	autoimmunity; autoimmune disease; rheumatoid arthritis;		
KW	myasthenia gravis; multiple sclerosis; allograft rejection; vaccine; ds.		
XX	Mus musculus.		
XX	US5468481-A.		
XX	21-NOV-1995.		
XX	14-APR-1992;	92US-00869293.	
XX	23-JUN-1988;	88US-00210594.	
XX	21-JUN-1989;	89US-00367751.	
XX	30-AUG-1990;	90US-00576084.	
XX	28-DEC-1990;	90US-00635840.	
XX	23-APR-1991;	91US-00690840.	
XX	(ANER-) ANERGEN INC.		
XX	Sharma SD, Lerch BL, Clark BR;		
XX	WPI; 1993-036056/04.		
XX	Pure major MHC-peptide complex - useful in treating deleterious immune		
XX	response such as autoimmunity.		
XX	Disclosure; Fig 8; 47pp; English.		
XX	A sequence (AAT06285) encoding the I-Ab-alpha chain is utilised in the		
XX	construction of novel MHC class II conjugates. An autoantigen peptide,		
XX	derived e.g. from the acetylcholine receptor alpha chain (AAR86421) or		
XX	myelin basic protein (AAR86422), is attached to the N-terminal end of an		

141 ProProValIleAenIleThrTProLeuAtcAAsnSerIysSerValThrAspGlyValTyr 160
 426 CTTCTGTGTATCAACATCACATGGCTCAGAAAGCAAGTCAGTCGACGCGTGTAT 485
 161 GluThrSerPheLeuValAenArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
 486 GAGACCCAGCTTCTTCGACCGTGACTATCTCTCCACAGCTGTCTTATCTCACCTTC 545
 181 IleProSerAspAspIleTyrAspCysLysValGluHisTyrGlyLeuGluGluPro 200
 546 ATCCCTCTGACATGACATTTATGACTGCAAGGTGGAACACTGGGGCTTGGAGAGCCG 605
 201 ValLeuLysHisTyrGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
 606 GTTCTGAACACTGGGAACCTGAGATTCACGCCCTCATGTTCAGAGCTGACAGAGACT 662

SULT 10

T17587

AAT17587 standard; DNA; 1508 BP.

AAT17587;

26-SBP-1996 (first entry)

Vector SCT1-derived single chain gene encoding MHC fusion complex.

MHC; major histocompatibility complex; PCR; polymerase chain reaction;
 T cell activity modulator; antagonist; immune disorder; allergy;
 multiple sclerosis; insulin-dependent diabetes mellitus;
 rheumatoid arthritis; myasthenia gravis; ds.

Synthetic.

Key Location/Qualifiers
 CDS 6..1508
 /tag= a
 sig_peptide 6..86
 /tag= b
 /label= I-Ad beta chain leader
 /note= "murine MHC class II I-Ad gene beta chain leader sequence"
 misc_feature 87..137
 /tag= c
 /label= OVA_323-339
 /note= "chicken ovalbumin residues 323-339"
 misc_feature 138..167
 /tag= d
 /note= "10 residue linker peptide"
 misc_feature 168..452
 /tag= e
 /label= I-Ad beta1
 /note= "murine MHC class II I-Ad gene beta-1 domain"
 misc_feature 453..734
 /tag= f
 /label= I-Ad beta2
 /note= "murine MHC class II I-Ad gene beta-2 domain"
 misc_feature 735..806
 /tag= g
 /note= "24 residue peptide linker"
 misc_feature 807..1067
 /tag= h
 /label= I-Ad alpha1
 /note= "murine MHC class II I-Ad gene alpha-2 domain"
 misc_feature 1068..1352
 /tag= i
 /label= I-Ad alpha2
 /note= "murine MHC class II I-Ad gene alpha-2 domain"
 misc_feature 1353..1505
 /tag= j
 /label= I-Ad alpha-TM
 /note= "murine MHC class II I-Ad gene alpha-transmembrane domain"

XX WO9604314-A1.
 PD 15-FEB-1996.
 XX 31-JUL-1995; 95WO-US009816.
 XX 29-JUL-1994; 94US-00283302.
 PR 01-FEB-1995; 95US-00382454.
 XX (DADE-) DADE INT INC.
 XX Wong HC, Rhode PR, Weidanz JA, Grammer S, Edwards AC;
 PI Chavalliaz P, Jiao J;
 XX WPI; 1996-129343/13.
 DR P-PSDB; AAR98906.
 XX
 PT Major histocompatibility complex fusion complex for modulating T cell
 PT activity - used in the treatment of immune disorders, e.g. multiple
 PT sclerosis, IDDM and rheumatoid arthritis.
 XX
 PS Example 17; Fig 28; 210pp; English.
 XX
 CC AAT17587 encodes a murine MHC fusion complex capable of modulating T cell
 CC activity encoded by the vector SCT1. The MHC fusion complex comprises at
 CC least one MHC molecule containing a peptide-binding groove and a
 CC presenting peptide covalently linked to the MHC molecule and opt. a
 CC transmembrane domain. DNA encoding a MHC fusion complex may be cloned
 CC into a host cell to express the complex. The transformed cells may then
 CC be used to identify peptides that modulate, pref. antagonistise, T cell
 CC activity. DNA encoding a MHC fusion complex or a single chain fusion
 CC molecule may be used to vaccinate a mammal against a targeted disorder.
 CC The fusion complexes may be used to suppress an immune response in an
 CC animal suffering from an immune disorder e.g. multiple sclerosis, insulin
 CC -dependent diabetes mellitus, rheumatoid arthritis, myasthenia gravis or
 CC chronic allergies. The complexes may also be used in the treatment of
 CC livestock and pets such as cats and dogs. The MHC fusion complexes can be
 CC produced such that they contain a single antigenic peptide including one
 CC of known structure, additionally a wide range of peptides can be
 CC presented for T cell interaction
 XX
 SQ Sequence 1508 BP; 337 A; 414 C; 440 G; 317 T; 0 U; 0 Other;
 Alignment Scores:
 Pred. No.: 1.15e-96 Length: 1508
 Score: 1065.50 Matches: 198
 Percent Similarity: 98.5% Conservative: 0
 Best Local Similarity: 98.5% Mismatches: 0
 Query Match: 71.2% Indels: 3
 DB: 2 Gaps: 1
 US-10-048-116B-2_COPY_1_278 (1-278) x AAT17587 (1-1508)
 QY 22 GlyGly-----GluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrThr 38
 Db 792 GCGGGTCTCTCGAGTGAAGACGACATTTAGGCGGACACGATGGCTTCTATGTACTACT 851
 QY 39 ValTyrGlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeu 58
 Db 852 GTTTATCAGTCTCTGGAGACATTTGCCAGTACACACATGATTTGATGATGATGTTG 911
 QY 59 PheTyrValAspLeuAspLysLysThrValTyrArgLeuProGluPheGlyGlnLeu 78
 Db 912 TTCTATGTGGACTTGGATTAAGAAGAAACTGTCTGGAGGCTTCTCGAGTTTGGCCAAATTG 971
 QY 79 IleLeuPheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGly 98
 Db 972 ATACTCTTTGAGCCCCCAGGTGGACTGCAAAACATAGCTGCAGAAAACACAACTTGGGA 1031
 QY 99 IleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrVal 118
 Db 1032 ATCTTGACTTAAGAGGTCAAAATTTACCCCGAGCTTACCAATGAGGCTCTCTCAAGCGACTGTG 1091

119 PheProLysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAen 138
|||||
1092 TTCCCAAGTCCCTGCTGCTGGTGCAGCCCAACACCTTATCTGTTTGTGACAAAC 1151
|||||
139 IlePheProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGly 158
1152 ATCTTCCCACTGTGATCAACATCATGCTCAGAAATAGCAAGTCAGTCACAGACGCG 1211
159 ValTyrGluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeu 178
1212 GTTTATGAGACCACTTCTCTGCTCAACCGTGACCATTCCTCCCAAGCTGCTTATCTC 1271
179 ThrPheIleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGlu 198
1272 ACCTTCATCCCTTCTGATGATGACATTATGACTGCNAGGTGGAGCACTGGGGCTGGAG 1331
199 GluProValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGlu 218
1332 GAGCGGTTCTGAACACACTGGGAACCTGAGATTCCAGCCCCCATGTCTCAGAGCTGACAGAA 1391
219 Thr 219
1392 ACT 1394

LT 11
6988
AAT86988 standard; DNA; 1508 BP.
AAT86988;
27-MAR-1998 (first entry)
SCT1 single chain gene.
Construction; major histocompatibility complex; MHC; fusion complex;
SCT1 single chain gene; ss.
Synthetic.

Key Location/Qualifiers
CDS 6..1508
/*tag= a
WO9728191-A1.
07-AUG-1997.
30-JAN-1997; 97WO-US001617.
31-JAN-1996; 96US-00596387.
(DADE-) DADE INT INC.
Rhode PR, Jiao J, Burkhardt M, Wong HC;
WPI: 1997-402555/37.
P-PSDB; AAW29213.

Single chain major histocompatibility complex comprising linked alpha and beta chains - useful for suppressing an immune response to an auto-immune disease, e.g. multiple sclerosis, rheumatoid arthritis, diabetes mellitus, etc.
Example 17; Page 137-139; 217pp; English.
The present sequence was used in the construction of major histocompatibility complex (MHC) fusion complexes
Sequence 1508 BP; 337 A; 413 C; 441 G; 317 T; 0 U; 0 Other;
ment Scores:
ti. No.: 1.15e-96 Length: 1508

Score: 1065.50 Matches: 198
Percent Similarity: 98.5% Conservative: 0
Best Local Similarity: 98.5% Mismatches: 0
Query Match: 71.2% Indels: 3
DB: 2 Gaps: 1
US-10-048-116B-2_COPY_1_278 (1-278) x AAT86988 (1-1508)
QY 22 GlyGly-----GluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrThr 38
Db 792 GCGGTTCTCGAGTGAAGACGACATTGAGCCCGACAGTAGGCTTCTATGTCACACT 851
QY 39 ValTyrGlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeu 58
Db 852 GTTTATCATGCTCTCTGGAGACATTGGCCAGTACACATGAATTTGATGTTGATGAGTTG 911
QY 59 PheTyrValAspLeuAspLysLysLysLysLysLysLysLysLysLysLysLysLys 78
Db 912 TTCTATGTGGACTTGGATAAGAAGAAACTGTCTGGAGGCTTCTTGAGTTTGGCCNATG 971
QY 79 IleLeuPheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGly 98
Db 972 ATACTTTTGAGCCCAAGGTGGACTGCAGAACATAGCTGCAGAAAACACAACTTGGCA 1031
QY 99 IleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrVal 118
Db 1032 ATCTTGACTAAGAGGTCAATTTACCCCGCAGCTACCAATGAGGCTCTCTCAAGCGACTGTG 1091
QY 119 PheProLysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAen 138
Db 1092 TTCCCAAGTCCCTGCTGCTGGGTGAGCCCAACACCTTATCTGTTTGTGACAAAC 1151
QY 139 IlePheProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGly 158
Db 1152 ATCTTCCCACTGTGATCAACATCATGCTCAGAAATAGCAAGTCAGTCACAGACGCG 1211
QY 159 ValTyrGluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeu 178
Db 1212 GTTTATGAGACCACTTCTCTGCTCAACCGTGACCATTCCTCCCAAGCTGCTTATCTC 1271
QY 179 ThrPheIleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGlu 198
Db 1272 ACCTTCATCCCTTCTGATGATGACATTATGACTGCNAGGTGGAGCACTGGGGCTGGAG 1331
QY 199 GluProValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGlu 218
Db 1332 GAGCGGTTCTGAACACACTGGGAACCTGAGATTCCAGCCCCCATGTCTCAGAGCTGACAGAA 1391
QY 219 Thr 219
Db 1392 ACT 1394
RESULT 12
AA89069
ID AA89069 standard; DNA; 1508 BP.
XX
AC AA89069;
XX
DT 14-SEP-1999 (first entry)
XX
DE Single chain IAD/OVA 323-229 MHC fusion protein encoding DNA.
XX
KW Major histocompatibility complex; MHC; single chain MHC; sc-MHC; Ig; peptide binding groove; immunoglobulin; T cell receptor; immune response; immune-related disorder; antigenic peptide; fusion protein; ss.
XX
OS Synthetic.
XX
PN WO9921572-A1.
XX
PD 06-MAY-1999.
XX
PF 13-OCT-1998; 98WO-US021520.

29-OCT-1997; 97US-00960190.

(SUNO-) SUNOL MOLECULAR CORP.

Rhode PR, Acevedo J, Burkhardt M, Jiao J, Wong HC;

WPI; 1999-418411/35.

P-PSDB; AAY27111.

Single chain major histocompatibility complex class I complexes.

Example 1; Fig 1; 148pp; English.

The invention relates to new single chain major histocompatibility complex (sc-MHC) class II complexes that comprise a peptide binding groove, and a modified class II beta 2 chain or covalently linked immunoglobulin (Ig) light chain constant (C1) region. The MHC complexes are useful for detection and analysis of peptide ligands, pathogenic T-cells, for functional, cellular and molecular assays. They can be used to identify and isolate T cell receptor and/or MHC agonists and antagonists. They can be used in vivo to compete with pathogenic antigen presenting cells involved in immune-related disorders. They can also be used to raise antibodies and to screen immune cells. It is also use in a method of suppressing an immune response in mammals. The sc-MHC complexes comprising modified class II beta 2 chains and/or Ig-C1 regions are soluble and provide enhanced yield. These MHC complexes also can contain single antigenic peptides readily isolated from expressing cells in significant quantities. The polyspecific MHC complexes also provide a means to detect cells expressing multiple target structures with a single complex. The present sequence represents a DNA encoding a single chain IAd/OVA 323-229 MHC fusion protein

Sequence 1508 BP; 337 A; 413 C; 441 G; 317 T; 0 U; 0 Other;

Alignment Scores:

Seq. No.:	1.15e-96	Length:	1508
Percent Similarity:	1065.50	Matches:	198
Percent Local Similarity:	98.5%	Conservative:	0
Identity Match:	98.5%	Mismatches:	0
	71.2%	Indels:	3
	2	Gaps:	1

-10-048-116B-2_COPY_1_278 (1-278) x AAX89069 (1-1508)

```
22 GlyGly-----GluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrThr 38
|||||
792 GCGGGTCTCTCGAGTGAAGACGACATTGAGCGCGACCGTAGGCTTCTATGTACAAC 851
|||||
39 ValTyrGlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeu 58
|||||
852 GTTATATCAGTCTCTCGAGACATTGGCCAGTACACACATGAAATTTGATGTGATGTTG 911
|||||
59 PheTyrValAspLeuAspIleGlyValTyrThrValTyrArgLeuProGluPheGlyGlnLeu 78
|||||
912 TTCTATGTGACTTGATAGAGAAACTGCTGTGAGGGCTTCTGAGTTTGCCCAATTG 971
|||||
79 IleLeuPheGluProGlnGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGly 98
|||||
972 ATACTTTTGAGCCCGGAGTGGAGTGCAGAAACATAGCTGCAGAAACACACTTGGGA 1031
|||||
99 IleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrVal 118
|||||
1032 ATCTTGACTAAGAGGTCAAAATTTTCCGCCAGCTACCAATGAGGCTCTCAAGCGACTGTG 1091
|||||
119 PheProLysSerProValLeuLeuGlyGlnProAsnThrIleuLeuCysPheValAspAsn 138
|||||
1092 TTCCCCAAGPCCCTGTGCTGTGGGTGAGCCCAACACCCCTTATCTGCTTGTGGCAAC 1151
|||||
139 IlePheProValIleAsnIleThrTyrLeuArgAsnSerLysSerValThrAspGly 158
|||||
1152 ATCTTCCCACTGTGATCAACATCAATCATGCTCAGAAATAGCAAGTCAGTCACAGCGGC 1211
```

```
QY 159 ValTyrGluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeu 178
|||||
Db 1212 GTTATGAGACAGCTTCTCTGTCACCGTGACCATCTTCCACAGCTGTCTATCTC 1271
|||||
QY 179 ThrPheIleProSerAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGlu 198
|||||
Db 1272 ACCTTCATCCCTTCTGATGATGACATTATGACTGCAAGGTGAGCACTGGGCGCTGGAG 1331
|||||
QY 199 GluProValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGlu 218
|||||
Db 1332 GAGCCGGTCTGAAACACTGGGAACCTGAGATTCCAGCCCCCATGTGACAGAGCTGACAGAA 1391
|||||
QY 219 Thr 219
|||
Db 1392 ACT 1394
|||||
RESULT 13
ACA60743
ID ACA60743 standard; DNA; 1508 BP.
XX ACA60743;
XX ACA60743;
XX 16-JUN-2003 (first entry)
DT Mouse MHC I-Ad/Ova 323-339 synthetic gene SCTL.
DE
XX MHC; major histocompatibility complex; gene therapy; fusion complex;
KW peptide-binding groove; T cell modulation; class II MHC; vaccine;
KW autoimmune disorder; multiple sclerosis; rheumatoid arthritis;
KW insulin-dependent diabetes mellitus; myasthenia gravis; immunogen;
KW chronic allergy; mouse; ds; I-Ad; gene.
XX Mus sp.
XX Synthetic.
XX US2002198144-A1.
XX 26-DEC-2002.
XX 06-JUL-2001; 2001US-00900379.
XX 29-JUL-1994; 94US-00283302.
XX 01-FEB-1995; 95US-00382454.
XX 17-JAN-1997; 97US-00776084.
XX (DADE-) DADE INT INC.
XX Wong HC, Rhode PR, Weidanz JA, Grammer S, Edwards AC;
XX Chavalliaz P, Jiao JJ;
XX WPI; 2003-341126/32.
XX P-PSDB; ABU72107.
XX Novel major histocompatibility complex fusion complex having presenting
PT peptide covalently linked to MHC molecule containing peptide-binding
PT groove, used for suppressing immune response in multiple sclerosis,
PT allergies.
XX Example 17; Fig 28; 126pp; English.
XX The invention relates to a major histocompatibility complex (MHC) fusion
CC complex (I) comprising an MHC molecule that contains a peptide-binding
CC groove, and a presenting peptide covalently (e.g. an antigenic peptide)
CC linked to the MHC molecule, where (I) is capable of modulating the
CC activity of a T cell. Also included are a DNA construct coding for the
CC complex, where the MHC molecule is a class II MHC (e.g. mouse I-Ad or I-
CC As, or human HLA-DRI (human leukocyte antigen-DRI)), a multivalent MHC
CC fusion complex comprising two or more linked complexes, identifying a
CC peptide that can modulate the activity of T cells (involving introducing
CC into host cells cloning vectors that each contain the fusion complex DNA,
CC culturing the host cells under conditions suitable for expression of the
CC MHC fusion complex, and selecting host cells that express MHC fusion
CC complex that modulate the activity of T cells), a single recombinant
```

expression vector comprising DNA that codes for the alpha and beta chains of the fusion complex MHC protein, a single recombinant expression vector comprising DNA that codes for a T cell costimulatory factor and the alpha and beta chains of the MHC fusion complex. The DNA constructs can contain heterologous leader peptide sequences and Kozak sequence for efficient expression of the fusion complex. Also included are inducing an immune response in a mammal (including vaccinating a mammal against a targeted disorder, by administering a DNA sequence comprising a fusion complex, or DNA sequence coding for a fusion complex which is a single chain fusion molecule) and suppressing an immune response in a mammal by administering to the mammal a DNA sequence comprising an expression vector, encoding a full length MHC molecule that contains a transmembrane domain, and a presenting peptide that is a T cell receptor (TCR) antagonist or partial agonist and is covalently linked to the MHC protein, or DNA sequence coding for the fusion complex which is a single chain fusion molecule. The methods are useful for identifying a peptide that can modulate the activity of T cells, inducing an immune response in a mammal (including vaccinating a mammal against a targeted disorder) and for suppressing an immune response in a mammal. The disorders include an autoimmune disorder such as multiple sclerosis, insulin-dependent diabetes mellitus, rheumatoid arthritis, myasthenia gravis or chronic allergies. The present sequence encodes a mouse MHC class II I-Ad fusion complex of the invention

Sequence 1508 BP; 337 A; 413 C; 441 G; 317 T; 0 U; 0 Other;

nment Scores:	1.15e-96	Length:	1508
e:	1065.50	Matches:	198
ent Similarity:	98.5%	Conservative:	0
Local Similarity:	98.5%	Mismatches:	0
y Match:	71.2%	Indels:	3
	8	Gaps:	1

0-048-116B-2_COPY_1_278 (1-278) x ACA60743 (1-1508)

22 GlyGly-----GluAspAspLeuGluAlaAspHisValGlyPheTyrGlyThrThr 38
|||||
792 GCGCGTTCCTCGAGTGAAGACACATTTAGGCGGACCATGAGTCTTCTATGGTCAACT 851
39 ValTyrGlnSerProGlyAspLeuGlyGlnTyrThrHisGluPheAspGlyAspGluLeu 58
|||||
852 GTTTATCATGCTCTCTGGAGACATTTGCCAGTACACACATGAAATTTGATGGTGTGATGAGTTG 911
59 PheTyrValAspLeuAspLysLysLysThrValTyrArgLeuProGluPheGlyGlnLeu 78
|||||
912 TTCTATGTGACTTGGATTAAGAGAAACTGCTCGAGGCTTCTGAGTTTGGCCAAATG 971
79 IleLeuPheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGly 98
|||||
972 ATACTCTTTGAGCCCCAGGTGGACTGCAAAACATAGCTGCAGAAAAACACAACTTTGGGA 1031
99 IleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrVal 118
|||||
1032 ATCTTGACTTAAGAGGTCAAAATTTACCCAGCTTACCAATGAGGCTCTCAAGCGACTGTG 1091
119 PheProLysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsn 138
|||||
1092 TTCCCCAAGTCCCTGTGCTGGGTGAGCCCAACACACCTTATCTGCTTGTGGACAAC 1151
139 IlePheProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGly 158
|||||
1152 ATCTTCCCACTGTGATCAACATCATGGCTCAGAAATAGCAAGTCACTCAGACGCGC 1211
159 ValTyrGluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeu 178
|||||
1212 GTTTATGAGACACAGCTTCTCTGCTCAACCGTGACCATTTCTTCCACAGCTGTCTTATCTC 1271
179 ThrPheIleProSerAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGlu 198
|||||
1272 ACCTTCATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCAGCTGGGCGCTGGAG 1331
199 GluProValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGlu 218

Db	1332	GAGCGGTTCTGAACACACTGGGAACCTGAGATTTCAGCCCCCCTGTCAGAGCTGACAGNA	1391
Qy	219	Thr 219	
Db	1392	ACT 1394	
RESULT 14			
AAT60698			
ID	AAT60698	standard; cDNA; 588 BP.	
AC	AAT60698;		
XX	27-AUG-2003 (revised)		
DT	12-SEP-1997 (first entry)		
XX	Alpha2 region of Class II NOD mouse MHC (IAG7) cDNA.		
XX	Soluble; fusion; major histocompatibility complex; MHC; region;		
KW	heterodimer; complex; alpha2; antigen; binding groove; tolerance;		
KW	autoantigen; disease; insulin dependent; diabetes mellitus; IDDM;		
KW	antagonist; T cell; anergy; presenting cell; NOD mouse; Class II; alpha1;		
KW	ds.		
XX	Mus sp.		
OS			
XX			
Key	Location/Qualifiers		
mat_peptide	1..588		
/*tag=	a		
WO9640944-A2.			
19-DEC-1996.			
07-JUN-1996;	96WO-US010102.		
07-JUN-1995;	95US-00480002.		
07-JUN-1995;	95US-00482133.		
07-JUN-1995;	95US-00483241.		
27-OCT-1995;	95US-0005964P.		
(ZYMO) ZYMOGENETICS INC.			
(ANER-) ANERGEN INC.			
Kindsvogel W, Reich EP, Gross JA, Deshpande S, Sheppard PO;			
WPI; 1997-052337/05.			
P-PSDB; AAW10505.			
Novel fused major histocompatibility complex:antigenic peptide complex -			
useful to induce tolerance to an autoantigen-related disease e.g. insulin			
-dependent diabetes mellitus.			
Example 3; Page 132-133; 142pp; English.			
A novel soluble fused major histocompatibility complex (MHC)			
heterodimer:peptide complex, comprises DNA encoding 1st and 2nd MHC			
domains, e.g. the present sequence, linked by DNA encoding a 5-25 residue			
linker, and a DNA encoding an antigenic peptide able to associate with a			
peptide binding groove of the MHC molecule, linked in frame to the DNA			
encoding the 2nd domain by a DNA encoding a 5-25 residue linker. The			
complex can be used to induce immunological tolerance in adults			
susceptible to, or suffering from an autoantigen related disease, e.g.			
insulin dependent diabetes mellitus (IDDM), by antagonising the binding			
of particular T cells and antigen presenting cells, to induce anergy			
(immunological non-responsiveness) in the targeted T cell. As the			
heterodimers and corresponding antigen are permanently linked into a			
single chain, obviating the requirement for complex heterodimer			
truncation or formation, the complex eliminates inefficient and non-			
specific peptide loading. (Updated on 27-AUG-2003 to correct OS field.)			
Sequence 588 BP; 153 A; 153 C; 136 G; 146 T; 0 U; 0 Other;			


```
|||||
546 ATCCCTTCTGACGATGACATTTATGACTGCAAGGTGGAACACTGGGGCTGGAGGAGCCG 605
|||||
201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
|||||
606 GTTCTGAAACACTGGGAACTGAGATTCAGCCCCCATGTCAGAGCTGACAGAGACT 662
|||||
```

Ch completed: May 31, 2006, 23:18:27
time : 562.439 secs

GenCore version 5.1.8
Copyright (c) 1993 - 2006 Bioceleration Ltd.

nucleic - nucleic search, using sw model

on: June 1, 2006, 00:09:40 ; Search time 8832.58 Seconds
(without alignments)
10751.323 Million cell updates/sec

fect score: 1485
quence: 1 agccgtgcagagagctct.....tctccggactccgggtaaa 1485

ing table: IDENTITY NUC
Gapop 10.0 , Gapext 1.0

ched: 6366136 seqs, 31973710525 residues

al number of hits satisfying chosen parameters: 12732272

imum DB seq length: 0
imum DB seq length: 2000000000

rocessing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

abase : GenEmbl:*

1: gb_env.*
2: gb_pat.*
3: gb_ph.*
4: gb_pl.*
5: gb_pr.*
6: gb_ro.*
7: gb_sts.*
8: gb_sy.*
9: gb_un.*
10: gb_vi.*
11: gb_ov.*
12: gb_htg.*
13: gb_in.*
14: gb_om.*
15: gb_ba.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Full No.	Score	Query Match	Length	ID	Description
1	1484	99.9	1484	2	AX081280 Sequence
2	957.6	64.5	1446	2	BD137962 Monovalen
3	701.2	47.2	1045	2	CQ806515 Sequence
4	701.2	47.2	1108	2	CQ806531 Sequence
5	701.2	47.2	1108	2	CQ806532 Sequence
6	700.6	47.2	990	6	MMU294738 Mus muscu
7	700.6	47.2	1095	6	MMUG66 Mouse mRNA
8	700.6	47.2	1341	2	I07390 Sequence 4
9	700.6	47.2	1401	2	CS138860 Sequence
10	700.6	47.2	1407	6	AF466698 Mus muscu
11	700.6	47.2	1570	2	A22261 M. musculus
12	700.6	47.2	1570	2	AR029102 Sequence
13	700.6	47.2	1570	2	BD057272 Gene enco
14	700.6	47.2	1570	2	AR409372 Sequence
15	700.6	47.2	1570	2	AR559698 Sequence
16	700.6	47.2	1570	6	AB097847 Mus muscu
17	700.6	47.2	3973	2	CQ897414 Sequence
18	700.2	47.2	729	2	AR650819 Sequence

19	700	47.1	1158	2	ARI60140	ARI60140 Sequence
20	700	47.1	1188	2	ARI60149	ARI60149 Sequence
21	700	47.1	729	2	AX080954	AX080954 Sequence
22	700	47.1	7528	2	AX080953	AX080953 Sequence
23	699.4	47.1	1530	2	CS121774	CS121774 Sequence
24	699	47.1	699	2	CS251282	CS251282 Sequence
25	699	47.1	708	2	CS121762	CS121762 Sequence
26	699	47.1	1413	2	CS121778	CS121778 Sequence
27	699	47.1	1431	2	CS121780	CS121780 Sequence
28	699	47.1	1581	2	A78881	A78881 Sequence 1
29	699	47.1	1581	6	MMUGHC2AA	X70423 M.musculus
30	698.4	47.0	1131	2	BD022361	BD022361 Multi-fun
31	698.4	47.0	1131	2	AR772537	AR772537 Sequence
32	698.4	47.0	1194	2	BD022360	BD022360 Multi-fun
33	698.4	47.0	1194	2	AR772536	AR772536 Sequence
34	698.4	47.0	1473	2	CQ889913	CQ889913 Sequence
35	698.4	47.0	1473	2	CQ889975	CQ889975 Sequence
36	697.4	47.0	699	2	BD240891	BD240891 Expressio
37	697.4	47.0	699	2	BD269243	BD269243 Expressio
38	697.4	47.0	1407	2	CS125905	CS125905 Sequence
39	697.4	47.0	1407	2	CS126190	CS126190 Sequence
40	697.4	47.0	1570	2	A77138	A77138 Sequence 6
41	697.4	47.0	1707	2	AR650821	AR650821 Sequence
42	696	46.9	700	2	CQ806513	CQ806513 Sequence
43	695.4	46.8	1278	2	AR393789	AR393789 Sequence
44	695.4	46.8	1278	2	AX084107	AX084107 Sequence
45	695.4	46.8	2709	2	AR393797	AR393797 Sequence

ALIGNMENTS

RESULT 1
AX081280
LOCUS AX081280 1484 bp DNA linear PAT 27-FEB-2001
DEFINITION Sequence 1 from Patent WO0109194.
ACCESSION AX081280
VERSION AX081280.1 GI:13170129
KEYWORDS synthetic construct
SOURCE synthetic construct
ORGANISM other sequences; artificial sequences.
REFERENCE 1
AUTHORS Glaichenhaus, N. and Malherbe, L.
TITLE Recombinant proteins and molecular complexes derived therefrom, analogous to molecules involved in immune responses
JOURNAL Patent: WO 0109194-A 1 08-FEB-2001;
CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE (CNRS) (FR)
FEATURES
Location/Qualifiers
1..1484
/organism="synthetic construct"
/mol_type="unassigned DNA"
/db_xref="taxon:32630"
1..>1482
/note="unnamed protein product; ligation de fragments d'ADNc"
/codon_start=1
/transl_table=11
/protein_id="CAC33122.1"
/db_xref="GI:13170130"
/translation="MPCSRALILGLVALNTMLSLCGGDDIEADHGVFGYTGTVQSPG
DIGOVTHFDGDELFDYDIDKKTVMRLPEFGOLILFEQCGQNTAAAEKHNLGILTK
ETSLFVNDRHSFKLSYLTIFEDDDIYDCKVHNGLEFVLKHWPEIPAPMSELTE
TGGSGTTAPSAQLEKQALEKNAQLEWLEQVLSPIVTCVVVDVSDDDPDVQIFKCPCK
CPANLLGGPSVFIFPKIKDVLMI SLSPITCVVVDVSDDDPDVQIFKCPCK
AOTQTHREDYNSLTRVSALPIQHOQMSGKFKCKVNNKDLPAPIERTISKFGSVR
APQVYVLPPEEMTKQVTLCTMTDMPEDIYVETWNGKLTAYNTPEVLDSDG
SYFMYSKLKRVKKNWVERNSYSCSVVHGLNHHHTTKSFRTPG"

ORIGIN

Query Match 99.9%; Score 1484; DB 2; Length 1484;
Best Local Similarity 100.0%; Pred. No. 0;

atches 1484; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
1 ATGCGGTGACAGAGCTGATTTCTGGGGTCTCGCCCTGAAACACCATGCTCAGCCTC 60
1 ATGCGGTGACAGAGCTGATTTCTGGGGTCTCGCCCTGAAACACCATGCTCAGCCTC 60
61 TCGGAGGTGAAGACGACATTTAGGCGCGACACGATAGGCTTCTATGGTACAACTGTTAT 120
61 TCGGAGGTGAAGACGACATTTAGGCGCGACACGATAGGCTTCTATGGTACAACTGTTAT 120
121 CAGTCTCTGGAGACATTTGGCCAGTACACATGATTTGATGGTGAAGTGTCTAT 180
121 CAGTCTCTGGAGACATTTGGCCAGTACACATGATTTGATGGTGAAGTGTCTAT 180
181 GTGGACTTGGATAAGAGAAACTGTCTGGAGGCTTCTGAGTCTTGGCCAAATTTGATCTC 240
181 GTGGACTTGGATAAGAGAAACTGTCTGGAGGCTTCTGAGTCTTGGCCAAATTTGATCTC 240
241 TTTGAGCCCCAAGGTGGACTGCAAAACATAGCTGCAGAAAAACAACTTGGGAATCTTG 300
241 TTTGAGCCCCAAGGTGGACTGCAAAACATAGCTGCAGAAAAACAACTTGGGAATCTTG 300
301 ACTAAGAGGTCAAAATTTACCCAGCTACCAATGAGGCTCTCAAGCGACTGTGTTCCGC 360
301 ACTAAGAGGTCAAAATTTACCCAGCTACCAATGAGGCTCTCAAGCGACTGTGTTCCGC 360
361 AAGTCCCTGTGCTGCTGGGTGAGCCCAACACCTTATCTGCTTTGTGGCAACAATCTTC 420
361 AAGTCCCTGTGCTGCTGGGTGAGCCCAACACCTTATCTGCTTTGTGGCAACAATCTTC 420
421 CCACCTGTGATCAACATCATCTGGCTCAGAAATAGCAAGTCACTGACAGACGGCTTTAT 480
421 CCACCTGTGATCAACATCATCTGGCTCAGAAATAGCAAGTCACTGACAGACGGCTTTAT 480
481 GAGACAGCTTCTGCTCAACCGTGACCAATCTCTTCCACAGCTCTTATCTCACTTC 540
481 GAGACAGCTTCTGCTCAACCGTGACCAATCTCTTCCACAGCTCTTATCTCACTTC 540
541 ATCCCTTCTGATGATGACATTTATGACTGCAAGTGGAGCACTGGGCTCGAGGAGCGG 600
541 ATCCCTTCTGATGATGACATTTATGACTGCAAGTGGAGCACTGGGCTCGAGGAGCGG 600
601 GTTCTGAACACTGGGAACCTGAGATTCAGCCCCCATGTGACAGTGCAGAGAACTGGA 660
601 GTTCTGAACACTGGGAACCTGAGATTCAGCCCCCATGTGACAGTGCAGAGAACTGGA 660
661 GGTGAGGATCCACTACAGCTCCATCAGCTCAGTCCGAAAGAGCTCCAGGCCCTGGAG 720
661 GGTGAGGATCCACTACAGCTCCATCAGCTCAGTCCGAAAGAGCTCCAGGCCCTGGAG 720
721 AAGGAAAATGCACAGCTGGAATGGAGTTGCAAGCACTGGAAGAGAACTGGCTCAGGCA 780
721 AAGGAAAATGCACAGCTGGAATGGAGTTGCAAGCACTGGAAGAGAACTGGCTCAGGCA 780
781 GCATCTGAGCCAGAGGGCCCAATCAAGCCCTGCTCTCCATGCAATGCCAGACCT 840
781 GCATCTGAGCCAGAGGGCCCAATCAAGCCCTGCTCTCCATGCAATGCCAGACCT 840
841 AACCTTGGGTGGACCACTCGCTTCACTCTTCCCTCCAAAGATCAAGGATGACTCATG 900
841 AACCTTGGGTGGACCACTCGCTTCACTCTTCCCTCCAAAGATCAAGGATGACTCATG 900
901 ATCTCCCTGAGCCCATAGTCACTGTGTGGTGGATGTGAGCGAGGATGACCCAGAT 960
901 ATCTCCCTGAGCCCATAGTCACTGTGTGGTGGATGTGAGCGAGGATGACCCAGAT 960
961 GTCCAGATCAGCTGTTGTGAAACAGCTGGAAGTACACACAGCTCAGACAAACCCAT 1020
961 GTCCAGATCAGCTGTTGTGAAACAGCTGGAAGTACACACAGCTCAGACAAACCCAT 1020
1021 ACAGAGGATTTACACAGTACTCTCGGGTGGTCACTGTCCTCCCAATCCAGCAGGAC 1080
1021 ACAGAGGATTTACACAGTACTCTCGGGTGGTCACTGTCCTCCCAATCCAGCAGGAC 1080

QY 1081 TGGATGAGTGCAGAGGAGTTCAAAATGCAAGGTCAACAAACAAAGACCTCCAGCGCCCATC 1140
Db 1081 TGGATGAGTGCAGAGGAGTTCAAAATGCAAGGTCAACAAACAAAGACCTCCAGCGCCCATC 1140
QY 1141 GAGAGAACCATCTCAAACCCAAAGGTCAGTAAGAGCTCCACAGGTATATGCTTGGCT 1200
Db 1141 GAGAGAACCATCTCAAACCCAAAGGTCAGTAAGAGCTCCACAGGTATATGCTTGGCT 1200
QY 1201 CCACAGAAAGAGAGATGACTAAGAAACAGGTCACCTCTGACCTGTCATGGTCAACAGACTTC 1260
Db 1201 CCACAGAAAGAGAGATGACTAAGAAACAGGTCACCTCTGACCTGTCATGGTCAACAGACTTC 1260
QY 1261 ATGCTTGAAGACATTTACGTGAGTGGACCAACAAACGGGAAACAGAGCTAAACTACAAG 1320
Db 1261 ATGCTTGAAGACATTTACGTGAGTGGACCAACAAACGGGAAACAGAGCTAAACTACAAG 1320
QY 1321 AACACTGAACAGTCTGGACTCTGATGGTTCCTTACTTTCATGTACAGCAAGCTGAGAGTG 1380
Db 1321 AACACTGAACAGTCTGGACTCTGATGGTTCCTTACTTTCATGTACAGCAAGCTGAGAGTG 1380
QY 1381 GAAAGAAAGAACTGGGTGGAAGAAATAGTACTCTGTTCACTGGTCCACGAGGTCCTG 1440
Db 1381 GAAAGAAAGAACTGGGTGGAAGAAATAGTACTCTGTTCACTGGTCCACGAGGTCCTG 1440
QY 1441 CACAATCACACAGACTAAGAGCTTCTCCCGGACTCCCGGTAA 1484
Db 1441 CACAATCACACAGACTAAGAGCTTCTCCCGGACTCCCGGTAA 1484

RESULT 2
BD137962
LOCUS
DEFINITION
BD137962 1446 bp DNA linear PAT 18-SEP-2002
Monovalent MHC-binding domain fused proteins and conjugates,
polyvalent MHC-binding domain fused proteins and conjugates,
polymer MHC-binding domain fused proteins and conjugates, and
utilization therefor.
ACCESSION
VERSION BD137962.1 GI:23232907
KEYWORDS JP 2002504342-A/7.
SOURCE synthetic construct
ORGANISM other sequences; artificial sequences.
REFERENCE 1 (bases 1 to 1446)
Wucherpfennig,K.W. and Strominger,J.L.
AUTHORS Monovalent MHC-binding domain fused proteins and conjugates,
TITLE polyvalent MHC-binding domain fused proteins and conjugates,
polymer MHC-binding domain fused proteins and conjugates, and
utilization
JOURNAL Patent: JP 2002504342-A 7 12-FEB-2002;
PRESIDENT AND FELLOWS OF HARVARD COLLEGE
COMMENT OS Artificial Sequence
PN JP 2002504342-A/7
PD 12-FEB-2002
PF 19-FEB-1999 JP 2000532537
PR 19-FEB-1998 US 60/075351
PI KAI W WUCHERPFENNIG, JACK L STROMINGER
PC C12N15/09, A61K35/14, A61K47/48, C07K14/705, C07K16/00, C07K19/00,
PC C12Q1/02,
PC G01N33/53, C12N15/00
CC Description of Artificial Sequence: DR2-IgG fusion CC 3' end
of secretory signal
CC DRA*0101 extracellular domain
CC Linker
CC Pos leucine zipper domain
CC IgG domain
FH Key Location/Qualifiers
FT CDS (1)..(1437)
FT misc_feature (1)..(15)
FT misc_feature (16)..(588)
FT misc_feature (589)..(609)
FT misc_feature (610)..(729)
FT misc_feature (730)..(1437).


```

:FEATURES
  source
    1..1446
    /organism="synthetic construct"
    /mol_type="genomic DNA"
    /db_xref="taxon:32630"
  /IGIN

Query Match
  64.5%; Score 957.6; DB 2; Length 1446;
  Best Local Similarity 81.8%; Pred. No. 1.5e-249;
  Matches 1136; Conservative 0; Mismatches 234; Indels 18; Gaps 2;

116 TTTATCAGTCTCTCGAGACATTCGCGCAGTACACATGATTAATTTGATGGTGATGAGTTGT 175
    |||
50 TCTATCTGATCTCTGACCAATCAGCGAGTTTATGTTTGAATTTGATGGTGATGAGATT 109
    |||
176 TCTATGTGACTTGGATAGAGAAACTGTCTGGAGGCTTCTGTGATTTGGCCAATTGA 235
    |||
110 TCCATGTGATATGGCAAGAGAGACGCTCTGGCGGCTTGAAGAAATTTGGACGATTG 169
    |||
236 TACTCTTTGAGCCCAAGGTGGACTGCAAAACATAGCTGCAGNAAAACAGAACTTGGAA 295
    |||
170 CCAGCTTTGAGGCTCAAGGTGCAATTGGCCCAACATAGCTGTGGACAAAGCCAACTTGGNAA 229
    |||
296 TCTTGACTAAGAGTCAAAATTTCAACCCAGCTACCAATGAGGCTCTCTCAAGCGACTGTGT 355
    |||
230 TCATGACAAAGCGCTCAACTATATCTCCGATCACCAATGTACTCCAGAGGTAACTGTGC 289
    |||
356 TCCCCAAGTCCCTGTGCTGTGGTGCAGCCCAACCCCTTATCTGCTTTTGTGGACAACA 415
    |||
290 TCACGAACAGCCCTGTGGAACTGAGAGAGCCCAACGTCCTCATCTCTGTTTCATAGACAAGT 349
    |||
416 TCTTCCCACTGTGATCAACATCAATCATGCTCAGAAATAGCAAGTCACTCAGACAGCGCG 475
    |||
350 TCACCCCAACAGTGTCAATGTACAGTGTGCTTCGAAATGCAAAACCTGTCAACACAGSAG 409
    |||
476 TTTATGAGACCACTCTCTCGTCAACCGTGACCAATTCCTTCCACAAGCTGTCTTATCTCA 535
    |||
410 TGTGAGAGACAGTCTTCTCGCCGAGGAGACACACCTTTCCGCAAGTTCCATATCTCC 469
    |||
536 CTTTCATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCTGGAGG 595
    |||
470 CTTCTCGCCCTCAACTGAGGAGCTTTTACGACTGCAAGGTGGAGCACTGGGGCTGGATG 529
    |||
596 AGCCGGTCTGAAACACTGGGAACCTGAGATTCACGCCCCCATGTGACAGCTGACAGAA 655
    |||
530 AGCCTCTCTCAAGCACTGGGAGTTTGTATGCTCCAAAGCCCTCTCCAGAGACTACAGAGG 589
    |||
656 CTGGAGGTGAGGATCCACT-----ACAGCTCCATCAGCTCAGCTCGAA 700
    |||
590 TCGACGAGGTGGCGGGTTTAACTGATACACTCCAGGGGAGACAGATCACTTTGAAG 649
    |||
701 AAGAGCTCCAGGCCCTTGGAGAGAGAAATGCAAGCTGGAATGGGAGTTGCAAGCACTGG 760
    |||
650 ACGAAGTCTGGTTGACAGCCGAGATTGCAATCTACTGAAAGAGAGGAAAGAACTGG 709
    |||
761 AAAGGAACTG---GCTCAGGACGATCTGAGCCGAGAGGCGCCCAATCAAGCCCTGTC 817
    |||
710 AGTTATCTGCGCGCCCATGACGATCTGAGCCGAGGCGCCCAATCAAGCCCTGTC 769
    |||
818 TCCCATGCAATGCCAGACCTTAACCTCTTGGGTGGACCATCCGCTTTCATCTTCCCTC 877
    |||
770 TCTCATGCAATGCCAGACCTTAACCTCTTGGGTGGACCATCCGCTTTCATCTTCCCTC 829
    |||
878 CAAAGTCAAGGATGACTCATGATCTCCCTGAGCCCCATAGTCAATGTGTGGTGGTGG 937
    |||
830 CAAAGTCAAGGATGACTCATGATCTCCCTGAGCCCCATAGTCAATGTGTGGTGGTGG 889
    |||
938 ATGTGAGCGAGGATGACCCAGATGTCAGATCAGCTGTTTGTGAAACAGCTGGAGTAC 997
    |||
890 ATGTGAGCGAGGATGACCCAGATGTCAGATCAGCTGTTTGTGAAACAGCTGGAGTAC 949
    |||
998 ACACAGCTCAGACACAAACCCATAGAGAGATTACAAACAGTACTCTTCCGGGTGGTCAGTG 1057
    |||

950 ACACAGCTCAGACACAAACCCATAGAGAGATTACAAACAGTACTCTCTCGGGTGGTCAGTG 1009
1058 CCTTCCCCATCCAGCAACAGGACTGGATGATGGCAAGGATTTCAAATGCAAGTCAACA 1117
1010 CCTTCCCCATCCAGCAACAGGACTGGATGATGGCAAGGATTTCAAATGCAAGTCAACA 1069
1118 ACAAGAGCTCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGTCAGTAAAG 1177
1070 ACAAGAGCTCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGTCAGTAAAG 1129
1178 CTCACAGGTATATGTCTTGGCTCCACCAAGAGAGATGACTAAGAAACAGGTCACTC 1237
1130 CTCACAGGTATATGTCTTGGCTCCACCAAGAGAGATGACTAAGAAACAGGTCACTC 1189
1238 TGACCTGCATGTGTCAAGACTTCATGCTTGAAGACATTTACGTGGAGTGGACCAACAG 1297
1190 TGACCTGCATGTGTCAAGACTTCATGCTTGAAGACATTTACGTGGAGTGGACCAACAG 1249
1298 GGAAACACAGCTTAAACTACAAGAACACTGAAACAGTCTCTGGACTCTGATGGTCTTACT 1357
1250 GGAAACACAGCTTAAACTACAAGAACACTGAAACAGTCTCTGGACTCTGATGGTCTTACT 1309
1358 TCATGTACAGCAAGCTGAGAGTGGAAAGAACTGGGTGGAAAGAAATAGCTACTCTCT 1417
1310 TCATGTACAGCAAGCTGAGAGTGGAAAGAACTGGGTGGAAAGAAATAGCTACTCTCT 1369
1418 GTTCAAGTGTGTCAAGAGGTCTGTGCAATCACCACAGTCAAGAGCTTCTCCGAGCTC 1477
1370 GTTCAAGTGTGTCAAGAGGTCTGTGCAATCACCACAGTCAAGAGCTTCTCCGAGCTC 1429
1478 CGGGTAAA 1485
1430 CGGGTAAA 1437

RESULT 3
COR06515
LOCUS
DEFINITION
  Sequence 10 from Patent WO2004035622.
ACCESSION
  COR06515
VERSION
  COR06515.1 GI:47111911
KEYWORDS
  synthetic construct
  synthetic construct
  other sequences; artificial sequences.
SOURCE
  1
  Dreher, I. and Moll, T.
  Antagonists il-15
  Patent: WO 2004035622-A 10 29-APR-2004;
  F. HOPFMANN-LA ROCHE AG (CH)
  Location/Qualifiers
    1..1045
    /organism="synthetic construct"
    /mol_type="unassigned DNA"
    /db_xref="taxon:32630"
    /note="DNA for fusionprotein"
FEATURES
  source
    1..1045
ORIGIN
  Query Match 47.2%; Score 701.2; DB 2; Length 1045;
  Best Local Similarity 93.3%; Pred. No. 1.3e-179;
  Matches 733; Conservative 0; Mismatches 53; Indels 0; Gaps 0;

700 AAGAGCTCCAGGCCCTTGGAGAGGAAATGACAGCTGGAATGGAGTTGCAAGCACTG 759
    |||
256 AAGAAGTGTGAGGAACCTGGAGGAAAAAATATTAAGAAATTTTTCAGAGATTTGTACAT 315
    |||
760 GAAAGGAACTGCTCAGGACAGTCTGAGCCGAGAGGCCCAACATCAAGCCCTGTCTCT 819
    |||
316 ATTGTCCAAATTTTCATCAACACTTCGGATCCAGAGGCCCAACATCAAGCCCTGTCT 375
    |||
820 CCATGCAATGCCAGCACTTAACCTCTTGGGTGGACCAATCCGCTTTCATCTTCCCTCCA 879
    |||
376 CCATGCAATGCCAGCACTTAACCTCTTGGGTGGACCAATCCGCTTTCATCTTCCCTCCA 435
    |||
```

```
880 AAGATCAAGGATGTACTCATGATCTCCCTGAGCCCATAGTCACATGTGTGTGTGGT 939
|||||
436 AAGATCAAGGATGTACTCATGATCTCCCTGAGCCCATAGTCACATGTGTGTGTGGT 495
|||||
940 GTGAGCGAGGATGACCCAGATCTCAGATCAGCTGGTTGTGAAACAAAGTGAAGTACAC 999
|||||
496 GTGAGCGAGGATGACCCAGATCTCAGATCAGCTGGTTGTGAAACAAAGTGAAGTACAC 555
|||||
1000 ACAGCTCAGACACAAACCCATAGAGAGGATTACACAGTACTCTCCGGGTGTGTAGTCC 1059
|||||
556 ACAGCTCAGACACAAACCCATAGAGAGGATTACACAGTACTCTCCGGGTGTGTAGTCC 615
|||||
1060 CTCCCCATCCAGACACCCAGGATCTGATGAGTGGCAAGGAGTTCAAAATGCAAGTCAACAAC 1119
|||||
616 CTCCCCATCCAGACACCCAGGATCTGATGAGTGGCAAGGAGTTCAAAATGCAAGTCAACAAC 675
|||||
1120 AAAGACCTCCAGCGCCCATCAGAGAACCATCTCAAAACCCAAAGGTCAGTAAGAGCT 1179
|||||
676 AAAGACCTCCAGCGCCCATCAGAGAACCATCTCAAAACCCAAAGGTCAGTAAGAGCT 735
|||||
1180 CCACAGGTATATGTCTTGCTCCACAGAGAGAGTACTTAAGAACAGTCACTCTG 1239
|||||
736 CCACAGGTATATGTCTTGCTCCACAGAGAGAGTACTTAAGAACAGTCACTCTG 795
|||||
1240 ACTGTCATGTCACAGACTTTCATGCTGAAGACATTTACGTGGAGTGGACCAACACGGG 1299
|||||
796 ACTGTCATGTCACAGACTTTCATGCTGAAGACATTTACGTGGAGTGGACCAACACGGG 855
|||||
1300 AAAACAGAGCTAAATACAAAGAACACTGAACCAAGTCTGAGTCTGTGAGTGTCTTACTTC 1359
|||||
856 AAAACAGAGCTAAATACAAAGAACACTGAACCAAGTCTGTGAGTGTCTTACTTC 915
|||||
1360 ATGTACAGCAAGCTGAGAGTGAAAGAGAGTGGTGGAAGAAATAGTACTCTCTGT 1419
|||||
916 ATGTACAGCAAGCTGAGAGTGAAAGAGAGTGGTGGAAGAAATAGTACTCTCTGT 975
|||||
1420 TCAGTGGTCCAGAGGGTCTGCACAAATCACACAGACTTAAGAGCTTCTCCGGACTCCG 1479
|||||
976 TCAGTGGTCCAGAGGGTCTGCACAAATCACACAGACTTAAGAGCTTCTCCGGACTCCG 1035
|||||
1480 GGTAAA 1485
|||||
1036 GGTAAA 1041
```

```
">LT 4
"6531
"SS
"NTION
"SSION
"ION
"ORDS
"ICE
"GANISM
"RENCE
"THORS
"ILE
"URNAL
"URES
source
"IN
very Match
st Local Similarity
tches 733; Conservative
```

```
Q806531 1108 bp DNA linear PAT 10-MAY-2004
Sequence 26 from Patent WO2004035622.
Q806531
Q806531.1 GI:47111925
Homo sapiens (human)
Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Primates; Catarrhini;
Homnidae; Homo.
1
Dreher, I. and Moll, T.
Antagonists il-15
Patent: WO 2004035622-A 26 29-APR-2004;
P. HOPFMANN-LA ROCHE AG (CH)
Location/Qualifiers
1..1108
/organism="Homo sapiens"
/mol_type="unassigned DNA"
/db_xref="taxon:9606"
```

```
QY 700 AAAGAGCTCCAGGCCCTGGAGAGGAAATGCAAGCTGGAAATGGAGTTGCAAGACATG 759
|||||
Db 319 AAAGAAATGTAGGAACCTGGAGGAAATATTTAAAGAAATTTTGGACAGTTTGTATCAT 378
|||||
QY 760 GAAAGGAACTGGGTCTAGGAGAGTCTGAGGCCAGAGGGCCCAACATCAAGCCCTGTCT 819
|||||
Db 379 ATTGTGACATGTTCATCAACACTTCGGATCCCAAGAGGGCCCAACATCAAGCCCTGTCT 438
|||||
QY 820 CCATGCAAAATCCAGACACCTAACTCTTGGGTGGACCATCCGTCTTCATCTTCCCTCCA 879
|||||
Db 439 CCATGCAAAATCCAGACACCTAACTCTTGGGTGGACCATCCGTCTTCATCTTCCCTCCA 498
|||||
QY 880 AAGATCAAGGATGTACTCATGATCTCCCTGAGCCCATAGTCAATGTGTGTGTGTGTGAT 939
|||||
Db 499 AAGATCAAGGATGTACTCATGATCTCCCTGAGCCCATAGTCAATGTGTGTGTGTGTGAT 558
|||||
QY 940 GTGAGCGAGGATGACCCAGATCTCAGATCAGCTGGTTGTGNAACAAAGTGGAGTACAC 999
|||||
Db 559 GTGAGCGAGGATGACCCAGATCTCAGATCAGCTGGTTGTGNAACAAAGTGGAGTACAC 618
|||||
QY 1000 ACAGCTCAGACACAAACCCATAGAGAGGATTACAAAGTACTCTCCGGGTGTGTAGTCC 1059
|||||
Db 619 ACAGCTCAGACACAAACCCATAGAGAGGATTACAAAGTACTCTCTCCGGGTGTGTAGTCC 678
|||||
QY 1060 CTCCCCATCCAGACACCCAGGATCTGATGAGTGGCAAGGAGTTCAAAATGCAAGTCAACAAC 1119
|||||
Db 679 CTCCCCATCCAGACACCCAGGATCTGATGAGTGGCAAGGAGTTCAAAATGCAAGTCAACAAC 738
|||||
QY 1120 AAAGACCTCCAGCGCCCATCAGAGAACCATCTCAAAACCCAAAGGTCAGTAAGAGCT 1179
|||||
Db 739 AAAGACCTCCAGCGCCCATCAGAGAACCATCTCAAAACCCAAAGGTCAGTAAGAGCT 798
|||||
QY 1180 CCACAGGTATATGTCTTGCTCCACAGAGAGAGTACTTAAGAAACAGTCACTCTG 1239
|||||
Db 799 CCACAGGTATATGTCTTGCTCCACAGAGAGAGTACTTAAGAAACAGTCACTCTG 858
|||||
QY 1240 ACCTGTCATGTCACAGACTTTCATGCTGAAGACATTTACGTGGAGTGGACCAACACGGG 1299
|||||
Db 859 ACCTGTCATGTCACAGACTTTCATGCTGAAGACATTTACGTGGAGTGGACCAACACGGG 918
|||||
QY 1300 AAAACAGAGCTAAATACAAAGAACACTGAACCAAGTCTGAGTGTCTTACTTC 1359
|||||
Db 919 AAAACAGAGCTAAATACAAAGAACACTGAACCAAGTCTGAGTGTCTTACTTC 978
|||||
QY 1360 ATGTACAGCAAGCTGAGAGTGAAAGAGAGTGGTGGAAGAAATAGTACTCTCTGT 1419
|||||
Db 979 ATGTACAGCAAGCTGAGAGTGAAAGAGAGTGGTGGAAGAAATAGTACTCTCTGT 1038
|||||
QY 1420 TCAGTGGTCCAGAGGGTCTGCACAAATCACACAGACTTAAGAGCTTCTCCGGACTCCG 1479
|||||
Db 1039 TCAGTGGTCCAGAGGGTCTGCACAAATCACACAGACTTAAGAGCTTCTCCGGACTCCG 1098
|||||
QY 1480 GGTAAA 1485
|||||
Db 1099 GGTAAA 1104
```

```
RESULT 5
Q806532
LOCUS
DEFINITION
Q806532
ACCESSION
Q806532.1 GI:47111926
KEYWORDS
SOURCE
ORGANISM
REFERENCE
1
Dreher, I. and Moll, T.
Antagonists il-15
Patent: WO 2004035622-A 27 29-APR-2004;
F. HOPFMANN-LA ROCHE AG (CH)
```

```
FEATURES             Location/Qualifiers
     source            1..1108
                        /organism="synthetic construct"
                        /mol_type="unassigned DNA"
                        /db_xref="taxon:32630"
                        /notes="nucleic acid for mutated Pc"
ORIGIN
1
Query Match          47.2%; Score 701.2; DB 2; Length 1108;
Best Local Similarity 93.3%; Pred. No. 1.3e-179;
Matches 733; Conserved 0; Mismatches 53; Indels 0; Gaps 0;
700 AAAGAGCTCCAGCCCTCGAGAGGAAATGACAGCTGGAAATGGAGTTGCAAGCACTG 759
319 AAAGATGTGAGGAAGTGGAGGAAATATTAAGAAATTTTGACAGTTTGTACAT 378
760 GAAAGGAACTGGCTCAGGAGCATCTGAGCCGAGAGGCCCAATCAAGCCCTGTCT 819
379 ATTGTCAAATGTTTCATCAACACTTCGGATCCGAGAGGCCCAATCAAGCCCTGTCT 438
820 CCATGCAATGCCAGCACTTAACCTCTTGGGTGGACCATCGTCTTCATCTCCCTCCA 879
439 CCATGCAATGCCAGCACTTAACCTCTTGGGTGGACCATCGTCTTCATCTCCCTCCA 498
880 AAGATCAAGGATGTACTCATGATCTCCCTGAGCCCATAGTCATGTGTGGTGGAT 939
499 AAGATCAAGGATGTACTCATGATCTCCCTGAGCCCATAGTCATGTGTGGTGGAT 558
940 GTGAGGAGGATGACCCAGATGTCCAGATCAGCTGGTTTGTGAACAACTGGAAGTAC 999
559 GTGAGGAGGATGACCCAGATGTCCAGATCAGCTGGTTTGTGAACAACTGGAAGTAC 618
1000 AAGCTCAGACACAAACCCATAGAGAGATTACACAGTACTCTCCGGTGTGTAGTGC 1059
619 ACAGCTCAGACACAAACCCATAGAGAGATTACACAGTACTCTCCGGTGTGTAGTGC 678
1060 CTCCTCATCAGACACAGAGCTGGATGAGTGGCAAGAGTTCAATGCAAGGTCAACA 1119
679 CTCCTCATCAGACACAGAGCTGGATGAGTGGCAAGAGTTCAATGCAAGGTCAACA 738
1120 AAAGACTCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGGTCAGTAAG 1179
739 AAAGACTCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGGTCAGTAAG 798
1180 CCACAGGTATATGTTTGGCTCCACAGAGAAAGATGATGAAGAAACAGTCACTCTG 1239
799 CCACAGGTATATGTTTGGCTCCACAGAGAAAGATGATGAAGAAACAGTCACTCTG 858
1240 ACCTGATGTACAGACTTTCATGCTTCAAGACATTTAGTGGAGTGGCAACACGGG 1299
859 ACCTGATGTACAGACTTTCATGCTTCAAGACATTTAGTGGAGTGGCAACACGGG 918
1300 AAACAGAGCTAACTACAGAAACACTGAACCACTCTGAGCTCTGATGTTCTTACTTC 1359
919 AAACAGAGCTAACTACAGAAACACTGAACCACTCTGAGCTCTGATGTTCTTACTTC 978
1360 ATGTAAGCAAGCTGAGAGTGGAAAGAAAGAACTGGGTGAAAGAAATAGTACTCTGT 1419
979 ATGTACAGCAAGCTGAGAGTGGAAAGAAAGAACTGGGTGAAAGAAATAGTACTCTGT 1038
1420 TCAGTGGTCCAGAGGCTGTCACATCACCACAGCTTAAGAGCTTCTCCGGACTCCG 1479
1039 TCAGTGGTCCAGAGGCTGTCACATCACCACAGCTTAAGAGCTTCTCCGGACTCCG 1098
1480 GGTAAA 1485
1099 GGTAAA 1104
MULT 6
1294738
US
INITIATION MMU294738 990 bp mRNA linear ROD 09-FEB-2001
Mus musculus partial mRNA for immunoglobulin heavy chain constant
```

591 GAGTGGCAAGGAGTTCAAAATGCAAGGTCAACAAAGAGCTCCAGCGCCCATCGAG 650

1146 AACCATCTCAAAACCCAAAGGGTCAGTAAGAGCTCCACAGGTATATGTTCTTGCCTCCACC 1205

651 AACCATCTCAAAACCCAAAGGGTCAGTAAGAGCTCCACAGGTATATGTTCTTGCCTCCACC 710

1206 AGAAGAAGAGATGACTAAAGAAACAGGTCACTCTGACCTGCATGTCACAGACTTCATGCC 1265

711 AGAAGAAGAGATGACTAAAGAAACAGGTCACTCTGACCTGCATGTCACAGACTTCATGCC 770

1266 TGAAGACATTTACGTGGAGTGACCAACACCGGAAACAGAGCTAAACTACAAAGACAC 1325

771 TGAAGACATTTACGTGGAGTGACCAACACCGGAAACAGAGCTAAACTACAAAGACAC 830

1326 TGAACCAAGTCTGGAGTCTGATGGTTCTTACCTTACGTACCAAGCTGAGAGTGGAAAA 1385

831 TGAACCAAGTCTGGAGTCTGATGGTTCTTACCTTACGTACCAAGCTGAGAGTGGAAAA 890

1386 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAAGTGGTCCACGAGGTCTGCACAA 1445

891 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAAGTGGTCCACGAGGTCTGCACAA 950

1446 TCACACACGACTAAGAGCTTCTCCGGACTCCGGGTAAA 1485

951 TCACACACGACTAAGAGCTTCTCCGGACTCCGGGTAAA 990

LT 7

G6

S

NITION

SSION

ION

ORDS

CE

GANISM

RENCE

THORS

TLE

URNAL

UBMED

URES

source

1..1095

/organism="Mus musculus"

/mol_type="mRNA"

/db_xref="taxon:10090"

<1..1095

/product="messenger RNA"

<1..993

/codon_start=1

/product="gamma-2a immunoglobulin heavy chain"

/protein_id="CAA24178.1"

/db_xref="GI:1333984"

/db_xref="GOA:P01863"

/db_xref="UniProtKB/Swiss-Prot:P01863"

/translation="AKTAPSVYPLAPCGDTGSSVTLGCLVKGYPFEPVLTWNSSGSLSSGHTFPVQLDLYTLSSSVTSTWPSQITCNVAHPASSTVKVKKIEPRGSLTKPCPCPNLLGGPSVIFPPKIDKMLISPLVTCVVDVSDDDPDVQISW FNNVEVHTAQTTHREDYNSLTVRVSALPIQHDWMSGKPKKNNKDLPAPIERT ISKPGSVRAPQVYVLPPEPEEMTKQVTLCTVDPEMDIYVETWNNKTELAKN TEPVLDSGSYFMSKLRVEKNWVERNSVSVHREGLNHHHTTKSFSRTPGK"

IN

ery Match

st Local Similarity

ches 700; Conservative

47.2%; Score 700.6; DB 6; Length 1095;

100.0%; Pred. No. 1.9e-179;

0; Mismatches 0; Indels 0; Gaps 0;

786 TGAGCCACAGGCGCCCAATCAAGCCCTGCTCTCATGCAAAATGCCAGACCTTAACCT 845

291 TGAGCCACAGGCGCCCAATCAAGCCCTGCTCTCATGCAAAATGCCAGACCTTAACCT 350

846 CTTGGGTGGACCATCCCGTCTTTCATCTTCCCTCCAAAGATCAAGGATGACTCATGATCTC 905

351 CTTGGGTGGACCATCCCGTCTTTCATCTTCCCTCCAAAGATCAAGGATGACTCATGATCTC 410

906 CCTGAGCCCCATAGTCATGTCATGTCGTCGTCGTCGTCGTCGTCGTCGTCGTCGTCGTC 965

411 CCTGAGCCCCATAGTCATGTCATGTCGTCGTCGTCGTCGTCGTCGTCGTCGTCGTCGTC 470

966 GATCAGCTGGTTTGTGAACAAAGTGAAGTACACACAGCTCAGACACAAACCCCATAGAGA 1025

471 GATCAGCTGGTTTGTGAACAAAGTGAAGTACACACAGCTCAGACACAAACCCCATAGAGA 530

1026 GGATTACAAACAGTACTCTCCGGGTGGTCAGTGCCTTCCCATCCAGCACCAGGACTGGAT 1085

531 GGATTACAAACAGTACTCTCCGGGTGGTCAGTGCCTTCCCATCCAGCACCAGGACTGGAT 590

1086 GAGTGGCAAGGAGTTCAAAATGCAAGGTCAACAAAGACCTCCAGCGCCCATCGAGAG 1145

591 GAGTGGCAAGGAGTTCAAAATGCAAGGTCAACAAAGACCTCCAGCGCCCATCGAGAG 650

1146 AACCATCTCAAAACCCAAAGGGTCAGTAAGAGCTCCACAGGTATATGTTCTTGCCTCCACC 1205

651 AACCATCTCAAAACCCAAAGGGTCAGTAAGAGCTCCACAGGTATATGTTCTTGCCTCCACC 710

1206 AGAAGAAGAGATGACTAAGAAACAGGTCACTCTGACCTGCATGTCACAGACTTCATGCC 1265

711 AGAAGAAGAGATGACTAAGAAACAGGTCACTCTGACCTGCATGTCACAGACTTCATGCC 770

1266 TGAAGACATTTACGTGGAGTGACCAACACCGGAAACAGAGCTAAACTACAAAGACAC 1325

771 TGAAGACATTTACGTGGAGTGACCAACACCGGAAACAGAGCTAAACTACAAAGACAC 830

1326 TGAACCAAGTCTGGAGTCTGATGGTTCTTACTTACGTACAGCAAGCTGAGAGTGGAAAA 1385

831 TGAACCAAGTCTGGAGTCTGATGGTTCTTACTTACGTACAGCAAGCTGAGAGTGGAAAA 890

1386 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAAGTGGTCCACGAGGTCTGCACAA 1445

891 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAAGTGGTCCACGAGGTCTGCACAA 950

1446 TCACACACGACTAAGAGCTTCTCCGGACTCCGGGTAAA 1485

951 TCACACACGACTAAGAGCTTCTCCGGACTCCGGGTAAA 990

RESULT 8

107390

LOCUS

DEFINITION

ACCESSION

VERSION

KEYWORDS

SOURCE

ORGANISM

REFERENCE

AUTHORS

TITLE

JOURNAL

FEATURES

source

1..1341

/organism="unknown"

/mol_type="unassigned DNA"

ORIGIN

Query Match

Best Local Similarity

Matches 700; Conservative

47.2%; Score 700.6; DB 2; Length 1341;

100.0%; Pred. No. 1.9e-179;

0; Mismatches 0; Indels 0; Gaps 0;

786 TGAGCCACAGGCGCCCAATCAAGCCCTGCTCTCATGCAAAATGCCAGACCTTAACCT 845

```
|||||
642 TGAGCCAGAGGGCCCAACATCAAGCCCTGTCTCTCATGCAATGCCCAGACCTAACCT 701
|||||
846 CTTGGGTGAGACCATCCGTCTTCACTCTTCCCTCAAGAGATCAAGGATGTACTCATGATCTC 905
|||||
702 CTTGGGTGAGACCATCCGTCTTCACTCTTCCCTCAAGAGATCAAGGATGTACTCATGATCTC 761
|||||
906 CTTGGGTGAGACCATCCGTCTTCACTCTTCCCTCAAGAGATCAAGGATGTACTCATGATCTC 905
|||||
762 CTTGGGTGAGACCATCCGTCTTCACTCTTCCCTCAAGAGATCAAGGATGTACTCATGATCTC 821
|||||
966 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1025
|||||
822 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 881
|||||
1026 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1025
|||||
882 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 941
|||||
1086 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1145
|||||
942 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1001
|||||
1146 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1205
|||||
1002 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1061
|||||
1206 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1265
|||||
1062 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1121
|||||
1266 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1325
|||||
1122 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1181
|||||
1326 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1385
|||||
1182 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1241
|||||
1386 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1445
|||||
1242 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1301
|||||
1446 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1485
|||||
1302 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1341
```

```
RESULT 9
13860
DEFINITION
Sequence 1 from Patent WO2005068503.
ESION
SI38860
SI38860.1 GI:73530223
WORDS
Mus musculus (house mouse)
ORGANISM
Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
Sciurognathi; Muridea; Muridae; Murinae; Mus.
REFERENCE
1.
AUTHORS
Liu, C.
TITLE
M-csf-specific monoclonal antibody and uses thereof
JOURNAL
Patent: WO 2005068503-A 1 28-JUL-2005;
CHIRON CORPORATION (US); Liu, Cheng (US)
FEATURES
Location/Qualifiers
1..1401
/organism="Mus musculus"
/mol_type="unassigned DNA"
/db_xref="taxon:10090"
131
Query Match 47.2%; Score 700.6; DB 2; Length 1401;
```

```
Best Local Similarity 100.0%; Pred. No. 1.9e-179;
Matches 700; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 786 TGAGCCAGAGGGCCCAACATCAAGCCCTGTCTCTCATGCAATGCCCAGACCTAACCT 845
DB 702 TGAGCCAGAGGGCCCAACATCAAGCCCTGTCTCTCATGCAATGCCCAGACCTAACCT 761
QY 846 CTTGGGTGAGACCATCCGTCTTCACTCTTCCCTCAAGAGATCAAGGATGTACTCATGATCTC 905
DB 762 CTTGGGTGAGACCATCCGTCTTCACTCTTCCCTCAAGAGATCAAGGATGTACTCATGATCTC 821
QY 906 CTTGGGTGAGACCATCCGTCTTCACTCTTCCCTCAAGAGATCAAGGATGTACTCATGATCTC 965
DB 822 CTTGGGTGAGACCATCCGTCTTCACTCTTCCCTCAAGAGATCAAGGATGTACTCATGATCTC 881
QY 966 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1025
DB 882 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 941
QY 1026 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1085
DB 942 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1001
QY 1086 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1145
DB 1002 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1061
QY 1146 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1205
DB 1062 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1121
QY 1206 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1265
DB 1122 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1181
QY 1266 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1325
DB 1182 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1241
QY 1326 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1385
DB 1242 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1301
QY 1386 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1445
DB 1302 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1361
QY 1446 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1485
DB 1362 GATCAGCTGTTTGTGAACAAACCTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1401
```

```
AF466698 1407 bp mRNA linear ROD 17-DEC-2002
Mus musculus strain BALB/c immunoglobulin heavy chain mRNA, partial
CDs.
DEFINITION
AF466698
VERSION
AF466698.1 GI:27127159
KEYWORDS
SOURCE
Mus musculus (house mouse)
ORGANISM
Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
Sciurognathi; Muridea; Muridae; Murinae; Mus.
REFERENCE
1 (bases 1 to 1407)
AUTHORS
Lai, Y.S., John, J.A.C., Guo, I.C., Chen, S.C., Pang, K. and Chang, C.Y.
TITLE
In vitro efficiency of intra- and extracellular immunization with
mouse anti-1G8N9 antibody against yellow grouper nervous necrosis
virus
JOURNAL
Vaccine 20 (25-26), 3221-3229 (2002)
PUBMED
12163274
REFERENCE
2 (bases 1 to 1407)
```


|||||
920 GATCAGCTGGTTTGTGAACAACGTTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 979
|||||
1026 GGATTACAACAGTACTCTCCGGTGGTCAGTGGCTCCCATCCAGCAGCAGGACTGGAT 1085
980 GGATTACAACAGTACTCTCCGGTGGTCAGTGGCTCCCATCCAGCAGCAGGACTGGAT 1039
|||||
1086 GAGTGGCAAGGAGTTCAATGCAAGGTCAACAAACAAAGACCTCCAGCGGCCCATCGAGAG 1145
1040 GAGTGGCAAGGAGTTCAATGCAAGGTCAACAAACAAAGACCTCCAGCGGCCCATCGAGAG 1099
|||||
1146 AACCATCTCAAAACCCAAAGGTCAGTAAGAGCTCCACAGTATATGTTTGGCTCCACC 1205
1100 AACCATCTCAAAACCCAAAGGTCAGTAAGAGCTCCACAGTATATGTTTGGCTCCACC 1159
|||||
1206 AGAAGAAGAGATGACTAAGAAACAGGTCACTCTGACCTGCATGGTCCAGAGCTTCATGCC 1265
1160 AGAAGAAGAGATGACTAAGAAACAGGTCACTCTGACCTGCATGGTCCAGAGCTTCATGCC 1219
|||||
1266 TGAAGACATTTTACGTGGAGTGACCAACAAACGGGAAAAACAGAGCTTAAACTACAAGAACAC 1325
1220 TGAAGACATTTTACGTGGAGTGACCAACAAACGGGAAAAACAGAGCTTAAACTACAAGAACAC 1279
|||||
1326 TGAACCAAGTCTGGACTCTGATGGTTCTTATTCATGTACAGCAAGCTGAGAGTGGAAAA 1385
1280 TGAACCAAGTCTGGACTCTGATGGTTCTTATTCATGTACAGCAAGCTGAGAGTGGAAAA 1339
|||||
1386 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAGTGGTCCAGAGGGTCTGCACAA 1445
1340 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAGTGGTCCAGAGGGTCTGCACAA 1399
|||||
1446 TCACACACAGCTAAGAGCTTCTCCGGACTCCGGGTAAA 1485
1400 TCACACACAGCTAAGAGCTTCTCCGGACTCCGGGTAAA 1439

LT 14
9372
S AR409372 1570 bp mRNA linear PAT 18-DEC-2003
NITION Sequence 6 from patent US 6632927.
SSION AR409372
ION AR409372.1 GI:40160268
ORDS
CE
GANISM
RENCE
THORS
TLE
URNAL
GBX;
Location/Qualifiers
1..1570
/organism="unknown"
/mol_type="mRNA"
IN
ery Match 47.2%; Score 700.6; DB 2; Length 1570;
st Local Similarity 100.0%; Pred. No. 2e-179;
tches 700; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
786 TGAGCCAGAGGGCCACAAATCAAGCCCTGTCTCCATGCAAAATGCCAGCAGCCTAACT 845
745 TGAGCCAGAGGGCCACAAATCAAGCCCTGTCTCCATGCAAAATGCCAGCAGCCTAACT 804
846 CTTGGTGGACCATCCGTCTTCATCTTCCCTCCAAAGATCAAGGATGTACTCATGATCTC 905
805 CTTGGTGGACCATCCGTCTTCATCTTCCCTCCAAAGATCAAGGATGTACTCATGATCTC 864
906 CTTGAGCCCCATAGTACATGTGTGGTGGATGTGAGGAGGATGACCCAGAGTGTCA 965
865 CTTGAGCCCCATAGTACATGTGTGGTGGATGTGAGGAGGATGACCCAGAGTGTCA 924

QY 966 GATCAGCTGGTTTGTGAACAACGTTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1025
DB 925 GATCAGCTGGTTTGTGAACAACGTTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA 984
QY 1026 GGATTACAACAGTACTCTCCGGTGGTCAGTGGCTCCCATCCAGCAGCAGGACTGGAT 1085
DB 985 GGATTACAACAGTACTCTCCGGTGGTCAGTGGCTCCCATCCAGCAGCAGGACTGGAT 1044
QY 1086 GAGTGGCAAGGAGTTCAATGCAAGGTCAACAAACAAAGACCTCCAGCGGCCCATCGAGAG 1145
DB 1045 GAGTGGCAAGGAGTTCAATGCAAGGTCAACAAACAAAGACCTCCAGCGGCCCATCGAGAG 1104
QY 1146 AACCATCTCAAAACCCAAAGGTCAGTAAGAGCTCCACAGTATATGTTTGGCTCCACC 1205
DB 1105 AACCATCTCAAAACCCAAAGGTCAGTAAGAGCTCCACAGTATATGTTTGGCTCCACC 1164
QY 1206 AGAAGAAGAGATGACTAAGAAACAGGTCACTCTGACCTGCATGGTCCAGAGCTTCATGCC 1265
DB 1165 AGAAGAAGAGATGACTAAGAAACAGGTCACTCTGACCTGCATGGTCCAGAGCTTCATGCC 1224
QY 1266 TGAAGACATTTTACGTGGAGTGACCAACAAACGGGAAAAACAGAGCTTAAACTACAAGAACAC 1325
DB 1225 TGAAGACATTTTACGTGGAGTGACCAACAAACGGGAAAAACAGAGCTTAAACTACAAGAACAC 1284
QY 1326 TGAACCAAGTCTGGACTCTGATGGTTCTTATTCATGTACAGCAAGCTGAGAGTGGAAAA 1385
DB 1285 TGAACCAAGTCTGGACTCTGATGGTTCTTATTCATGTACAGCAAGCTGAGAGTGGAAAA 1344
QY 1386 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAGTGGTCCAGAGGGTCTGCACAA 1445
DB 1345 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAGTGGTCCAGAGGGTCTGCACAA 1404
QY 1446 TCACACACAGCTAAGAGCTTCTCCGGACTCCGGGTAAA 1485
DB 1405 TCACACACAGCTAAGAGCTTCTCCGGACTCCGGGTAAA 1444

RESULT 15
AR559698 1570 bp DNA linear PAT 08-OCT-2004
LOCUS AR559698 Sequence 6 from patent US 6750325.
DEFINITION AR559698
ACCESSION AR559698
VERSION AR559698.1 GI:53969764
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE
1 (bases 1 to 1570)
Jolliffe, L.K., Zivin, R.A., Adair, J.R. and Athwal, D.S.
CD3 specific recombinant antibody
TITLE Patent: US 6750325-A 6 15-JUN-2004;
JOURNAL Celltech R&D Limited; Slough;
GBX;
Location/Qualifiers
1..1570
/organism="unknown"
/mol_type="genomic DNA"
ORIGIN
Query Match 47.2%; Score 700.6; DB 2; Length 1570;
Best Local Similarity 100.0%; Pred. No. 2e-179;
Matches 700; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
786 TGAGCCAGAGGGCCACAAATCAAGCCCTGTCTCCATGCAAAATGCCAGCAGCCTAACT 845
745 TGAGCCAGAGGGCCACAAATCAAGCCCTGTCTCCATGCAAAATGCCAGCAGCCTAACT 804
846 CTTGGTGGACCATCCGTCTTCATCTTCCCTCCAAAGATCAAGGATGTACTCATGATCTC 905
805 CTTGGTGGACCATCCGTCTTCATCTTCCCTCCAAAGATCAAGGATGTACTCATGATCTC 864
906 CTTGAGCCCCATAGTACATGTGTGGTGGATGTGAGGAGGATGACCCAGAGTGTCCA 965

865 CCTGAGCCCCATAGTCAATGTGTGGTGGATGTGAGCGAGGATGACCCAGATGTCCA 924
966 GATCAGCTGGTTTGTGAACAACGTGGAAAGTACACACAGCTCAGACACAAACCCATAGAGA 1025
925 GATCAGCTGGTTTGTGAACAACGTGGAAAGTACACACAGCTCAGACACAAACCCATAGAGA 984
1026 GGATTACACAGTACTCTCCGGGTGGTCACTGCGCTCCCTCCCATCCAGCACCAGGACTGGAT 1085
985 GGATTACACAGTACTCTCCGGGTGGTCACTGCGCTCCCTCCCATCCAGCACCAGGACTGGAT 1044
1086 GAGTGGCAAGGAGTTCAAATGCAAGGTCAAACAAGAGCTCCAGCGGCCCATCGAGAG 1145
1045 GAGTGGCAAGGAGTTCAAATGCAAGGTCAAACAAGAGCTCCAGCGGCCCATCGAGAG 1104
1146 AACCATCTCAAAACCCAAAGGGTCAGTAAAGAGCTCCACAGGTATATGTCTTGGCTCCACC 1205
1105 AACCATCTCAAAACCCAAAGGGTCAGTAAAGAGCTCCACAGGTATATGTCTTGGCTCCACC 1164
1206 AGAAGAAGAGATGACTAAGAAACAGGTCACTCTGACCTGCATGGTCACAGACTTCATGCC 1265
1165 AGAAGAAGAGATGACTAAGAAACAGGTCACTCTGACCTGCATGGTCACAGACTTCATGCC 1224
1266 TGAAGACATTTACGTGGAGTGGACCAACAACGGGAAACAGAGCTAAACTACAAGAACAC 1325
1225 TGAAGACATTTACGTGGAGTGGACCAACAACGGGAAACAGAGCTAAACTACAAGAACAC 1284
1326 TGAACCAAGTCTCGAGCTCTGATGGTTCTTACTTCATGTACAGCAAGCTGAGAGTGGAAAA 1385
1285 TGAACCAAGTCTCGAGCTCTGATGGTTCTTACTTCATGTACAGCAAGCTGAGAGTGGAAAA 1344
1386 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTCACTGGTCCAGGAGGCTTGACAAA 1445
1345 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTCACTGGTCCAGGAGGCTTGACAAA 1404
1446 TCACCACAGCTAAGAGCTTCTCCCGGACTCCGGGTAAA 1485
1405 TCACCACAGCTAAGAGCTTCTCCCGGACTCCGGGTAAA 1444

THIS PAGE BLANK (USPTO)

GenCore version 5.1.1.8
 Copyright (C) 1993 - 2006 Bioceleration Ltd.

nucleic - nucleic search, using sw model

on: May 31, 2006, 23:41:05 ; Search time 1026.58 Seconds
 (without alignments)
 10085.747 Million cell updates/sec

le: US-10-048-116b-3
 e: 1485
 uence: 1 atgcgcgtcagcagagctct.....tctccggactccgggtaaa 1485

ring table: IDENTITY_NUC
 Gapop 10.0 , Gapext 1.0

atched: 5244920 seqs, 3486124231 residues

al number of hits satisfying chosen parameters: 104899840

imum DB seq length: 0

imum DB seq length: 2000000000

rocessing: Minimum Match 0%
 Maximum Match 100%
 Listing first 45 summaries

ibase : N Geneseq 8:*

- 1: Geneseqn1980s:*
- 2: Geneseqn1990s:*
- 3: Geneseqn2000s:*
- 4: Geneseqn2001as:*
- 5: Geneseqn2001bs:*
- 6: Geneseqn2002as:*
- 7: Geneseqn2002bs:*
- 8: Geneseqn2003as:*
- 9: Geneseqn2003bs:*
- 10: Geneseqn2003cs:*
- 11: Geneseqn2003ds:*
- 12: Geneseqn2004as:*
- 13: Geneseqn2004bs:*
- 14: Geneseqn2005s:*
- 15: Geneseqn2006s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Full No.	Score	Query Match	Length	ID	Description
1	1484	99.9	1484	5	Aaf55098 DNA encod
2	1067.4	71.9	1676	4	Abi99041 Murine pc
3	957.6	64.5	1446	2	Aat99707 DR2-IgG f
4	957.6	64.5	1446	2	Aax87813 HLA-DR2 a
5	957.6	64.5	1446	14	Adw44282 DR2-IgG f
6	726.2	48.9	2346	4	Abi99027 IAS MBP 1
7	723.2	48.7	2343	4	Abi99033 MBP 90-10
8	701.2	47.2	1045	12	Ado07566 Fusion pr
9	701.2	47.2	1108	12	Ado07578 Fusion pr
10	701.2	47.2	1108	12	Ado07577 Fusion pr
11	700.6	47.2	990	12	Adl15694 Murine im
12	700.6	47.2	1401	14	Aec20762 M-CSF spe
13	700.6	47.2	1560	14	Aed19725 Anti-PxP
14	700.6	47.2	1569	14	Adv26108 Mouse OKT
15	700.6	47.2	1569	14	Adw71834 Murine OK
16	700.6	47.2	1570	12	AAQ12637 Monoclonal
17	700.6	47.2	1570	12	Adg91058 Murine OK
18	700.6	47.2	3973	13	Adt77690 Monoclonal

19	700.4	47.2	1509	14	ABE21942	Aae21942 Single ch
20	700.2	47.2	729	3	AAZ35704	Aaz35704 Human gly
21	700.2	47.2	1140	10	ADe85817	Ada85817 Murine in
22	700	47.1	1158	2	AAT59350	Aat59350 1-153 del
23	700	47.1	1188	2	AAT59349	Aat59349 1-153 c-m
24	700	47.1	6729	4	AAF30341	Aaf30341 Bicistron
25	700	47.1	7528	4	AAF30316	Aaf30316 Bicistron
26	699.4	47.1	1530	14	ABE12356	Aeb12356 Fusion pr
27	699.4	47.1	1530	14	ABE64236	Aed64236 mFC-hOGH-
28	699	47.1	699	15	AEF05391	Aef05391 Human mFC
29	699	47.1	708	14	ABE12344	Aeb12344 Immunoglo
30	699	47.1	708	14	ABE64224	Aed64224 Murine im
31	699	47.1	1341	1	AA91659	Aan91659 Chimeric
32	699	47.1	1413	14	ABE12360	Aeb12360 Fusion pr
33	699	47.1	1413	14	ABE64240	Aed64240 hTSH-mFC-
34	699	47.1	1431	14	ABE12362	Aeb12362 Fusion pr
35	699	47.1	1431	14	ABE64242	Aed64242 hOGH-mFC-
36	699	47.1	1581	2	AAQ48037	Aaq48037 Monoclonal
37	699	47.1	1645	2	AAQ54652	Aaq54652 T84.12 He
38	698.4	47.0	1131	2	AAV55416	Aav55416 Chimeric
39	698.4	47.0	1194	2	AAV55415	Aav55415 Chimeric
40	698.4	47.0	1275	2	AAT62850	Aat62850 Mouse sol
41	698.4	47.0	1473	13	ADS31748	Ad31748 DNA encod
42	698.4	47.0	1473	13	ADS92750	Ad92750 DNA encod
43	697.8	47.0	1524	14	ABE21946	Aae21946 Single ch
44	697.4	47.0	699	3	AAZ51300	Aaz51300 Murine im
45	697.4	47.0	699	3	AAZ50055	Aaz50055 Mouse imm

ALIGNMENTS

RESULT 1
 ID AAF55098 standard; DNA; 1484 BP.

AC AAF55098;

DT 15-MAY-2001 (first entry)

DE DNA encoding a fusion protein comprising an alpha chain of MHC.

KW Recombinant protein; alpha chain; beta chain; MHC; immunoglobulin;
 KW major histocompatibility complex; FC region; antigen; T lymphocyte;
 KW immunostimulant; vaccine; infection; tumour; ss.

OS Synthetic.

FH Key Location/Qualifiers

FT CDS 1..1482
 FT /*tag= a

PN WO200109194-A1.

PD 08-FEB-2001.

XX 28-JUL-2000; 2000WO-FR002193.

XX 29-JUL-1999; 99FR-00009862.

XX (CNRS) CNRS CENT NAT RECH SCI.

XX Glaichenhaus N, Malherbe L;

XX WPI; 2001-182944/18.

XX P-PSDB; AAB67480.

XX New soluble recombinant protein, useful e.g. as immunostimulant,
 PT comprises dimeric major histocompatibility complex molecule fused to
 PT immunoglobulin FC region.

PS Example 1; Page 31-33; 43pp; French.

XX

The specification describes soluble recombinant proteins that comprise at least a dimer formed from the alpha and beta-chains of MHC (major histocompatibility complex) Class I and II molecules in which at least one chain has, attached to its C-terminus, at least part of the Fc region of an immunoglobulin. The recombinant proteins, when linked to an antigenic peptide, are used to count and/or purify antigen-reactive T lymphocytes and to characterize their phenotype, e.g. in preclinical evaluation of vaccines. They are also used as immunostimulants, particularly for vaccine development (against infections and tumours), to count and determine phenotype of autoreactive T cells in subjects with, or at risk of developing, autoimmune diseases, e.g. for staging or evaluating treatments, and (to purify and/or enrich Ag-reactive T cells from cell cultures or patient samples, for use in subsequent curative or preventative cellular therapy. The present sequence encodes a recombinant protein of the invention, comprising an alpha chain of MHC molecules

Sequence 1484 BP; 414 A; 394 C; 362 G; 314 T; 0 U; 0 Other;

```

very Match          99.9%; Score 1484; DB 5; Length 1484;
at Local Similarity 100.0%; Pred. No. 0;
atches 1484; Conservative 0; Mismatches 0; Indels 0; Gaps 0

1  ATGCGGTGCAGCAGAGCTCTGATTTCTGGGGGTCTCGCCCTGAACACCATGCTCAGCCTC 60
|||||
1  ATGCGGTGCAGCAGAGCTCTGATTTCTGGGGGTCTCGCCCTGAACACCATGCTCAGCCTC 60

61  TGGGAGGTGAAGACGACATTTAGGCGCGACACGCTAGGCTTCTATGGGTACAACTGTTTAT 120
|||||
61  TGGGAGGTGAAGACGACATTTAGGCGCGACACGCTAGGCTTCTATGGGTACAACTGTTTAT 120

121  CAGTCTCTGGAGACATTTGGCCGCTACACATCAATTTGATGGTGAATGATGTTCTAT 180
|||||
121  CAGTCTCTGGAGACATTTGGCCGCTACACATCAATTTGATGGTGAATGATGTTCTAT 180

181  GTGGACTCTGGATTAAGAGAAACTCTCTGGAGGCTTCTCTGAGTTTGGCCCAATTGATCTC 240
|||||
181  GTGGACTCTGGATTAAGAGAAACTCTCTGGAGGCTTCTCTGAGTTTGGCCCAATTGATCTC 240

241  TTTGAGCCCCAAGGTGGACTCGAAACATAGCTCGAGAAAAACACAACTTTGGGAATCTTG 300
|||||
241  TTTGAGCCCCAAGGTGGACTCGAAACATAGCTCGAGAAAAACACAACTTTGGGAATCTTG 300

301  ACTTAGAGGTCAAAATTTACCCCACTACCAATCAGGCTCTCTCAAGCGACTGTTGCCCC 360
|||||
301  ACTTAGAGGTCAAAATTTACCCCACTACCAATCAGGCTCTCTCAAGCGACTGTTGCCCC 360

361  AAGTCCCTCTGCTGCTGGGTGAGCCCAACACCCCTTATCTGCTTTGTGGACAACTCTTC 420
|||||
361  AAGTCCCTCTGCTGCTGGGTGAGCCCAACACCCCTTATCTGCTTTGTGGACAACTCTTC 420

421  CCACCTGTGATCAACATCAGTGGCTCAGAAATAGCAAGTCAAGTCAAGACGGCGTTTAT 480
|||||
421  CCACCTGTGATCAACATCAGTGGCTCAGAAATAGCAAGTCAAGTCAAGACGGCGTTTAT 480

481  GAGACCAAGCTTCTCGTCAACCGTGACCATTTCTTCCACAAGCTGTCTTATCTCACCTTC 540
|||||
481  GAGACCAAGCTTCTCGTCAACCGTGACCATTTCTTCCACAAGCTGTCTTATCTCACCTTC 540

541  ATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCTCTGGAGGAGCG 600
|||||
541  ATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCTCTGGAGGAGCG 600

601  GTTCTGAACACATGGGAACCTGAGATTTCCAGCCCCCATGTTCAGAGCTGACAGAAACTGGA 660
|||||
601  GTTCTGAACACATGGGAACCTGAGATTTCCAGCCCCCATGTTCAGAGCTGACAGAAACTGGA 660

661  GGTGGAGGATCCACTACAGCTCCATCAGCTCAGAAAGAGCTCCAGGCCCTCTGGAG 720
|||||
661  GGTGGAGGATCCACTACAGCTCCATCAGCTCAGAAAGAGCTCCAGGCCCTCTGGAG 720

721  AAGGAAATATGCACAGCTGGAATGGGAGTTGCAAGCATCTGGAAAGGAACTGGCTCAGGCA 780
|||||
721  AAGGAAATATGCACAGCTGGAATGGGAGTTGCAAGCATCTGGAAAGGAACTGGCTCAGGCA 780

```

RESULT 2

RESOL 2
ABT99041

ABI99041
ID ABI99041 standard: cDNA: 1676 BP.

AA
AC ABI99041:

XX DT 25-FEB-2002 (first entry)

XX DE Murine PCP223 coding sequence.

Mouse; MHC; major histocompatibility complex; MHC class II; multimer;
single chain; immunosuppressive; antidiabetic; antiinflammatory;
antioxaemic; antirheumatoid; antiarthritic; neuroprotective; vaccine
autoimmune disease; insulin dependent diabetes; multiple sclerosis;
myasthenia gravis; pernicious anaemia; autoimmune encephalomyelitis;
rheumatoid arthritis; systemic lupus erythematosus; ss

XX
OS
M118 8D

OS MUS BP.
OS Synthetic.

XX PN WO200170245-A1.

XX
PD
27-SEP-2001XX
PD
27-SEP-2001

22-MAR-2001; 2001WO-US009616.

22-MAR-2000; 2000US-0191274P.

15-MAY-2000; 2000US-0204249P.

23-JAN-2001; 2001US-0264003P.

(CORI-) CORIXA CORP.

Carter D, Zhu S, Arimilli S, Wang A;

WPI; 2001-616371/71.

P-PSDB; ABB56471.

Multimeric complex for treating autoimmune diseases, comprises first and second single chain MHC class II molecules, each comprising alpha1 and beta1 domain linked through amino acid linker and multimerization domain.

Disclosure; Page 115; 147pp; English.

The invention relates to a multimeric complex comprising a first recombinant single chain major histocompatibility complex (MHC) class II molecule and a second recombinant single chain MHC class II molecule, each comprising an alpha1 domain and a beta1 domain linked through an amino acid linker and a multimerization domain. The first and the second molecule are linked through the multimerization domain to form a multimeric complex. The complex is useful for treating autoimmune diseases. It is useful for treating insulin dependent diabetes, multiple sclerosis, myasthenia gravis, pernicious anaemia, autoimmune encephalomyelitis (EAE), rheumatoid arthritis and systemic lupus erythematosus. The present sequence encodes a single chain MHC class II molecule of the invention

Sequence 1676 BP; 438 A; 470 C; 407 G; 361 T; 0 U; 0 Other;

Query Match 71.9%; Score 1067.4; DB 4; Length 1676;
 Fast Local Similarity 83.5%; Pred. No. 2.9e-277;
 Matches 1319; Conservative 0; Mismatches 96; Indels 164; Gaps 3;
 67 GGTGAAGACGACATTGAGCGCCGACACGATAGGCTTCTATGGTACAACTGTTTATCAGTCT 126
 91 GCGGAAGACGACATTGAGCGCCGACACGATAGGCTCTATGGTACAACTGTTTATCAGTCT 150
 127 CCTGGAGACATTGGCCAGTACACACATGAATTTGATGGTGATGATGTTCTATGGGAC 186
 151 CCTGGAGACATTGGCCAGTACACACATGAATTTGATGGTGATGATGTTCTATGGGAC 210
 187 TTGGATAAGAGAAACTGTCTGGAGCTTCTCTGAGTTTGGCCAAATTTGATCTCTTTGAG 246
 211 TTGGATAAGAGAGACTATCTGGATGCTTCTGAGTTTGGCCAAATTTGACNAGCTTTGAC 270
 247 CCCCAAGGTGGACTGCAAAACATAGCTGCGAGAAAAACAACATTTGGGAATCTTTGACTAAG 306
 271 CCCCAAGGTGGACTGCAAAACATAGCTACAGGAAAAATACACTTTGGGAATCTTTGACTAAG 330
 307 AGGTCAAAATTTCAACCCAGTACCAATGAGGCTCTCTCAAGCGACTGTGTCCCAAGTCC 366
 331 AGGTCAAAATTTCAACCCAGTACCAATGAGGCTCTCTCAAGCGACTGTGTTCGCCAAGTCC 390
 367 CCTGTGCTGTGGGTGAGCCCAACACCTTATCTGTCTTTGTGGCAACATCTTTCCCACT 426
 391 CCTGTGCTGTGGGTGAGCCCAACACCTTATCTGTCTTTGTGGCAACATCTTTCCCTCT 450
 427 GTGATCAACATCATCTGGCTCAGAAATAGCAAGTCAAGTCAAGCGCGTTTATGAGACC 486
 451 GTGATCAACATCATCTGGCTCAGAAATAGTAACTCAAGTCAAGCGCGTTTATGAGACC 510
 487 AGCTTCTGTCAACCGTGACCATTCCTTCCCAAGCTGTCTTATCTCAACCTTCATCCCT 546
 511 AGCTTCTGTCAACCGTGACCATTCCTTCCCAAGCTGTCTTATCTCAACCTTCATCCCT 570
 547 TCTGATGATGACATTTATGACTGCAAGGTGGAGCTGGGGCTGGAGGAGCGGTTCTG 606

Db 571 TCTGACGATGATATTTATGACTGCAAGGTGGAGCACTGGGGCTGTGGAGGACGGTTCTG 630
 QY 607 AAACACTGGGAACCTGAGATTTCCAGCCCCCATGTGACAGCTGACAGAAACTGGAGTGA 666
 Db 631 AAACACTGGGAACCTGAGATTTCCAGCCCCCATGTGAGAGGATCTGCCAAAACAAGCC 690
 QY 667 GGAT----- 670
 Db 691 CCATCGGTCTATCCACTGCGCCCTGTGTGGAGATACAACCTGGCTCCTCGGTGACTCTA 750
 QY 671 ----- 670
 Db 751 GGATCGGTCTGATCAAGGGTTATTTCCCTGAGCCAGTGACCTTGACCTTGAACCTCTGATCC 810
 QY 671 ----- 670
 Db 811 CTGTCCAGTGGTGTGACACCTTCCAGCTGTCTGAGCTGTGACCTCTACACCTCAGC 870
 QY 687 AGCTCAGCTCGAAAAAGAGCTCCAGGCCCTGGAGAGGAAAAATGCAAGCTGGAATGGGA 746
 Db 871 AGCTCAG--TGACTGTAACTCGAGCACTGGCCAGCCAGTCCATCACTGCAATGTGG 928
 QY 747 GTTGAAGCACTGGAAAAAGAACTGGCTCAGGAGCATCTGAGCCAGAGGGCCCAAT 806
 Db 929 CCCACCCGGCAAGCAGCACCAGGTGGACAAGAA--AATTGAGCCCAAGAGGGCCCAAT 986
 QY 807 CAAAGCTGTCTCTCCATGCAAAATGCCAGCACTTAACCTCTTGGGTGGACCATCCCTCT 866
 Db 987 CAAAGCTGTCTCTCCATGCAAAATGCCAGCACTTAACCTCTTGGGTGGACCATCCCTCT 1046
 QY 867 CATCTTCCCTCCAAAGATCAAGGATGTACTCATGATCTCCCTGAGGCCCATAGTCAATG 926
 Db 1047 CATCTTCCCTCCAAAGATCAAGGATGTACTCATGATCTCCCTGAGGCCCATAGTCAATG 1106
 QY 927 TGTGTGTGGTGTGAGCGAGATGACCCAGATGTCAGATGTCAGTGTGTTGTGAACAA 986
 Db 1107 TGTGTGTGGTGTGAGCGAGATGACCCAGATGTCAGATGTCAGTGTGTTGTGAACAA 1166
 QY 987 CGTGAAGTACACACAGCTCAGACACAAACCCATAGAGAGGATTACAAAGTACTCTCCG 1046
 Db 1167 CGTGAAGTACACACAGCTCAGACACAAACCCATAGAGAGGATTACAAAGTACTCTCCG 1226
 QY 1047 GGTGTGTCAGTGCCTCCCATCCAGCACCAAGCTGATGAGTGAGTGGCAAGAGTTCAAATG 1106
 Db 1227 GGTGTGTCAGTGCCTCCCATCCAGCACCAAGCTGATGAGTGAGTGGCAAGAGTTCAAATG 1286
 QY 1107 CAAAGTCAAACAAGAGCTCCAGCGCCCATCGAGAGAACCATCTCAAAAACCCAAAGG 1166
 Db 1287 CAAAGTCAAACAAGAGCTCCAGCGCCCATCGAGAGAACCATCTCAAAAACCCAAAGG 1346
 QY 1167 GTCAAGTAAAGCTCCACAGGTATATGTCTTGGCTCCACAGAGAGAGATGACTAAGAA 1226
 Db 1347 GTCAAGTAAAGCTCCACAGGTATATGTCTTGGCTCCACAGAGAGAGATGACTAAGAA 1406
 QY 1227 ACAGGTCACTCTGACCTGATGCTCAGACTTTCAGCTTCAAGAGATTTACGTGGAGTG 1286
 Db 1407 ACAGGTCACTCTGACCTGATGCTCAGACTTTCAGCTTCAAGAGATTTACGTGGAGTG 1466
 QY 1287 GACCAACAACCGGAAAAACAGAGCTTAAACTCAAGAACACTGAACCAAGTCTCGACTCTGA 1346
 Db 1467 GACCAACAACCGGAAAAACAGAGCTTAAACTCAAGAACACTGAACCAAGTCTCGACTCTGA 1526
 QY 1347 TGGTTCTTACTTTCATGTACAGCAAGCTGAGAGTGGAAAAAGAGAGATGCTGGTGAAGAAA 1406
 Db 1527 TGGTTCTTACTTTCATGTACAGCAAGCTGAGAGTGGAAAAAGAGAGATGCTGGTGAAGAAA 1586
 QY 1407 TAGCTACTCTGTTCAGTGTGTCACGAGGCTTGCACAAATCACCACACCGACTAAGAGCTT 1466
 Db 1587 TAGCTACTCTGTTCAGTGTGTCACGAGGCTTGCACAAATCACCACACCGACTAAGAGCTT 1646
 QY 1467 CTCCCGGACTCCGGGTAAA 1485
 Db 1647 CTCCCGGACTCCGGGTAAA 1665

..LT 3
 .9707
 AAT99707 standard; cDNA; 1446 BP.

AAT99707;

17-OCT-2003 (revised)
 17-AUG-1998 (first entry)

DR2-IgG fusion construct.

Major histocompatibility complex class II; MHC class II; human; mouse;
 fusion protein; HLA-DR2; DRA*0101; binding domain; Fos;
 dimerisation domain; IgG; allergy; autoimmune disease; vaccine;
 multiple sclerosis; therapy; ss.

Homo sapiens.
 Mus musculus.
 Chimeric.

WO9806749-A2.

19-FEB-1998.

15-AUG-1997; 97WO-US014503.

16-AUG-1996; 96US-0024077P.

(HARD) HARVARD COLLEGE.

Wucherpennig KW, Strominger JL;

WPI; 1998-159459/14.

New Class II MHC fusion proteins - comprising a MHC Class II binding
 domain and a dimerisation domain or an immunoglobulin region used for
 modulating immune responses.

Example; Page 49; 76pp; English.

This nucleotide sequences codes for a bivalent DR2 fusion protein
 obtained by fusion of the FC portion of IgG2a to the 3' end of a DR-alpha
 -Fos cDNA construct (see AA16866). The FC portion was amplified by RT-
 PCR from mouse hybridoma L243. The PCR product was then fused in frame
 with the DR-alpha-Fos construct by overlapping PCR. The DR2-IgG fusion
 was expressed in the prosofilia Schneider cell system. The invention
 relates to new soluble monovalent and multivalent Class II MHC fusion
 proteins comprising a MHC Class II binding domain and a dimerisation
 domain or an immunoglobulin region that can be used for the treatment of
 allergic and autoimmune diseases (e.g. multiple sclerosis), for
 tolerising a subject to foreign tissue before or after organ or tissue
 transplantation, or for vaccination against pathogens. (Updated on 17-OCT
 -2003 to standardise OS field)

Sequence 1446 BP; 414 A; 375 C; 356 G; 301 T; 0 U; 0 Other;

ery Match 64.5%; Score 957.6; DB 2; Length 1446;
 at Local Similarity 81.8%; Pred. No. 1.2e-247;
 tches 1136; Conservative 0; Mismatches 234; Indels 18; Gaps 2;

116 TTTATCAGTCTCTCGAGACATTTGCCAGTACACATCAATTTTGGTGTGATGATTTGT 175

50 TCTATCTGATCTCTACCATCAGCGGAGTTTATGTTTGACTTTGATGATGATTT 109

176 TCTATGTGAGCTTGGATAGAGAAACCTGCTGGAGGCTTCTCGAGTTTGGCCAAATTGA 235

110 TCCATGTGATATGCAAGAGAGAGACGGTCTGGCGGCTTGAAGAAATTTGGACGATTTG 169

236 TACTCTTTGGCCCCAAGGTGACATGCAAAACATAGCTGCAGAAAACACACACTTGGGAA 295

170 CCAGCTTTTGAGGCTCAAGGTGCAATTGGCCCAACATAGCTGTGGACAAAGCCAACTTTGGAAA 229

QY 296 TCTTGACTAAGAGGTCAAATTTTCACTCCAGCTACCAATGAGGCTCTCTCAAGCGACTGTGT 355
 DB 230 TCATGACAAAGCGTCCAACTATATCTCGATCACCAATGTACCTCCAGAGGTAACTGTGC 289
 QY 356 TCCCAAGTCCCTGTGTGTCTGCTGAGCCCAACACCTTATCTGCTTTTGTGGACAACA 415
 DB 290 TCAGGAAACAGCCCTGTGGAACTGAGAGAGAGCCCAACGCTCTCATCTGTTTTCATAGACNAGT 349
 QY 416 TCTTCCACCTGTGATCAACATCAATGCTCAGAAATAGCAAGTCAAGTCAAGACAGCGGG 475
 DB 350 TCACCCACCAAGTGTCAATGTCACTGCTTCCAAATGGAATGGAACCTGTCAACACAGGAG 409
 QY 476 TTTATGAGACAGAGCTTCTCTCAACCGTGACCAATTCCTTCCACAAGCTGTCTTATCTCA 535
 DB 410 TGTGAGAGACAGTCTTCTCTGCCAGGGAAGACCACCTTTTCCGCAAGTTCACATATCTCC 469
 QY 536 CTTTCATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCTTGGAGG 595
 DB 470 CTTTCTGCTCCCTCAACTGAGGACGTTTACGACTGCAGGGTGGAGCACTGGGGCTTGGATG 529
 QY 596 AGCGGTTTCTGAACACACTGGGAACTGAGATTTCAGAGCCCCCATGTCCAGAGCTGACAGAAA 655
 DB 530 AGCTCTTCTCAAGCACTGGAGTTTGATGCTCCAGCCCTCTCCAGAGACTACAGAGG 589
 QY 656 CTGGAGGTGGAGGATCCACT-----ACAGCTCCATCAGCTCAGCTCGAAAA 700
 DB 590 TCGACGGAGGTGGCGGGGTTTAACTGATACACTCCAAGCGGAGACAGATCAACTTGAAG 649
 QY 701 AAGAGCTCCAGGCCCTGGAGAAAGGAATGACAGCTGGATGGAGTTGCAAGCACTGG 760
 DB 650 ACAGAGAGTCTGCGTTGCAGACCGGAGATTGCCAATCTACTGAAGAGAGGAAAGAACTGG 709
 QY 761 AAAAGGAAGTCTGCTCAGGACGATCTGAGCCAGAGGGCCCAACAATCAAGCCCTGTCTC 817
 DB 710 AGTTTCATCTGGCGCCCATCGAGCTGAGCCAGAGGGCCCAACAATCAAGCCCTGTCTC 769
 QY 818 CTCCATGCAAAATGCCAGCACCTAACTCTTTGGGTGGACCATCCGCTCTTCATCTTCCCTC 877
 DB 770 CTCCATGCAAAATGCCAGCACCTAACTCTTTGGGTGGACCATCCGCTCTTCATCTTCCCTC 829
 QY 878 CAAAGATCAAGGATGTACTCATGATCTCCCTGAGCCCCCATAGTCACTGTGTGGTGGG 937
 DB 830 CAAAGATCAAGGATGTACTCATGATCTCCCTGAGCCCCCATAGTCACTGTGTGGTGGG 889
 QY 938 ATGTGAGCGAGATGACCCAGATGCTCCAGATCAGCTGCTGTTGTGAACAACAGTGGAGTAC 997
 DB 890 ATGTGAGCGAGATGACCCAGATGCTCCAGATCAGCTGCTGTTGTGAACAACAGTGGAGTAC 949
 QY 998 ACACAGCTCAGACACAAACCCATAGAGAGGATTACAAAGTACTCTCGGGTGGTCAAGT 1057
 DB 950 ACACAGCTCAGACACAAACCCATAGAGAGGATTACAAAGTACTCTCGGGTGGTCAAGT 1009
 QY 1058 CCCTCCCATCCAGCACAGGACTGGATGAGTGGCAAGGATTCAAAATGCAAGGTCAACA 1117
 DB 1010 CCCTCCCATCCAGCACAGGACTGGATGAGTGGCAAGGATTCAAAATGCAAGGTCAACA 1069
 QY 1118 CAAAGACTCTCCAGCGCCCATCGAGAAACCATCTCAAAACCCAAAGGCTCAGTAAGAG 1177
 DB 1070 CAAAGACTCTCCAGCGCCCATCGAGAAACCATCTCAAAACCCAAAGGCTCAGTAAGAG 1129
 QY 1178 CTCCACAGGATATGTTGCTTCCCTCCACAGAAAGAGATGACTAAGAAAACAGGTCACTC 1237
 DB 1130 CTCCACAGGATATGTTGCTTCCCTCCACAGAAAGAGATGACTAAGAAAACAGGTCACTC 1189
 QY 1238 TGACTGATGCTCAGAGCTTCACTGCTGAAGCAATTTAGTGGAGTGGACCAACAG 1297
 DB 1190 TGACTGATGCTCAGAGCTTCACTGCTGAAGCAATTTAGTGGAGTGGACCAACAG 1249
 QY 1298 GGAAGAAACAGAGCTAAACTTACAAAGAACTGAACCAAGTCTCTGATGTTCTTACT 1357
 DB 1250 GGAAGAAACAGAGCTAAACTTACAAAGAACTGAACCAAGTCTCTGATGTTCTTACT 1309

1358 TCATGTACAGCAAGCTGAGGTGGAAAGCAAGCACTGGGTGGAAAGAAATAGCTACTCT 1417
 1310 TCATGTACAGCAAGCTGAGGTGGAAAGCAAGCACTGGGTGGAAAGAAATAGCTACTCT 1369
 1418 GTTCAGTGGTCCACGAGGCTGTGCACAAATCACCACACGACTAAGAGCTTCTCCGGGACTC 1477
 1370 GTTCAGTGGTCCACGAGGCTGTGCACAAATCACCACACGACTAAGAGCTTCTCCGGGACTC 1429
 1478 CCGGTAAA 1485
 1430 CCGGTAAA 1437

FILET 4

AA87813 standard; DNA; 1446 BP.

AA87813;

09-NOV-1999 (first entry)

HLA-DR2 alpha-Fos-Ig fusion construct.

Major histocompatibility complex Class II; MHC; binding domain; HLA-DR2;
 leucine zipper; Fos; IgG; Fc; immunoglobulin; antibody; fusion protein;
 multiple sclerosis; rheumatoid arthritis; graft rejection; allergy;
 autoimmune disease; pemphigus vulgaris; systemic lupus erythematosus;
 T lymphocyte; T cell; diagnosis; therapy; adoptive immunotherapy; ss.

Homo sapiens.
 Saccharomyces cerevisiae.
 Synthetic.
 Chimeric.

Key Location/Qualifiers
 CDS 1..1440
 /tag= a
 sig_peptide 1..15
 /tag= b
 /note= "alpha-mating factor secretion signal"
 mat_peptide 16..1437
 /tag= c
 /product= "DR2-Fos-Fc"

W09942597-Al.

26-AUG-1999.

19-FEB-1999; 99WO-US003603.

19-FEB-1999; 98US-0075351P.

(HARD) HARVARD COLLEGE.

Wucherpennig KW, Strominger JL;

WPI; 1999-527481/44.
 P-PSDB; AAY31654.

New HMC Class II binding domain fusion proteins and conjugates - used
 for, e.g. treating allergic and autoimmune diseases or detecting,
 isolating, activating or killing specific T cells.

Example 7; Page 100-102; 113pp; English.

This nucleotide sequence codes for a divalent HLA-DR2 MHC binding domain
 fusion protein (see AAY31654) comprising an alpha-mating factor secretion
 signal the extracellular domain of the HLA-DR2 alpha chain (residues 1-
 191 of "DRA*0101"), a 7-amino acid linker, the 40-amino acid leucine zipper
 dimerization domain of Fos, and the Fc portion of IgG2a. The DR-alpha-Fc
 chain corresponds to an antibody heavy chain. The invention provides new
 monovalent, multivalent and multimeric MHC Class II binding domain fusion
 proteins and conjugates comprising at least a binding domain of an MHC

CC Class II alpha or beta chain and a dimerization domain, especially a Fos
 CC or Jun leucine zipper domain. The MHC fusion proteins and conjugates can
 CC be used: for detecting and isolating T cells having a defined MHC/peptide
 CC complex specificity (claimed); to confer to a subject adoptive immunity
 CC to a defined MHC/peptide complex (claimed); to stimulate or activate T
 CC cells reactive to a defined MHC/peptide complex (claimed); for selective
 CC killing of T cells reactive to a defined MHC complex (claimed); to
 CC tolerate a subject to a defined MHC/peptide complex (claimed); to treat
 CC allergic and autoimmune diseases, e.g. multiple sclerosis, rheumatoid
 CC arthritis, pemphigus vulgaris, and systemic lupus erythematosus; and to
 CC prevent organ or tissue transplant rejection. The DR2-IgG design was
 CC chosen to increase the affinity for the T cell receptor by increasing
 CC valency, and to attach an effector domain, the Fc region of IgG2a.
 CC Complement fixation may result in the lysis of target T cells following
 CC binding of DR2-IgG molecules to the T cell receptor. DR2-IgG molecules
 CC may therefore be useful for the selective depletion of autoaggressive T
 CC cells
 CC
 XX
 SQ Sequence 1446 BP; 414 A; 375 C; 356 G; 301 T; 0 U; 0 Other;

Query Match 64.5%; Score 957.6; DB 2; Length 1446;
 Best Local Similarity 81.8%; Pred. No. 1.2e-247;
 Matches 1136; Conservative 0; Mismatches 234; Indels 18; Gaps 2;
 QY 116 TTTATCAGTCTCTCGAGACATTGGCCAGTACACACATGAATTTGATGGTGTGATGTTCT 175
 DB 50 TCTATCTGAATCTGACCAATCAGCGGAGTTTATGTTGACTTTGATGGTGTGATGATTT 109
 QY 176 TCTATGTGGACTTGGATAAGAAACTGTCTGGAGGCTTCTGAGTTTGGCCAAATGA 235
 DB 110 TCCATGTGGATATGCAAGAGAGAGCGTCTGCGGCTTGAAGAAATTTGGACGATTG 169
 QY 236 TACTCTTTGAGCCCCAAGGTGACATGCAAAACATAGCTGCAGAAAACACACTTTGGAA 295
 DB 170 CCAGCTTTGAGGCTCAAGGTGCATTTGGCCAACTAGCTGTGGACAAAGCACTTTGAAA 229
 QY 296 TCTTGACTAAGAGGTCAAAATTTACCCAGCTTACCAATGAGGCTCTCTCAAGGACCTGTGT 355
 DB 230 TATGACAAAGGCTTCAACTATATCTCGATCACCANTGATCTCCAGAGGTAACTGTGC 289
 QY 356 TCCCAAGTCCCTGTGCTGTGGTGCAGCCCAACACCTTATCTGCTTTTGGCAACA 415
 DB 290 TCACGAACAGCCCTGTGAACTGAGAGAGCCCAACGCTCTCATCTGTTTCATAGACNA 349
 QY 416 TCTTCCCACTGTGATCAACATCATGCTCAGAAATAGCAAGTCAAGTGCACAGCGGG 475
 DB 350 TCACCCCAACAGTGGTCAATGTACGCTGCTTTCGAAATGGAAAACCTGTCCACACAG 409
 QY 476 TTTATGAGACACAGCTTCTCGTCAACCGGTGACCATTTCTTCCCAAGCTGTCTTATCTCA 535
 DB 410 TGTGAGACAGCTCTTCTGCCCCAGGGAAGACCACTTTTCGCGAAGTTCACATATCTCC 469
 QY 536 CTTTCATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCTTGAGG 595
 DB 470 CCTTCTCGCTCAACTGAGGAGCTTTACGACTGCAGGGGTGGAGCACTGGGGCTTGATG 529
 QY 596 AGCCGGTTCTGAACAACACTGGGAACTGAGATTCAGACCCCCCATGTGTCAGAGCTGCAGAAA 655
 DB 530 AGCCTCTTCTCAAGCACTGGGAGTTTGTGCTCCAAAGCCCTCTCCCAAGACTACAGAGG 589
 QY 656 CTGGAGGTGGAGATCCCACT-----ACAGCTCCATCAGCTCAGCTCAGCTCGAAA 700
 DB 590 TCGACGGAGGTGGCGCGGTTTAACTGATACACTCAAGCGGAGACAGATCAACTTGAAG 649
 QY 701 AAGAGCTCCAGCCCTGGAGAGGAAATGCAAGCTGGAATGGAGTTTGAAGCAAGCTGG 760
 DB 650 ACGAGAAGTGTGCGTTGCAGACCGGAGATTGCCAATCTACTGAAAGAGAGGAAAGAACTCG 709
 QY 761 AAAAGGAAGTGTG---GCTCAGGAGCATCTGAGCCAGAGGGCCCAACATCAAGCCCTGTC 817
 DB 710 AGTTTCATCTTGCGCCGCCCATGTCAGATCTGAGGCCAGAGGGGCCCAATCAAGCCCTGTC 769
 QY 818 CTCCATGCAAAATGCCCGCAGCAGCACTTCTTGGTGGACCACTCCGCTTTCATCTTCCCTC 877

```
|||||
770 TCCTCATGCAAAATGCCAGACACTAACCTCTTGGTGGACCATCCGCTCTTCATCTTCCCTC 829
878 CAAGATCAAGAGTACTCATGATCTCCCTGAGCCCATAGTCACTAGTGTGGTGG 937
|||||
830 CAAGATCAAGAGTACTCATGATCTCCCTGAGCCCATAGTCACTAGTGTGGTGG 889
938 ATGTGAGCGAGGATGACCCAGATGTCAGATGCTGCTGTTGTGAACAACGTGGAAGTAC 997
890 ATGTGAGCGAGGATGACCCAGATGTCAGATGCTGCTGTTGTGAACAACGTGGAAGTAC 949
998 ACACAGCTCAGACACAACCCATAGAGAGGATTACAACAGTACTTCCGGGTGTCAGTG 1057
950 ACACAGCTCAGACACAACCCATAGAGAGGATTACAACAGTACTTCCGGGTGTCAGTG 1009
1058 CCCTCCCATCCAGCACCAGACTGGATGAGTGGCAAGGAGTCAAAATGCAAGGTCACAA 1117
1010 CCCTCCCATCCAGCACCAGACTGGATGAGTGGCAAGGAGTCAAAATGCAAGGTCACAA 1069
1118 ACAAGAGCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCCAAGGGTCAGTAAGAG 1177
1070 ACAAGAGCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCCAAGGGTCAGTAAGAG 1129
1178 CTCACAGGTATATGTTGCTCCACAGAGAGAGATGACTAAGAAAACAGGTCACTC 1237
|||||
1130 CTCACAGGTATATGTTGCTCCACAGAGAGAGATGACTAAGAAAACAGGTCACTC 1189
1238 TGACCTGATGTCACAGACTTCATGCTGAGACATTTAGTGGAGTGGACCAACACG 1297
1190 TGACCTGATGTCACAGACTTCATGCTGAGACATTTAGTGGAGTGGACCAACACG 1249
1298 GGAACACAGAGCTAAACTACAAGAACTGAAACCACTCTGAGCTCTGATGGTTTCTTACT 1357
1250 GGAACACAGAGCTAAACTACAAGAACTGAAACCACTCTGAGCTCTGATGGTTTCTTACT 1309
1358 TCATGTCAGCAAGCTGAGAGTGGAAAAGAGAACTGGGTGGAAGAAATAGTACTCCT 1417
1310 TCATGTCAGCAAGCTGAGAGTGGAAAAGAGAACTGGGTGGAAGAAATAGTACTCCT 1369
1418 GTTCAGTGGTCCAGAGGCTGCAACATCACCACAGCTAAGAGCTTCTCCCGGACTC 1477
1370 GTTCAGTGGTCCAGAGGCTGCAACATCACCACAGCTAAGAGCTTCTCCCGGACTC 1429
1478 CGGTAAAA 1485
1430 CGGTAAAA 1437
24-MAR-2005 (first entry)
DR2-IgG fusion protein encoding DNA.
```

Major histocompatibility complex; fusion protein; immunoconjugate; adoptive immunotherapy; dermatological; immunosuppressive; antirheumatic; antiarthritic; neuroprotective; antiinflammatory; autoimmune diseases; pemphigus vulgaris; rheumatoid arthritis; multiple sclerosis; systemic lupus erythematosus; immune disorder; DR2-IgG protein; gene; ds.

Homo sapiens.
Chimeric.
Unidentified.
Key Location/Qualifiers
CDS 1..1440
/*tag= b
/product= "DR2-IgG fusion protein"
/partial

```
FT misc_feature /note= "No start codon"  
FT 1..15 /*tag= a  
FT /*note= "3' end of secretory signal"  
FT 16..598 C  
FT /*tag= "DRA*0101extracellular domain"  
FT 589..609  
FT /*tag= d  
FT /*note= "Linker sequence"  
FT 610..729  
FT /*tag= e  
FT /*note= "Fos Leucine zipper domain"  
FT 730..1437  
FT /*tag= f  
FT /*note= "IgG domain"  
XX  
XX US2005003431-A1.  
PD 06-JAN-2005.  
XX  
XX 21-JUL-2004; 2004US-00895543.  
XX  
PR 16-AUG-1996; 96US-0024077P.  
PR 15-AUG-1997; 97WO-US014503.  
PR 19-FEB-1998; 98US-0075351P.  
PR 12-FEB-1999; 99US-00248964.  
XX  
XX (WUCH/) WUCHERPENNIG K W.  
XX (STRO/) STROMINGER J L.  
XX  
XX Wucherpennig KW, Strominger JL;  
XX WPI; 2005-089945/10.  
XX P-PSDB; ADM44283.  
XX  
XX Novel class II major histocompatibility complex (MHC) fusion protein  
XX having MHC class II binding domain of MHC class II alpha chain, and  
XX dimerization domain, useful for treating pemphigus vulgaris, rheumatoid  
XX arthritis.  
XX  
XX Example; SEQ ID NO 11; 55pp; English.  
XX  
XX The present invention relates to the class II major histocompatibility  
XX complex (MHC) fusion protein having MHC class II binding domain of MHC  
XX class II alpha chain and a dimerization domain. The invention is useful  
XX in adoptive immunotherapy and tolerizing against foreign tissue. The  
XX invention is also useful for treating autoimmune diseases such as  
XX pemphigus vulgaris, rheumatoid arthritis, multiple sclerosis and systemic  
XX lupus erythematosus. The present sequence is the DR2-IgG fusion protein  
XX encoding DNA.  
XX  
XX Sequence 1446 BP; 414 A; 375 C; 356 G; 301 T; 0 U; 0 Other;  
SQ
```

Query Match 64.5%; Score 957.6; DB 14; Length 1446;
Best Local Similarity 81.8%; Pred. No. 1.2e-247;
Matches 1136; Conservative 0; Mismatches 234; Indels 18; Gaps 2;

```
Qy 116 TTTATCATGCTCTCCGGAGACATTGGCCAGTACACACATGAATTTGATGGTGTGATGTTGT 175  
Db 50 TCTATCTGAATCTCTGACCAATCAGCGGAGTTTATGTTGACTTTGATGGTGTGATGATTT 109  
Qy 176 TCTATGTGGACTTCGATAAGAAAGAACTGCTGGAGGCTTCTCGAGTTTGGCCAAATGA 235  
Db 110 TCCATGTGGATATGCAAGAGAGGAGCGCTCTGGCGCTTGAAGAATTTGGACGATTTG 169  
Qy 236 TACTCTTTGAGCCCAAGGTGGACTGCAGAAACATAGCTGCGAGAAAACACAACTTTGGAA 295  
Db 170 CCAGCTTTGAGGCTCAAGGTGCATTGGCCCAACATAGCTGTGGACAAACCACTTTGAAA 229  
Qy 296 TCTTGACTTAAGAGGTCAAAATTTTACCAGCTACCAATGAGGCTCCTCAAGGACTGTGT 355  
Db 230 TCATGACAAAGCGCTCCAACTATATCTCGATCACCAATGTACTTCCAGAGGTAAGTGTGC 289
```


356 TCCCCAAGTCCCTGTGCTGCTGGGTGAGCCCAACACCCCTTATCTGCTTGTGGACAACA 415
290 TCACGAACAGCCCTGTGGAACTGAGAGAGCCCAACGCTCTCATCTGTCTTTCATAGACAAGT 349
416 TCTTCCACCTGTGATCAACATCACATGCTGCTCAGAAATAGCAAGTCAGTCACAGAGCGCG 475
350 TCACCCCAACAGTGGTCAATGTCACTGGCTTCGAAATGGAACCTGTCCACACAGGAG 409
476 TTATGAGACCAAGCTTCTCGTCAACCGTGACCAATTCCTTCCACAAGCTGTCTTATCTCA 535
410 TGTGAGAGACAGTCTCTCTGCCAGGGAAGACCACTTTTCCGCAAGTTCCACTATCTCC 469
536 CCTTCACTCCCTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCTCGAGG 595
470 CCTTCTGCCCCTCAACTGAGGAGTTTACGACTGCAAGGTGGAGCACTGGGGCTTGGATG 529
596 AGCCGGTTCCTGAACACTGGAACCTGAGATTCAGAGCCCCCATGTCCAGAGCTCACAGAAA 655
530 AGCTCTTCTCAAGCACTGGAGTTTGATGCTCCAGGCCCTCTCCAGAGACTACAGAGG 589
656 CTGAGGTGAGGATCCACT-----ACAGCTCCATCAGCTCAGCTCGAAA 700
590 TCGACGGAGTGGCGCGGTAACTGATACACTCCAAAGCGGAGACAGATCAACTTGAAG 649
701 AAGAGCTCCAGGCCCTGGAGAGGAATGACAGCTGGATGGGAGTTGCAAGCACTGG 760
650 ACAGAGAGTCTGCGTTGCGAGACCGAGATTGCCAATCTACTGAAAGAGAGGAATACTGG 709
761 AAAAGGAACTG---GCTCAGGAGAGCATCTGAGGCCAGAGGGCCCAACATCAAGCCCTGTC 817
710 AGTTCACTCTGGCGGCCCATGAGCATCTGAGCCGAGAGGGCCCAACATCAAGCCCTGTC 769
818 CTCCTATGCAAAATGCCAGACACTTAACCTCTTGGGTGGAACATCCGCTTTCATCTTCCCTC 877
770 CTCCTATGCAAAATGCCAGACACTTAACCTCTTGGGTGGAACATCCGCTTTCATCTTCCCTC 829
878 CAAGATCAAGGATGATCTGATCTGCTGAGGCCCATAGTCAATGTTGGTGGTGG 937
830 CAAAGATCAAGGATGATCTGATCTGCTGAGGCCCATAGTCAATGTTGGTGGTGG 889
938 ATGTGAGCAGGATGACCCAGATGTCCAGATCAGCTGCTGTTGTGAACAACAGTGGAAAGTAC 997
890 ATGTGAGCAGGATGACCCAGATGTCCAGATCAGCTGCTGTTGTGAACAACAGTGGAAAGTAC 949
998 ACAAGCTCAGACACAAACCATAGAGAGGATTAACAAGTACTCTCCGGGTGGTCAGTG 1057
950 ACACAGCTCAGACACAAACCATAGAGAGGATTAACAAGTACTCTCCGGGTGGTCAGTG 1009
1058 CCTCCCTCCATCCAGCACCAGGACTGGATGATGGTGGCAAGGATTCAAATGCAAGGTCAACA 1117
1010 CCTCCCTCCATCCAGCACCAGGACTGGATGATGGTGGCAAGGATTCAAATGCAAGGTCAACA 1069
1118 ACAAGACCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGTCAGTAAGAG 1177
1070 ACAAGACCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGTCAGTAAGAG 1129
1178 CTCACAGGTPATGTCTTGGCTCCACCAAGAGAGATGACTAAGAAACAGGTCACTC 1237
1130 CTCACAGGTPATGTCTTGGCTCCACCAAGAGAGATGACTAAGAAACAGGTCACTC 1189
1238 TGACCTGCACTGTCACAGACTTCATGCTGAAGACATTTACGTGGAGTGGCAACCAACG 1297
1190 TGACCTGCACTGTCACAGACTTCATGCTGAAGACATTTACGTGGAGTGGCAACCAACG 1249
1298 GGAACACAGAGCTAAACTACAAGAACACTGAACAGTCTCGGACTCTGATGGTCTTACT 1357
1250 GGAACACAGAGCTAAACTACAAGAACACTGAACAGTCTCGGACTCTGATGGTCTTACT 1309
1358 TCATGTACAGCAAGCTGAGAGTGGAAAGAACTGGGTGGAAAGAAATAGTACTCTCT 1417
1310 TCATGTACAGCAAGCTGAGAGTGGAAAGAAAGAACTGGGTGGAAAGAAATAGTACTCTCT 1369

QY 1418 GTTCAGTGTCCACGAGGTTGTCACAATCACCACACGACTAAGAGCTTCTCCGCACTC 1477
Db 1370 GTTCAGTGTCCACGAGGTTGTCACAATCACCACACGACTAAGAGCTTCTCCGCACTC 1429
QY 1478 CGGGTAAA 1485
Db 1430 CGGGTAAA 1437
RESULT 6
ABI99027
ID ABI99027 standard; cDNA; 2346 BP.
XX
AC ABI99027;
XX
DT 25-FEB-2002 (first entry)
XX
TAS MBP 1-14 CH1.CH2.CH3 coding sequence.
XX
KW Mouse; MHC; major histocompatibility complex; MHC class II; multimer;
single chain; immunosuppressive; antidiabetic; antiinflammatory;
antianemic; antirheumatoid; antiarthritic; neuroprotective; vaccine;
autoimmune disease; insulin dependent diabetes; multiple sclerosis;
myasthenia gravis; pernicious anaemia; autoimmune encephalomyelitis;
rheumatoid arthritis; systemic lupus erythematosus; ss.
XX
OS Mus sp.
OS Synthetic.
XX
PN WO200170245-A1.
XX
PD 27-SEP-2001.
XX
PF 22-MAR-2001; 2001WO-US009616.
XX
PR 22-MAR-2000; 2000US-0191274P.
PR 15-MAY-2000; 2000US-0204249P.
PR 23-JAN-2001; 2001US-0264003P.
XX
PA (CORI-) CORIXA CORP.
XX
PI Carter D, Zhu S, Arimilli S, Wang A;
XX
WI: 2001-616371/71.
DR P-PSDB; ABB56457.
XX
PT Multimeric complex for treating autoimmune diseases, comprises first and
second single chain MHC class II molecules, each comprising alpha and
beta domain linked through amino acid linker and multimerization domain.
XX
PS Disclosure; Page 91-92; 147pp; English.
XX
CC The invention relates to a multimeric complex comprising a first
recombinant single chain major histocompatibility complex (MHC) class II
molecule and a second recombinant single chain MHC class II molecule,
each comprising an alpha domain and a beta domain linked through an
amino acid linker and a multimerization domain. The first and the second
molecule are linked through the multimerisation domain to form a
multimeric complex. The complex is useful for treating autoimmune
diseases. It is useful for treating insulin dependent diabetes, multiple
sclerosis, myasthenia gravis, pernicious anaemia, autoimmune
encephalomyelitis (EAE), rheumatoid arthritis and systemic lupus
erythematosus. The present sequence encodes a single chain MHC class II
molecule of the invention
XX
SQ Sequence 2346 BP; 560 A; 663 C; 646 G; 477 T; 0 U; 0 Other;
Query Match 48.9%; Score 726.2; DB 4; Length 2346;
Best Local Similarity 70.5%; Pred. No. 4.1e-185;
Matches 1095; Conservative 0; Mismatches 323; Indels 135; Gaps 4;
QY 68 GTGAAGACGACATTGAGCGGACGACGAGTGGCTTCTATGTGTAACACTGTTATCAGTCTC 127
|||||

```
779 GTGAAGACGACATTGAGGCGGACCACTAGTAGGCGTCTATGGTTACAACTGTATATCATGCTC 838
128 CTGGAGACATTGGCCAGCTACACACATGAATTTGATGGTGATGAGTTGTTCTATGTGGACT 187
      |||
839 CTGGAGACATTGGCCAGCTACACACATGAATTTGATGGTGATGAGTTGTTCTATGTGGACT 898
      |||
188 TGGATAAGAAGAAAACCTGTCGAGGCTTCCTGAGTTTGCGCAATGTGATCTCTTTTGAGC 247
      |||
899 TGGATAAGAAGGAGACTATCTGGATGCTTCCTGAGTTTGCGCAATGTGCAAGCTTTGACC 958
      |||
248 CCCAGGTGGACTGCAAAACATAGCTGCAAGAAAACACAACTTGGGAATCTTGACTAAGA 307
      |||
959 CCCAAGGTGGACTGCAAAACATAGCTACAGGAAAATACACCTTGGGAATCTTGACTAAGA 1018
      |||
308 GGTCAAAATTTCAACCCAGCTACCAATGAGGCTCCTCAAGCGACTGTGTTCCCAAGTCCC 367
      |||
1019 GGTCAAAATTTCAACCCAGCTACCAATGAGGCTCCTCAAGCGACTGTGTTCCCAAGTCCC 1078
      |||
368 GTGTGCTGTGGGTGAGCCCAACACCCCTTAATCTGCTTTGTGGAACAACATCTTCCACCTG 427
      |||
1079 GTGTGCTGTGGGTGAGCCCAACACCCCTTAATCTGCTTTGTGGAACAACATCTTCCCTCCTG 1138
      |||
428 TGATCAACATCATCATGGCTCAGAAATAGCAAGTCAAGTCAAGCGCGTTTATGAGACCA 487
      |||
1139 TGATCAACATCATCATGGCTCAGAAATAGTAAGTCAAGTCAAGCGCGTTTATGAGACCA 1198
      |||
488 GCTTCTCTGTCACCGGTGACCAATCTCTTCCCAAGCTGTCTTATCTCACTTTCATCCCTT 547
      |||
1199 GCTTCTCTGTCACCGGTGACCAATCTCTTCCCAAGCTGTCTTATCTCACTTTCATCCCTT 1258
      |||
548 CTGATGATGACATTTATGATGCAAGGTGGAGACACTGGGGCCCTGGAGAGCGCGTTCTGA 607
      |||
1259 CTGACGATGATATTTATGATGCAAGGTGGAGACACTGGGGCCCTGGAGAGCGCGTTCTGA 1318
      |||
608 AACACTGGG-----AA 618
      |||
1319 AACACTGGGCTAGCGGAGGGGCGGGAAGCGGAGGGGAGGCCAAACGACACCCCAT 1378
      |||
619 CTTGAGATTTCCAGCCCTCATGTCCAGAGCTGACAGAA----- 654
      |||
1379 CTGCTATCCACTGCGCCCTGGATCTGCTGCCAAACTCACTCCATGTGTGACCTGGGAT 1438
      |||
655 -ACTGAGGTGGAGATGACATACATGAGTCCATCAGTCTGAGTCAAGGAAAGAGCTCCAGGC 713
      |||
1439 GCCTGCTCAAGGGCTATTTCCCTGAGCCAGTGACAGTGCACCTGGAACTCTGGATCCCTGT 1498
      |||
714 CTTGGAGAAGGAAT-----GCACAG 735
      |||
1499 CCAGCGGTGTGCACACTTCCAGCTGTCTGAGTCTGACCTCTACACTGTGACGAGCT 1558
      |||
736 CTGGAATGGGAGTTGCAAGCACTGGAAAAGAACTGGCTCAGGCAGCATCTGAGCCGAGA 795
      |||
1559 CAGTGACTGTCCCTCCAGCACTTGGCCGAGGAGACCGTCACTGCAACGTTGCCACC 1618
      |||
796 GGGCCCAATCAAGCCCTGTCTCTCATGCAAAATGCCAG----- 835
      |||
1619 CGGCCAGCAGCAGCAAGGTGGCAAGAAATTTGTGCCAGGATTTGTGTTGTAAGCCTT 1678
      |||
836 ----CACTTAACCTCTTGGGTGACCATCGCTCTCATCTTCCCTCCAAAGATCAAGGATG 892
      |||
1679 GCATATGTCAGTCCAGGAAGTATCATCTGTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCT 1738
      |||
893 TACTCATGATCTCCCTGAGCCCATAGTCAATGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 952
      |||
1739 TGCTCACCATTACTCTGACTCTCAAGTCAAGTCAAGTCAAGTCAAGTCAAGTCAAGTCAAGTCAAG 1798
      |||
953 ACCAGATGTCAGATCAGCTGTTGTGAACAAAGTGAAGTACACAGCTCAGACAC 1012
      |||
1799 ATCCGAGGTCCAGTTCAGCTGTTGTGATGATGATGATGATGATGATGATGATGATGATGATGATG 1858
      |||
1013 AAACCCATGAGAGGATTAACAACAGTACTCTCCGGGTGCTCAGTGCCTCCCACTCCAGC 1072
      |||
1859 AACCCGGGAGGAGGATTTCAACAGCACTTCCGCTCAGTCAAGTCAAGTCAAGTCAAGTCAAGTCAAG 1918
      |||
```

```
QY 1073 ACCAGGACTGATGAGTGGCAAGGAGTTCAAATGCAAGGTCAACAAAGACCTCCAG 1132
      |||
Db 1919 ACCAGGACTGCTCAATGGCAAGGAGTTCAAATGCAAGGTCAACAAAGTGCAGCTTCCCTG 1978
      |||
QY 1133 CGCCCATCGAGAGAACCATCTCAAAACCCAAAGGCTCAGTAAGAGCTCCACAGGTATATG 1192
      |||
Db 1979 CCCCATCGAGAAAACCATCTCCAAAACCAAAGGAGACCCGAAGGCTCCACAGGTGTACA 2038
      |||
QY 1193 TCTTGCTCTCCACCAAGAGAAGATGACTAAGAAAACAGGTCACTCTGACCTGCAATGGTCA 1252
      |||
Db 2039 CCATTCCACCTCCCAAGGAGCAGATGGCCAAGGATAAAGTCAGTCTGACCTGCATGATAA 2098
      |||
QY 1253 CAGACTTCATGCTGGAAGACATTTACGTGGAGTGGACCAACAAACGGGAAAACAGAGCTAA 1312
      |||
Db 2099 CAGACTTCTTCCCTGGAAGACATTTACGTGGAGTGGCAGTGGAAATGGGAGCCAGCGGAGA 2158
      |||
QY 1313 ACTACAGAACACTGMAACCACTGCTGACTCTGATGTTCTTACTTTCATGTATACAGCAAGC 1372
      |||
Db 2159 ACTACAGAACACTGMAACCACTGCTGACTCTGATGTTCTTACTTTCATGTATACAGCAAGC 2218
      |||
QY 1373 TGAGAGTGGAAAAGAAAGAACTGGGTGGAAAAGAAATAGCTACTCTCTGTTTCAAGTGGTCCAG 1432
      |||
Db 2219 TCAATGTGACAGAGCAACTGGGAGGCGAGGAATATCTTCACTGCTCTGTGTTTACATG 2278
      |||
QY 1433 AGGCTCTGCACAATCAACACAGCACTAAGAGCTTCTCCCGACTCCGGGTAAA 1485
      |||
Db 2279 AGGCTCTGCACAACCACTACTGAGAAGAGCCTCTCCCACTCTCTCTGTGTAAA 2331
      |||
```

RESULT 7

```
ABI99033
ID ABI99033 standard; cDNA; 2343 BP.
XX
AC ABI99033;
XX
DT 25-FEB-2002 (first entry)
XX
DE MBP 90-101 CH1.H.CH2.CH3 coding sequence.
```

Mouse; MHC; major histocompatibility complex; MHC class II; multimer;
single chain; immunosuppressive; antidiabetic; antiinflammatory;
antianemic; antirheumatoid; antiarthritic; neuroprotective; vaccine;
autoimmune disease; insulin dependent diabetes; multiple sclerosis;
myasthenia gravis; pernicious anaemia; autoimmune encephalomyelitis;
rheumatoid arthritis; systemic lupus erythematosus; ss.

Mus sp.
Synthetic.

WO200170245-A1.

27-SEP-2001.

22-MAR-2001; 2001WO-US009616.

22-MAR-2000; 2000US-0191274P.

15-MAY-2000; 2000US-0204249P.

23-JAN-2001; 2001US-0264003P.

(CORI-) CORIXA CORP.

Carter D, Zhu S, Arimilli S, Wang A;

WPI; 2001-616371/71.

P-PSDB; ABB56463.

XX Multimeric complex for treating autoimmune diseases, comprises first and
PT second single chain MHC class II molecules, each comprising alpha and
PT beta1 domain linked through amino acid linker and multimerization domain.

PS Disclosure; Page 96; 147pp; English.

/note= "(pos: 34. .36, aa: Thr"
/partial
/note= "no start codon"

WO2004035622-A2.

29-APR-2004.

13-OCT-2003; 2003WO-CH000666.

14-OCT-2002; 2002EP-00022869.

(HOFF) HOFFMANN LA ROCHE & CO AG F.

Dreher I, Moll T;

WPI; 2004-357203/33.

P-PSDB; ADO07559.

New fusion protein of interleukin-15 and Fc fragment, useful for treating e.g. transplantation disorders, autoimmune diseases and tumors, also related nucleic acid.

Disclosure; Fig 5; 63pp; German.

The present invention relates to a fusion protein consisting of wild-type interleukin-15 (IL-15) and an immunoglobulin G (IgG) Fc fragment, other than a murine IgG2b Fc fragment. The fusion proteins and coding sequences are used to prevent or treat consequences of transplantation and/or autoimmune diseases, e.g. rheumatoid arthritis, diabetes, multiple sclerosis, psoriasis, neurodermatitis, ulcerative colitis, tumours and AIDS, etc., and tissues or organs that express the protein are useful for transplantation into humans or other mammals, as allo-, auto- or xeno-transplants. Also transgenic animals that express the fusion proteins are useful as source of cells, tissues and organs for transplantation or to screen for pharmaceuticals and/or to identify toxic substances. The present sequence is a polypeptide coding sequence used in the exemplification of the invention.

Sequence 1045 BP; 331 A; 238 C; 235 G; 241 T; 0 U; 0 Other;

ery Match 47.2%; Score 701.2; DB 12; Length 1045;

st Local Similarity 93.3%; Pred. No. 1.6e-178;

tches 733; Conservative 0; Mismatches 53; Indels 0; Gaps 0;

700 AAAGAGCTCCAGGCTGAGAGGAAATGCACAGCTGGATGGAGTTGCAACACTG 759

256 AAAGAATGTGAGGAATCGAGGAAAAAATTTAAAGAAATTTTGCAGAGTTTGTACAT 315

760 GAAAGGAACCTGGCTCAGGCAGCATCTGAGCCGAGAGGCCCAATCAAGCCCTGTCT 819

316 ATTGTCCAAATGTTTCATCACTTGGATCCAGAGGGCCCAATCAAGCCCTGTCT 375

820 CCATGCAATGCCAGCAGCACTTAACCTCTTGGTGGACCATCCGTTTCATCTTCCCTCA 879

376 CCATGCAATGCCAGCAGCACTTAACCTCTTGGTGGACCATCCGTTTCATCTTCCCTCA 435

880 AAGATCAGGATGTACTCATGATCTCCCTGAGCCCCCATAGTCACATGTGTGGTGGAT 939

436 AAGATCAGGATGTACTCATGATCTCCCTGAGCCCCCATAGTCACATGTGTGGTGGAT 495

940 GTGAGGAGGATGACCCAGATGTCCAGATCAGCTGTTTGTGAACAACTGGAAGTACAC 999

496 GTGAGGAGGATGACCCAGATGTCCAGATCAGCTGTTTGTGAACAACTGGAAGTACAC 555

1000 ACAGCTCAGACACAAACCCATAGAGAGGATTACAAGTACTCTCCGGTGTCTAGTGCC 1059

556 ACAGCTCAGACACAAACCCATAGAGAGGATTACAAGTACTCTCCGGTGTCTAGTGCC 615

1060 CTCCTCCATCCAGACAGGACTGGATGAGTGGCAGAGGATTCAAATGCAGTCAACAC 1119

616 CTCCTCCATCCAGACAGGACTGGATGAGTGGCAGAGGATTCAAATGCAGTCAACAC 675

QY 1120 AAAGACCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGCTCAGTAAGAGCT 1179
Db 676 AAAGACCTCCAGCGCCCATCGAGAGAACCATCTCAAAACCCAAAGGCTCAGTAAGAGCT 735
QY 1180 CCACAGGTATATGTTTGGCTCCACAGAGAGATGACTTAAGAAACAGTCACTCTG 1239
Db 736 CCACAGGTATATGTTTGGCTCCACAGAGAGATGACTTAAGAAACAGTCACTCTG 795
QY 1240 ACCTGCATGGTTCACAGACTTTCATGCTGAAACATTTACGTGGATGGACCAACCGG 1299
Db 796 ACCTGCATGGTTCACAGACTTTCATGCTGAAACATTTACGTGGATGGACCAACCGG 855
QY 1300 AAAACAGAGCTAAACTACAAGAACACTGAAACAGTCTCTGAGTCTGTGATGGTTCTTACTTC 1359
Db 856 AAAACAGAGCTAAACTACAAGAACACTGAAACAGTCTCTGAGTCTGTGATGGTTCTTACTTC 915
QY 1360 ATGTACAGCAGCTGAGAGTGGAAAGAGAACTGGGTGGAAAGAAATAGTACTCTCTGT 1419
Db 916 ATGTACAGCAGCTGAGAGTGGAAAGAGAACTGGGTGGAAAGAAATAGTACTCTCTGT 975
QY 1420 TCAGTGGTCCACGAGGGTCTGCACAATCACCACAGCTAAAGAGCTTCTCCGGACTCCG 1479
Db 976 TCAGTGGTCCACGAGGGTCTGCACAATCACCACAGCTAAAGAGCTTCTCCGGACTCCG 1035
QY 1480 GGTAAA 1485
Db 1036 GGTAAA 1041

RESULT 9

ADO07578

ID ADO07578 standard; DNA; 1108 BP.

XX ADO07578;

XX 15-JUL-2004 (first entry)

XX Fusion protein coding sequence fragment 149-Fc.

KW immunosuppressive; antirheumatic; antiarthritic; antidiabetic;

KW neuroprotective; antipsoriatic; dermatological; antiinflammatory;

XX cycostatic; interleukin-15; immunoglobulin G; ds; gene; human.

OS Synthetic.

OS Unidentified.

XX WO2004035622-A2.

XX 29-APR-2004.

XX 13-OCT-2003; 2003WO-CH000666.

XX 14-OCT-2002; 2002EP-00022869.

XX (HOFF) HOFFMANN LA ROCHE & CO AG F.

XX Dreher I, Moll T;

XX WPI; 2004-357203/33.

XX New fusion protein of interleukin-15 and Fc fragment, useful for treating e.g. transplantation disorders, autoimmune diseases and tumors, also related nucleic acid.

PS Disclosure; Fig 11; 63pp; German.

XX The present invention relates to a fusion protein consisting of wild-type interleukin-15 (IL-15) and an immunoglobulin G (IgG) Fc fragment, other than a murine IgG2b Fc fragment. The fusion proteins and coding sequences are used to prevent or treat consequences of transplantation and/or autoimmune diseases, e.g. rheumatoid arthritis, diabetes, multiple sclerosis, psoriasis, neurodermatitis, ulcerative colitis, tumours and AIDS, etc., and tissues or organs that express the protein are useful for

transplantation into humans or other mammals, as allo-, auto- or xeno-transplants. Also transgenic animals that express the fusion proteins are useful as source of cells, tissues and organs for transplantation or to screen for pharmaceuticals and/or to identify toxic substances. The present sequence is a coding sequence used in the exemplification of the invention.

Sequence 1108 BP; 343 A; 255 C; 253 G; 257 T; 0 U; 0 Other;

Query Match 47.2%; Score 701.2; DB 12; Length 1108;
Best Local Similarity 93.3%; Pred. No. 1.7e-178;
Matches 733; Conservative 0; Mismatches 53; Indels 0; Gaps 0;

700 AAGAGCTCCAGGCCCTGGAGAGGAAATGCACAGCTGGAATGGAGTTGCAAGCACTG 759
319 AAGAATGTGAGGAATGGAGGAAAAAATATTAAGAATTTTGGACAGTTTGTACAT 378
760 GAAAGGAATCTGGCTCAGGCAGCATCTGAGCCCGAGAGGGCCCAATCAAGCCCTGTCT 819
379 ATTGTCCAAATGTTTCATCAACACTTCGGATCCAGAGGGCCCAATCAAGCCCTGTCT 438
820 CCATGCAAAATGCCAGCACTTAACCTCTTGGGTGGACCATCCGCTTTTCATCTTCCCTCCA 879
439 CCATGCAAAATGCCAGCACTTAACCTCTTGGGTGGACCATCCGCTTTTCATCTTCCCTCCA 498
880 AAGATCAAGGATGTACTCATGATCTCCCTGAGCCCATAGTCACATGTGTGGTGGAT 939
499 AAGATCAAGGATGTACTCATGATCTCCCTGAGCCCATAGTCACATGTGTGGTGGAT 558
940 GTGAGGAGGATGACCCAGATGTCAGATCAGCTGGTTTGTGAACAACGTGGGAATACAC 999
559 GTGAGGAGGATGACCCAGATGTCAGATCAGCTGGTTTGTGAACAACGTGGGAATACAC 618
1000 ACAGCTCAGACACAAACCCATAGAGAGGATTACAACAGTACTCTCCGGTGGTCACTGCC 1059
619 ACAGCTCAGACACAAACCCATAGAGAGGATTACAACAGTACTCTCCGGTGGTCACTGCC 678
1060 CTCCCATCCAGCACCAGGCTGGTGGTGGCAAGGATTCAAAATGCAAGGTCAACAC 1119
679 CTCCCATCCAGCACCAGGCTGGTGGTGGCAAGGATTCAAAATGCAAGGTCAACAC 738
1120 AAGACCTCCAGGCCCATCGAGAGAACCATCTCAAAACCCAAAGGTCAGTAAGAGCT 1179
739 AAGACCTCCAGGCCCATCGAGAGAACCATCTCAAAACCCAAAGGTCAGTAAGAGCT 798
1180 CCAAGGATATCTTTGCTTCCACCAAGAGAGATGATTAAGAAACAGGTCATCTTG 1239
799 CCAAGGATATCTTTGCTTCCACCAAGAGAGATGATTAAGAAACAGGTCATCTTG 858
1240 ACCTGATGTCACAGACTTCATGCTCGAGACATTTAGTGGAGTGGACCAACAGGG 1299
859 ACCTGATGTCACAGACTTCATGCTCGAGACATTTAGTGGAGTGGACCAACAGGG 918
1300 AAAACAGAGCTAACTACAGAAACACTGAACCACTCTGACCTCTGATGGTTCTTACTTC 1359
919 AAAACAGAGCTAACTACAGAAACACTGAACCACTCTGACCTCTGATGGTTCTTACTTC 978
1360 ATGTAAGAGCTGAGAGTGGAAAAAGAAACTGGGTGGAAGAAATAGTACTCTCTGT 1419
979 ATGTAAGAGCTGAGAGTGGAAAAAGAAACTGGGTGGAAGAAATAGTACTCTCTGT 1038
1420 TCAGTGGTCCAGAGGCTGTCACATCACCACAGCTTAAGAGCTTCTCCGAGCTCCG 1479
1039 TCAGTGGTCCAGAGGCTGTCACATCACCACAGCTTAAGAGCTTCTCCGAGCTCCG 1098
1480 GGTAAA 1485
1099 GGTAAA 1104

ULT 10
:07577
ADO07577 standard; DNA; 1108 BP.

XX ADO07577;
AC 15-JUL-2004 (first entry)
DT Fusion protein coding sequence fragment Igk8.
DE immunosuppressive; antirheumatic; antiarthritic; antidiabetic;
XX neuroprotective; antipsoriatic; dermatological; antiinflammatory;
KW cytostatic; interleukin-15; immunoglobulin G; ds; gene.
XX Synthetic.
OS Unidentified.
XX WO2004035622-A2.
XX 29-APR-2004.
XX 13-OCT-2003; 2003WO-CH000666.
XX 14-OCT-2002; 2002EP-00022869.
XX (HOFF) HOFFMANN LA ROCHE & CO AG F.
XX Dreher I, Moll T;
XX WPI; 2004-357203/33.
XX New fusion protein of interleukin-15 and Fc fragment, useful for treating
PT e.g. transplantation disorders, autoimmune diseases and tumors, also
PT related nucleic acid.
XX Disclosure; Fig 10; 63pp; German.
XX The present invention relates to a fusion protein consisting of wild-type
CC interleukin-15 (IL-15) and an immunoglobulin G (IgG) Fc fragment, other
CC than a murine IGG2b Fc fragment. The fusion proteins and coding sequences
CC are used to prevent or treat consequences of transplantation and/or
CC autoimmune diseases, e.g. rheumatoid arthritis, diabetes, multiple
CC sclerosis, psoriasis, neurodermatitis, ulcerative colitis, tumors and
CC AIDS, etc., and tissues or organs that express the protein are useful for
CC transplantation into humans or other mammals, as allo-, auto- or xeno-
CC transplants. Also transgenic animals that express the fusion proteins are
CC useful as source of cells, tissues and organs for transplantation or to
CC screen for pharmaceuticals and/or to identify toxic substances. The
CC present sequence is a coding sequence used in the exemplification of the
XX invention.
XX Sequence 1108 BP; 342 A; 255 C; 254 G; 257 T; 0 U; 0 Other;
SQ Query Match 47.2%; Score 701.2; DB 12; Length 1108;
Best Local Similarity 93.3%; Pred. No. 1.7e-178;
Matches 733; Conservative 0; Mismatches 53; Indels 0; Gaps 0;

QY 700 AAGAGCTCCAGGCCCTGGAGAGGAAATGCACAGCTGGAATGGAGTTGCAAGCACTG 759
DB 319 AAGAATGTGAGGAATGGAGGAAAAAATATTAAGAATTTTGGACAGTTTGTACAT 378
QY 760 GAAAGGAATCTGGCTCAGGCAGCATCTGAGCCCGAGAGGGCCCAATCAAGCCCTGTCT 819
DB 379 ATTGTCCAAATGTTTCATCAACACTTCGGATCCAGAGGGCCCAATCAAGCCCTGTCT 438
QY 820 CCATGCAAAATGCCAGCACTTAACCTCTTGGGTGGACCATCCGCTTTTCATCTTCCCTCCA 879
DB 439 CCATGCAAAATGCCAGCACTTAACCTCTTGGGTGGACCATCCGCTTTTCATCTTCCCTCCA 498
QY 880 AAGATCAAGGATGTACTCATGATCTCCCTGAGCCCATAGTCACATGTGTGGTGGAT 939
DB 499 AAGATCAAGGATGTACTCATGATCTCCCTGAGCCCATAGTCACATGTGTGGTGGAT 558
QY 940 GTGAGGAGGATGACCCAGATGTCAGATCAGCTGGTTTGTGAACAACGTGGGAATACAC 999
DB 559 GTGAGGAGGATGACCCAGATGTCAGATCAGCTGGTTTGTGAACAACGTGGGAATACAC 618

1000 ACAGCTCAGACACAAACCCATAGAGAGATTACACAGTACTCTCCGGTGGTCAGTGCC 1059
1059 ACAGCTCAGACACAAACCCATAGAGAGATTACACAGTACTCTCCGGTGGTCAGTGCC 678
1060 CTCCCTCCAGCACCAGGACTGGATGATGGTCAAGAGATTCAAAATCAAGGTCAACAAAC 1119
1119 CTCCCTCCAGCACCAGGACTGGATGATGGTCAAGAGATTCAAAATCAAGGTCAACAAAC 738
1120 AAAGACTCCAGAGCCGCTCCAGAGACCATCTCAAAACCCAAAGGTGAGTAAAGCT 1179
1179 AAAGACTCCAGAGCCGCTCCAGAGACCATCTCAAAACCCAAAGGTGAGTAAAGCT 798
1180 CCACAGGTATATGCTTGGCTCCACAGAGAGAGATGACTAAGAAACAGGTCACTCTG 1239
1239 CCACAGGTATATGCTTGGCTCCACAGAGAGAGATGACTAAGAAACAGGTCACTCTG 858
1240 ACCTGCATGGTCCAGAGCTTCACTGCTGAAGACATTTACGTGGAGTGGACCAACACGGG 1299
1299 ACCTGCATGGTCCAGAGCTTCACTGCTGAAGACATTTACGTGGAGTGGACCAACACGGG 918
1300 AAAACAGAGCTAACTACAGAACTGAAACAGTCCCTGGACTCTGATGTTCTTACTTC 1359
1359 AAAACAGAGCTAACTACAGAACTGAAACAGTCCCTGGACTCTGATGTTCTTACTTC 978
1360 ATGTACAGCAAGCTGAGAGTGGAAAGAAAGAACTGGGTGGAAAGAAATAGCTCTCTGT 1419
1419 ATGTACAGCAAGCTGAGAGTGGAAAGAAAGAACTGGGTGGAAAGAAATAGCTCTCTGT 1038
1420 TCAGTGGTCCAGAGGGTCTGCACAAATCAACACAGACTTAAGAGCTTCTCCGGACTCCG 1479
1479 TCAGTGGTCCAGAGGGTCTGCACAAATCAACACAGACTTAAGAGCTTCTCCGGACTCCG 1098
1480 GGTAAA 1485
1485 GGTAAA 1104
1099 GGTAAA 1104

LT 11
5694

ADL15694 standard; DNA; 990 BP.

ADL15694;

20-MAY-2004 (first entry)

Murine immunoglobulin heavy chain constant region DNA SeqID 68.

mouse; murine; antibody; gene; ds; beta-amyloid; A-beta;
amyloid beta A4 precursor protein; APP; presenilin;
lipoprotein receptor related protein; LRP; beta-amyloid 42; A-beta 42;
Alzheimer's disease; neuroprotective; notropic.

Mus musculus.

WO2004018997-A2.

04-MAR-2004.

20-AUG-2003; 2003WO-US026173.

20-AUG-2002; 2002US-0405417P.

18-SEP-2002; 2002US-0411974P.

(NEUR-) NEUROGENETICS INC.

Kounnas M, Patrick A, Velicelebi G, Wagner S;

WPI; 2004-226902/21.
P-PSDB; ADL15695.

New polypeptide comprises a sequence of amino acids that is selectively
reactive with beta-amyloid peptide 42 or at least one complementarity-

PT determining region of antibody A387 or B436, useful for treating
PT Alzheimer's disease.
XX
PS Disclosure; SEQ ID NO 68; 408pp; English.
XX
CC This invention relates to novel methods and compositions for detecting
CC and modulating beta-amyloid (A-beta) peptide levels and the processing of
CC amyloid beta A4 precursor protein (APP). Specifically, it refers to
CC methods of assessing the presenilin activity of compounds using the
CC lipoprotein receptor related protein (LRP), in order to identify
CC presenilin proteins that can be used to affect the processing of APP. The
CC present invention describes methods to identify agents that modulate
CC presenilin activity and A-beta levels, in particular beta-amyloid 42 (A-
CC beta 42), such that the agent is selectively reactive with A-beta 42 and
CC binds at least one complementarity determining region (CDR) of either
CC antibody A387 or antibody B436. As such, the polypeptides, nucleic acids
CC and antibodies are useful for treating Alzheimer's disease, accordingly
CC the compositions exhibit neuroprotective and notropic activities. This
CC polynucleotide sequence is a murine antibody chain DNA fragment of the
CC invention.
XX
SQ Sequence 990 BP; 274 A; 286 C; 235 G; 195 T; 0 U; 0 Other;
Query Match 47.2%; Score 700.6; DB 12; Length 990;
Best Local Similarity 100.0%; Pred. No. 2.3e-178;
Matches 700; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 786 TGAGCCAGAGGGCCCAATCAAGCCCTGCTCCATGCCAAATGCCAGACCTTAACCT 845
DB 291 TGAGCCAGAGGGCCCAATCAAGCCCTGCTCCATGCCAAATGCCAGACCTTAACCT 350
QY 846 CTGGGTGGACCATCCGCTTTCATCTTCCCTCCAAAGATCAAGGATGATCATGATCTC 905
DB 351 CTGGGTGGACCATCCGCTTTCATCTTCCCTCCAAAGATCAAGGATGATCATGATCTC 410
QY 906 CTGAGCCCCATAGTCACATGTGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT 965
DB 411 CTGAGCCCCATAGTCACATGTGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT 470
QY 966 GATCAGCTGGTTTGTGAACAAAGTGAAGTACACACAGCTCAGACACAAACCCATAGAGA 1025
DB 471 GATCAGCTGGTTTGTGAACAAAGTGAAGTACACACAGCTCAGACACAAACCCATAGAGA 530
QY 1026 GGATTACAAAGTACTCTCCGGGTGGTCAAGTGGTCCCTCCCATCCAGCAGGACTGGAT 1085
DB 531 GGATTACAAAGTACTCTCCGGGTGGTCAAGTGGTCCCTCCCATCCAGCAGGACTGGAT 590
QY 1086 GAGTGGCAAGGAGTTCAATGCTCAACAAAGAGACCTCCAGCGGCCCATCGAGAG 1145
DB 591 GAGTGGCAAGGAGTTCAATGCTCAACAAAGAGACCTCCAGCGGCCCATCGAGAG 650
QY 1146 AACCATCTCAAAACCCAAAGGCTCAGTAAGAGCTCCACAGGTATATGCTTCCCTCCACC 1205
DB 651 AACCATCTCAAAACCCAAAGGCTCAGTAAGAGCTCCACAGGTATATGCTTCCCTCCACC 710
QY 1206 AGAAGAGAGATGACTAAGAAACAGGTCACTCTGACCTGCTGCTGCTGCTGCTGCTGCTG 1265
DB 711 AGAAGAGAGATGACTAAGAAACAGGTCACTCTGACCTGCTGCTGCTGCTGCTGCTGCTG 770
QY 1266 TGAAGACATTTACGTGGAGTGGACCAACAAAGGGAACAGAGCTTAACACAAAGACAC 1325
DB 771 TGAAGACATTTACGTGGAGTGGACCAACAAAGGGAACAGAGCTTAACACAAAGACAC 830
QY 1326 TGAACCACTCTGGACTCTGATGGTCTTACTTCTTACTTCTTACTTCTTACTTCTTACTT 1385
DB 831 TGAACCACTCTGGACTCTGATGGTCTTACTTCTTACTTCTTACTTCTTACTTCTTACTT 890
QY 1386 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAAGTGGTCCAGAGGGTCTGCACAA 1445
DB 891 GAAGAACTGGGTGGAAAGAAATAGTACTCTCTGTTTCAAGTGGTCCAGAGGGTCTGCACAA 950
QY 1446 TCACACACAGCTAAGAGCTTCTCCCGGACTTCCCGGTAAA 1485

951 TCACCACGACTAAGAGCTTCTCCGGACTCCGGTAA 990

:JLT 12
 :20762

AEC20762 standard: cDNA: 1401 BP.

AEC20762;

20-OCT-2005 (first entry)

M-CSF specific murine antibody RX1 heavy chain cDNA.

endocrine-gen.; antiarthritic; antibacterial; antiinflammatory; antineumatic; antithyroid; bone metastases; calcium antagonist; cancer; cardiovascular-gen.; degeneration; eating-disorders-gen.; endocrine disease; endocrine-gen.; endocrine-gen.; gastrointestinal-gen.; gene; genetic disorder; heavy chain; hepatotropic; hypercalcemia; immune disorder; immunotherapy; inflammation; monoclonal antibody; mouth disease; musculoskeletal disease; neoplasm; nephrotropic; osteopathic; osteopetrotic; osteoporosis; pages; disease; periodontal disease; pharmacological; rheumatoid arthritis; ss.

Mus musculus.

WO2005068503-A2.

28-JUL-2005.

06-JAN-2005; 2005WO-US000546.

07-JAN-2004; 2004US-0535181P

02-JUN-2004; 2004US-0576417P.

(CHIR) CHIRON CORP.

(XOMA) XOMA TECHNOLOGY LTD.

Liu C, Zimmerman DL, Harrowe GM, Koths K, Kavanaugh WM, Long L; Calderon-Cacia M, Horwitz AH;

WPI: 2005-597707/61.

P-PSDB: ABC20763;

Novel non-murine antibody that competes with monoclonal antibody RX1 for binding to macrophage colony stimulating factor, useful for treating hypogonadism, hypercalcemia, rickets, scurvy, homocystinuria, cancer, osteoporosis.

Claim 67: SEQ ID NO 1: 269pp: English.

The invention describes a non-murine antibody (I) that competes with monoclonal antibody RXI for binding to macrophage colony stimulating factor (M-CSF) by more than 75%, where the monoclonal antibody RXI has the heavy chain and light chain amino acid sequences having a fully defined 447 amino acids (SEQ ID No. 2) and 214 amino acids (SEQ ID No. 4) sequences given in the specification, respectively. (I) is useful for preventing a subject afflicted with a disease that causes or contributes to osteolysis, where the antibody effectively reduces the severity of bone loss associated with the disease. The disease is chosen from metabolic bone diseases associated with relatively increased osteoclast activity, including endorinopathies, hypercalcaemia, deficiency states, chronic diseases, and hereditary diseases, cancer, osteoporosis, osteopetrosis, inflammation of bone associated with arthritis and rheumatoid arthritis, periodontal disease, fibrous dysplasia, and/or Paget's disease. (I) is useful for preventing or treating metastatic cancer. Antibodies of the invention are useful for preventing or reducing bone loss; osteolysis; metastatic cancer to bone and cancer. (I) is useful for manufacturing a medicament for preventing or reducing bone loss in a patient exhibiting osteolysis, manufacturing a medicament for treating a patient afflicted with a disease that causes or contributes to osteolysis, and metastatic cancer to bone in a patient suffering from metastatic cancer, for manufacturing a medicament for treating a patient having cancer. (II) in synergistic combination, is useful for preparing a

WO2005094846-A1.

13-OCT-2005.

30-MAR-2005; 2005WO-JP006189.

30-MAR-2004; 2004JP-00100649.

(RENO-) RENOMEDIX INST INC.

Fujinaga K, Shinagawa M, Niitsu Y, Hamada H, Horiuchi M;
Homnou O, Umetani A;

WPI; 2005-725409/74.

Agent useful for treating prion disease or delivering a substance to a
lesioned region of prion disease, comprises a mesenchymal cell.

Claim 4; SEQ ID NO 5; 34pp; Japanese.

The invention describes an agent (I) for treating prion disease or
delivering a substance to the lesioned region of prion disease,
comprising a mesenchymal cell. Also described are: a nucleic acid (II)
having an anti-prion antibody gene comprising: an antibody heavy chain
gene having SEQ ID No: 1, 3, 5, 30, 32 and 34, a nucleotide sequence
consisting of a degenerate genetic code, which encodes a polypeptide same
as that of the above nucleotide sequence, a nucleotide sequence, which is
a mutant of the above sequences, or a nucleotide sequence that is
complementary to the above sequences and that hybridizes under stringent
conditions with the above sequences; and an antibody light chain gene
having SEQ ID No: 2, 4, 6, 31, 33 and 35, a nucleotide sequence
consisting of degenerate genetic code, which encodes a polypeptide same
as that of the above nucleotide sequence, a nucleotide sequence, which is
a mutant of the above sequences, or a nucleotide sequence that is
complementary to the above sequences and that hybridizes under stringent
conditions with the above sequences; a vector (III) comprising (II); an
anti-prion chimeric antibody (IV) comprising variable region of antibody
encoded by (II) and constant region of antibody of animal other than
mouse; a nucleic acid that encodes (IV); preparing (M1) a cell having
abnormal prion proliferation inhibition activity, comprising transducing
a gene that provides abnormal prion proliferation inhibition activity to
the cell; a cell (V) having abnormal prion proliferation inhibition
activity, being obtainable by (M1) or by utilizing (II) or (III); a
sustainable formulation (VI) for discharge of an anti-prion antibody
utilized for treating prion disease; use of a mesenchymal cell for
producing an agent for delivering a substance to the lesioned region of
prion disease; and delivering a substance to the lesioned region of a
prion disease, comprising utilizing mesenchymal cell. (I) is useful for
treating prion disease or delivering a substance to the lesioned region
of prion disease. (II), (III) Or (M1) is useful for preparing a cell
having abnormal prion proliferation inhibition activity. (II), (III),
(III), (IV) Or (VI) is useful for treating prion disease. (I) Enables
improvement of the symptoms of prion disease. This sequence an anti-PrP
monoclonal antibody heavy chain. Note: This sequence does not appear in
the printed specification but has been obtained in electronic format
directly from WIPO at ftp.wipo.int/pub/published_pct_sequences.

Sequence 1560 BP; 413 A; 424 C; 388 G; 335 T; 0 U; 0 Other;

Seq Match 47.2%; Score 700.6; DB 14; Length 1560;
st Local Similarity 100.0%; Pred. No. 2.8e-178;
tches 700; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

786 TGAGCCGAGAGGCCCAATCAAGCCCTGCTCCATGCAATGCCAGACCTAACT 845

850 TGAGCCGAGAGGCCCAATCAAGCCCTGCTCCATGCAATGCCAGACCTAACT 909

846 CTTGGGTGGACCATCGCTTTCATCTTCCCTCCAAAGATCAAGGATGACTCATGATCTC 905

910 CTTGGGTGGACCATCGCTTTCATCTTCCCTCCAAAGATCAAGGATGACTCATGATCTC 969

906 CCTGAGCCCCCATAGTACATGTTGGTGGTGTGAGCGAGGATGACCCAGATGTCCA 965

Db	970	CCTGAGCCCCCATAGTACATGTTGGTGGTGGTGTGAGCGAGGATGACCCAGATGTCCA	1029
Qy	966	GATCAGCTGGTTTGTGAACAACGTTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA	1025
Db	1030	GATCAGCTGGTTTGTGAACAACGTTGGAAGTACACACAGCTCAGACACAAACCCATAGAGA	1089
Qy	1026	GGATTACAAACAGTACTCTCCGGGGTGGTCAGTGCCTCCCATCCAGCACCAGGACTGGAT	1085
Db	1090	GGATTACAAACAGTACTCTCCGGGGTGGTCAGTGCCTCCCATCCAGCACCAGGACTGGAT	1149
Qy	1086	GAGTGGCAAGGAGTTCAAAATCCAAGGTCAACAACAAAGACCTCCAGCGCCCATCGAGAG	1145
Db	1150	GAGTGGCAAGGAGTTCAAAATCCAAGGTCAACAACAAAGACCTCCAGCGCCCATCGAGAG	1209
Qy	1146	AACCATCTCAAAACCCAAAGGGTCAGTAAAGGTCCACAGGTATATGTCTTGCCTCCACC	1205
Db	1210	AACCATCTCAAAACCCAAAGGGTCAGTAAAGGTCCACAGGTATATGTCTTGCCTCCACC	1269
Qy	1206	AGAAGAAGAGATGACTTAAGAAACAGGTCACTCTGACCTGTCATGGTCAACAGACTTCATGCC	1265
Db	1270	AGAAGAAGAGATGACTTAAGAAACAGGTCACTCTGACCTGTCATGGTCAACAGACTTCATGCC	1329
Qy	1266	TGAAGACATTTTACGTGGAGTGGACCAACACGGGAAACACAGGCTTAACTACAAGAACAC	1325
Db	1330	TGAAGACATTTTACGTGGAGTGGACCAACACGGGAAACACAGGCTTAACTACAAGAACAC	1389
Qy	1326	TGAACCACTCTGGACTCTGATGGTTCTTACTTTCATGTACAGCAAGCTGAGAGTGGAAAA	1385
Db	1390	TGAACCACTCTGGACTCTGATGGTTCTTACTTTCATGTACAGCAAGCTGAGAGTGGAAAA	1449
Qy	1386	GAAGAATCGGTGGAAAGAAATAGCTACTCTGTTTCACTGTTTCACTGTTTCACTGTTTCACTGTTT	1445
Db	1450	GAAGAATCGGTGGAAAGAAATAGCTACTCTGTTTCACTGTTTCACTGTTTCACTGTTTCACTGTTT	1509
Qy	1446	TCACCACAGCACTAAGAGCTTCTCCGAGCTCCCGGGTAAA	1485
Db	1510	TCACCACAGCACTAAGAGCTTCTCCGAGCTCCCGGGTAAA	1549

RESULT 14

ADV26108 standard; DNA; 1569 BP.

AC ADV26108;

DT 10-MAR-2005 (first entry)

DE Mouse OKT3 VH gene.

XX ds; gene; immunostimulant; immunogenicity; antibody.

OS Mus sp.

XX WO2004108158-A1.

XX 16-DEC-2004.

XX 28-MAY-2004; 2004WO-US017219.

XX 02-JUN-2003; 2003US-0475155P.

XX (ALEX-) ALEXION PHARM INC.

XX Rother RP, Faas-Knight S, Wu D, Carr FJ, Hamilton A;

XX WPI; 2005-031597/03.

XX P-PSDB; ADV26107.

XX New de-immunized anti-CD3 antibody, useful for stimulating an immune
response against infections and for treating infections.
XX Disclosure; Fig 1a; 75pp; English.


```

924 GATCAGCTGGTTTGTGAACAACGTTGAAAGTACACACAGCTCAGACACAAACCCATAGAGA 983
1026 GGATTACAACAGTACTCTCCGGTGGTCAGTGCCTCCCATCCAGACACAGGACTGGAT 1085
984 GGATTACAACAGTACTCTCCGGTGGTCAGTGCCTCCCATCCAGACACAGGACTGGAT 1043
1086 GAGTGGCAAGGAGTTCAAAATGCAAGGTCAACAACAAGACCTCCAGCGCCCATCGAGAG 1145
1044 GAGTGGCAAGGAGTTCAAAATGCAAGGTCAACAACAAGACCTCCAGCGCCCATCGAGAG 1103
1146 AACCATCTCAAAAACCCAAAGGTCAGTAAGAGCTCCACAGGTATATGTCTTGCCTCCACC 1205
1104 AACCATCTCAAAAACCCAAAGGTCAGTAAGAGCTCCACAGGTATATGTCTTGCCTCCACC 1163
1206 AGAAGAAGAGATGACTAAGAACAGGTCACTCTGACCTGCTGCTCAGAGCTTCATGCC 1265
1164 AGAAGAAGAGATGACTAAGAACAGGTCACTCTGACCTGCTGCTCAGAGCTTCATGCC 1223
1266 TGAAGACATTTACGTGGAGTGGACCAACAACCGGAAACAGAGCTAAACTACAAGAACAC 1325
1224 TGAAGACATTTACGTGGAGTGGACCAACAACCGGAAACAGAGCTAAACTACAAGAACAC 1283
1326 TGAACCACTCCTGGACTCTGATGGTTCTTACTTATGTACAGCAAGCTGAGAGTGGAAAA 1385
1284 TGAACCACTCCTGGACTCTGATGGTTCTTACTTATGTACAGCAAGCTGAGAGTGGAAAA 1343
1386 GAAGAACTGGGTGGAAAGAAATAGCTACTCTGTTCAGTGGTCCACGAGGGTCTGCACAA 1445
1344 GAAGAACTGGGTGGAAAGAAATAGCTACTCTGTTCAGTGGTCCACGAGGGTCTGCACAA 1403
1446 TCACCACACGACTAAGAGCTTCTCCGGACTCCGGGTAAA 1485
1404 TCACCACACGACTAAGAGCTTCTCCGGACTCCGGGTAAA 1443

```

ch completed: June 1, 2006, 00:09:23
time : 1032.58 secs

GenCore version 5.1.8
 Copyright (c) 1993 - 2006 Bioceleration Ltd.

nucleic - nucleic search, using sw model

on: May 31, 2006, 23:41:05 ; Search time 657.424 Seconds
 (without alignments)
 10085.747 Million cell updates/sec

le: US-10-048-116b-5

ence: 951

ing table: 1 aaaggggggaattcttagag.....tcattcattgagtcgacctgc 951

Gapop 10.0 , Gapext 1.0

ched: 5244920 seqs, 3486124231 residues

il number of hits satisfying chosen parameters: 104899840

imum DB seq length: 0

imum DB seq length: 2000000000

rocessing: Minimum Match 0%
 Maximum Match 100%
 Listing first 45 summaries

ibase : N Geneseq 8:*

- 1: Geneseqn1980s:*
- 2: Geneseqn1990s:*
- 3: Geneseqn2000s:*
- 4: Geneseqn2001as:*
- 5: Geneseqn2001bs:*
- 6: Geneseqn2002as:*
- 7: Geneseqn2002bs:*
- 8: Geneseqn2003as:*
- 9: Geneseqn2003bs:*
- 10: Geneseqn2003cs:*
- 11: Geneseqn2003ds:*
- 12: Geneseqn2004as:*
- 13: Geneseqn2004bs:*
- 14: Geneseqn2005s:*
- 15: Geneseqn2006s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Alt	Score	Query	Match	Length	DB	ID	Description
1	921	96.8	921	5	AAF55099		Aaf55099 DNA encod
2	709.2	74.6	893	2	AAT04262		Aat04262 Hybrid IA
3	665.2	69.9	945	12	ADQ311225		Adq311225 I-Ab(beta
4	648	68.1	1013	2	AAT04269		Aat04269 Hybrid IA
5	628.6	66.1	915	12	ADQ311228		Adq311228 I-Ab(beta
6	607.8	63.9	1382	2	AAT86989		Aat86989 SCEL sing
7	607.8	63.9	1382	8	ACA60744		Aca60744 Mouse MHC
8	607.8	63.9	1385	2	AAT86987		Aat86987 SSC1 sing
9	607.8	63.9	1385	8	ACA60742		Aca60742 Mouse MHC
10	607.8	63.9	1508	2	AAT86988		Aat86988 SCT1 sing
11	607.8	63.9	1508	2	AAX89069		Aax89069 Single ch
12	607.8	63.9	1508	8	ACA60743		Aca60743 Mouse MHC
13	606.2	63.7	1382	2	AAT17588		Aat17588 Vector SC
14	606.2	63.7	1385	2	AAT17586		Aat17586 Vector SS
15	606.2	63.7	1508	2	AAT17587		Aat17587 Vector SC
16	598.6	62.9	4724	2	AAV12068		Aav12068 Murine IA
17	561.8	59.1	798	12	ADJ75986		Adj75986 Marker ge
18	561.8	59.1	798	14	ADX26090		Adx26090 Novel cel

ALIGNMENTS

RESULT 1

AAF55099
 ID AAF55099 standard; DNA; 921 BP.

XX AAF55099;

XX 15-MAY-2001 (first entry)

XX DNA encoding a fusion protein comprising a beta chain of MHC.

XX Recombinant protein; alpha chain; beta chain; MHC; immunoglobulin;
 KW major histocompatibility complex; Fc region; antigen; T lymphocyte;
 KW immunostimulant; vaccine; infection; tumour; ss.

XX Synthetic.

XX Key Location/Qualifiers
 FT CDS l..921
 FT /*tag= a

XX WO200109194-A1.

XX 08-FEB-2001.

XX 28-JUL-2000; 2000WO-FR002193.

XX 29-JUL-1999; 99FR-00009862.

XX (CNRS) CNRS CENT NAT RECH SCI.

XX Glaichenhaus N, Malherbe L;

XX WPI; 2001-182944/18.

XX P-PSDB; AAB67481.

XX New soluble recombinant protein, useful e.g. as immunostimulant,
 PT comprises dimeric major histocompatibility complex molecule fused to
 PT immunoglobulin Fc region.

XX Example 1; Page 34-35; 43pp; French.

19 549.8 57.8 1085 4 ABI99040
 20 542 57.0 702 2 AAQ03170
 21 542 57.0 702 2 AAT06286
 22 542 57.0 702 2 AAG56920 Mouse I-A
 23 535.6 56.3 702 2 AAQ35055
 24 525.4 55.2 1698 4 ABI99038 Murine pC
 25 502.6 52.8 1243 6 ABN84048
 26 499.4 52.5 1662 4 ABI99039
 27 497.2 52.3 1866 4 ABI99031
 28 497.2 52.3 1701 4 ABI99028
 29 497.2 52.3 2059 4 ABI99032
 30 497.2 52.3 2346 4 ABI99027
 31 496 52.2 1680 4 ABI99021
 32 496 52.2 1707 4 ABI99030
 33 496 52.2 2053 4 ABI99029
 34 496 52.2 2343 4 ABI99033
 35 433.6 45.6 562 6 ABK63510
 36 433.6 45.6 562 10 ADB57995
 37 433.6 45.6 562 10 ABT41775
 38 433.6 45.6 562 11 ADW21868
 39 433.6 45.6 562 13 ADV40851
 40 433.6 45.6 562 14 ADX25826
 41 414.8 43.6 1869 13 ADQ38634
 42 410.8 43.6 1892 13 ADQ38637
 43 410.8 43.2 1171 6 ABK84087
 44 410.8 43.2 1199 8 ABX63009
 45 407.6 42.9 1192 10 AAD63150

ABI99040 Murine pC
 AAQ03170 Sequence
 AAT06286 I-Ab-beta
 AAG56920 Mouse I-A
 AAQ35055 IAB beta
 ABI99038 Murine pC
 ABN84048 Single ch
 ABI99039 Murine pC
 ABI99031 MBP 1-14
 ABI99028 IAS MBP 1
 ABI99032 MBP 1-14
 ABI99027 IAS MBP 1
 ABI99021 I-As MBP
 ABI99030 IAS MBP 9
 ABI99029 IAS MBP 9
 ABI99033 MBP 90-10
 ABK63510 Rat seque
 ADB57995 Toxicity-
 ABT41775 Toxicity
 ADW21868 Rat hepat
 ADV40851 Rat cardi
 ADX25826 Novel cel
 ADQ38634 Human SNP
 ADQ38637 Human SNP
 ABK84087 Human CDN
 ABX63009 Human CDN
 AAD63150 Human maj

08-SEP-1995.
03-MAR-1995; 95WO-US002689.
04-MAR-1994; 94US-00207481.
(NAJE-) NAT JEWISH CENT IMMUNOLOGY & RESPIRATORY.
Kappler JW, Marrack P;
WPI; 1995-320543/41.
P-PSDB; AAR82533.
Peptide-MHC complex comprising antigenic peptide, linker and MHC segment
- useful as reagents for the treatment of diseases including auto-immune
diseases, immuno-stimulatory diseases or graft-host rejection.
Example 1; Page 53; 94pp; English.
This sequence represents a hybrid IA beta chain gene, containing the
chicken ovalbumin peptide (COVA). This sequence was used in the
construction of a hybrid IA alpha beta dimer. The encoded protein (pIad-
OVA) was found to be more stable than the IA alpha beta dimer. The
stability was decreased by the addition of a MHC groove specific binding
peptide (e.g. see AAR82527, AAR82528 and AAR82531), compared to an
increase seen on the addition of a MHC binding peptide to IE k/d-MCC.
These complexes may be used to regulate an immune response. The complexes
are capable of being recognised by a TCR alone or in combination with
additional MHC proteins. These complexes are useful for therapeutic
purposes and experimental purposes. They can also be used as reagents for
the treatment of diseases including autoimmune diseases, immunodeficiency
diseases, immunoproliferation diseases, and graft-host rejection
Sequence 893 BP; 204 A; 239 C; 275 G; 175 T; 0 U; 0 Other;
Very Match 74.6%; Score 709.2; DB 2; Length 893;
%st Local Similarity 94.7%; Pred. No. 2.1e-155;
atches 761; Conservative 0; Mismatches 28; Indels 15; Gaps 2;
8 GGAATTTCTTAGAGATGGCTCTGCAGATCCCGAGCTCTCTCTCTCAGCTGCTGTGTGT 67
48 GGAATTTCTTAGAGATGGCTCTGCAGATCCCGAGCTCTCTCTCTCAGCTGCTGTGTGT 107
68 GCTGATGCTGCTGAGCAGCCCGGACTGAGGCGGAAATCTCATCTGCTTCGCGCTC 127
108 GCTGATGCTGCTGAGCAGCCCGGACTGAGGCGGAAATCTCC-----GTACATGCTGCC 162
128 GCTGAGACCCGATCGTGTGTCGGCAGCTGGGACGGAGTGGGGCTCACTAGTGCC 187
163 CATGCTGAGATCAATGAGCTGGCAG-----AGGAGGTGGGGGCTCACTAGTGCC 212
188 CCGAGGCTCTGGAGGTGGAGGCTCCGAAAGGCATTTCTGTGTCAGTTCAAGGGCGAGTG 247
213 CCGAGGCTCTGGAGGTGGAGGCTCCGAAAGGCATTTCTGTGTCAGTTCAAGGGCGAGTG 272
248 CTACTACACCAACGGGACCGAGGCTACGGCTCGTGACACAGATATCATCTACACCGGA 307
273 CTACTACACCAACGGGACCGAGGCTACGGCTCGTGACACAGATATCATCTACACCGGA 332
308 GGAGTACGTCGCTACGACGAGCGTGGGCGGAGTACCGCGGTGACCGAGCTGGGGG 367
333 GGAGTACGTCGCTACGACGAGCGTGGGCGGAGTACCGCGGTGACCGAGCTGGGGG 392
368 GCCAGACCGCGAGTACTGGAAACAGCCAGCGGAGATCTCTGAGCGCAACCGCGCGCGAGGT 427
393 GCCAGACCGCGAGTACTGGAAACAGCCAGCGGAGATCTCTGAGCGCAACCGCGCGAGGT 452
428 GGACACGGGCTGCAGACACAACTACGAGGGGCGGAGACGACGACCTCTCCCTGGCGGCT 487
453 GGACACGGGCTGCAGACACAACTACGAGGGGCGGAGACGACGACCTCTCCCTGGCGGCT 512
488 TGAACAGCCCAATGTGCGCCATCTCTCCCTGTCCAGGACAGAGGGCCCTCAACACCAACAC 547

Db 513 TGAAAGCCCATGTGCGCATCTCTCTGTCAGGACAGAGGCCCTCAACACCAACAC 572
QY 548 TCTGCTCTGTCGGTGACAGATTTCTACCCAGCCAGATCAAGTCGCTGGTTTCAGGAA 607
Db 573 TCTGCTCTGTCGGTGACAGATTTCTACCCAGCCAGATCAAGTCGCTGGTTTCAGGAA 632
QY 608 TGGCCAGGAGGAGACAGTGGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGGAC 667
Db 633 TGGCCAGGAGGAGACAGTGGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGGAC 692
QY 668 CTTCCAGGTCCTGCTCATGCTGGAGATGACCCCTCATCAGGAGAGGCTTACACCTGCCA 727
Db 693 CTTCCAGGTCCTGCTCATGCTGGAGATGACCCCTCATCAGGAGAGGCTTACACCTGCCA 752
QY 728 TGTGAGCATCCAGCCTGAAGAGCCCATCTGCTGGAGTGGAGGGGACAGTCCGAGTC 787
Db 753 TGTGAGCATCCAGCCTGAAGAGCCCATCTGCTGGAGTGGAGGGGACAGTCCGAGTC 812
QY 788 TGCCCGGAGCAGGAGGCTGGAGG 811
Db 813 TGCCCGGAGCAGGAGGCTGGAGG 836
RESULT 3
ADQ31225
ID ADQ31225 standard; cDNA; 945 BP.
XX
AC ADQ31225;
XX
DT 07-OCT-2004 (first entry)
XX
DE I-Ab(beta)-Cholera toxin B subunit-leucine zipper (LZ)-BirA fusion cDNA.
XX
KW class II major histocompatibility complex; MHC; CD4+ T-cell detection;
flow cytometry; mucous membrane invasive antigen;
KW I-Ab(beta)-Cholera toxin B subunit-leucine zipper-BirA fusion; CTB; ss;
KW gene.
XX
OS Vibrio cholerae.
Unidentified.
XX
FH Key Location/Qualifiers
FT CDS 1..945
FT /tag= a
FT /product= "I-Ab(beta)-Cholera toxin B subunit (CTB) -
FT leucine zipper (LZ)-BirA fusion cDNA"
XX
PN JP2004196789-A.
XX
PD 15-JUL-2004.
XX
PF 03-DEC-2003; 2003JP-00404367.
XX
PR 03-DEC-2002; 2002JP-00351818.
XX
PA (SENT-) SENTAN KAGAKU GIJUTSU INCUBATION CENT KK.
XX
DR WPI; 2004-546819/53.
DR P-PSDB; ADQ31224.
XX
PT Peptide-Class II major histocompatibility complex (MHC) composite, useful
PT for detecting antigen specific CD4+ T-cell, comprises antigen peptide
PT containing epitope of mucous membrane invasive protein, and extracellular
PT region of MHC.
XX
PS Example 1; SEQ ID NO 10; 30pp; Japanese.
XX
CC The invention relates to a novel class II major histocompatibility
CC complex (MHC) antigenic peptide composite comprising a peptide containing
CC the T-cell antigenic determinant of a mucous membrane invasive protein
CC and the extracellular region of a class II MHC molecule or at least part
CC of the extracellular region of the class II MHC molecule having an amino

(NAJE-) NAT JEWISH CENT IMMUNOLOGY & RESPIRATORY.

Kappler JW, Marrack P;

WPI; 1995-320543/41.

P-PSDB; AAR82538.

Peptide-MHC complex comprising antigenic peptide, linker and MHC segment.
- useful as reagents for the treatment of diseases including auto-immune diseases, immuno-stimulatory diseases or graft-host rejection.

Example 2; Page 65; 94pp; English.

This sequence represents a hybrid IA beta chain gene. This sequence contains a fragment of the IS alpha chain (residues 56-73), as well as a linker and cleavage site. This sequence was transfected into a B cell line (M12.C3) using plasmid pM12-IAB-Ea. It was found that the encoded sequence was expressed in these cells. Complexes such as this may be used to regulate an immune response. The complexes are capable of being recognised by a TCR alone or in combination with additional MHC proteins. These complexes are useful for therapeutic purposes and experimental purposes. They can also be used as reagents for the treatment of diseases including autoimmune diseases, immunodeficiency diseases, immunoproliferation diseases, and graft-host rejection

Sequence 1013 BP; 220 A; 272 C; 327 G; 192 T; 0 U; 2 Other;

very Match 68.1%; Score 648; DB 2; Length 1013;

st Local Similarity 89.3%; Pred. No. 4e-141;

itches 709; Conservative 1; Mismatches 81; Indels 3; Gaps 1;

7 GGGATCTTAGAGTGGCTTCAGATCCAGCCTCCCTCTCTCAGCTGCTGTGG 66
49 GGGATCTTAGAGTGGCTTCAGATCCAGCCTCCCTCTCTCAGCTGCTGTGG 108
67 TGTCTAGTGTGTGACGAGCCCGGACTGAGGGCGGAACTCACTCTCTCCCTG 126
109 TGCTCATGTGTGACGAGCCAGGACTGAGGGCGGAGCTCCGAGCTAGCTTGG 168
127 CGCTGAGCACCAGATCGTGTGTCCGGCAGCTGGGACCGAGGTGGGGCTCCTAGTGC 186
169 CTGAGGTGCTGAGGCAATGCTGTGCAAGGCTGGAGTGGTGGATC---CGGTG 225
187 CCGGAGCTCTGGAGTGGAGCTCCGAAAGCAATTCGTGCTCCAGTTCAGGGCGAGT 246
226 GAGGGGGAATGGAGTGGAGGTCTGAAAGGCAATTCGTGTACCAAGTTCATGGGCGAGT 285
247 GCTACTACCAACCGGAGCGAGCGCATACGGCTCGTGACCAAGATACATCTCAACCGGG 306
286 GCTACTACCAACCGGAGCGAGCGCATACGGCTCGTGACCAAGATACATCTCAACCGGG 345
307 AGGAGTACGTGCGTACGACAGCGAGCTGGCGGAGTACCGCGGTGACCGAGCTGGGCG 366
346 AGGAGTACGTGCGTACGACAGCGAGCTGGCGGAGTACCGCGGTGACCGAGCTGGGCG 405
367 GGCAGACGCGGAGTACTGGAACAGCGAGCGAGATCTTGAGCGAAACGCGGGCGGAGG 426
406 GGCAGACGCGGAGTACTGGAACAGCGAGCGAGATCTTGAGCGAAACGCGGGCGGAGG 465
427 TGGACAGCGGCTGCAGACCAACTACGAGGGCGGAGACCGAGCCTCCCTCGGCGGCG 486
466 TGGACAGCGGCTGCAGACCAACTACGAGGGCGGAGACCGAGCCTCCCTCGGCGGCG 525
487 TTGAACAGCGGCTGCAGACCAACTCCCTCTGCAAGGACAGAGCCCTCAACCAACCA 546
526 TTGAACAGCGGCTGCAGACCAACTCCCTCTGCAAGGACAGAGCCCTCAACCAACCA 585
547 CTCTGTCTGTTCGGTGACAGATTTCTACCGAGCGAGATCAAGTGCCTGTTGAGCA 606
586 CTCTGTCTGTTCGGTGACAGATTTCTACCGAGCGAGATCAAGTGCCTGTTGAGCA 645
607 ATGGCCAGGAGGAGCAGTGGGGTCTCTATCCACAGCTTATTAGGAATGGGAGCTGGA 666

Example 17; Page 137-139; 217pp; English.

The present sequence was used in the construction of major histocompatibility complex (MHC) fusion complexes

Sequence 1508 BP; 337 A; 413 C; 441 G; 317 T; 0 U; 0 Other;

ery Match 63.9%; Score 607.8; DB 2; Length 1508;
 st Local Similarity 89.6%; Pred. No. 1.1e-131;
 tches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;

21 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGTGCTG 80
 6 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGTGCTG 65
 81 AGCAGCCCGGAGTACGAGGGCGGAATCCATCTGCTCCCTGCTGGAGCACCGG 140
 66 AGCAGCCCAAGGAC-----CTTAAGTATCTCTCAGGCTGTTTCAC 104
 141 ATCGTGGTGTCCGCGAGCTGGACGAGTGGGGCTCACTAGTGCCTCCGAGGCTCTGGA 200
 105 GCTGCTCAGCTGAAATCAACGAAGCTGTGTGTAGCGGAGGGGCGGAAGCGCGGA 164
 201 GGTGGAGGCTCCGAAAGGCATTTCTGTGTCCAGTTCAAGGGCGAGTCTACTACACCAAC 260
 165 GGGGGAAGCTCCGAAAGGCATTTCTGTGTCCAGTTCAAGGGCGAGTCTACTACACCAAC 224
 261 GGGAGCGAGATACGAGTGTGACCGGAGTACCGGCGGTGACCGGCGGAGTACGTCGCG 320
 225 GGGAGCGAGATACGAGTGTGACCGGAGTACCGGCGGTGACCGGCGGAGTACGTCGCG 284
 321 TACGACAGGAGTGTGGCGGAGTACCGGCGGTGACCGGCGGAGTACCGGCGGAGTACGTCGCG 380
 285 TACGACAGGAGTGTGGCGGAGTACCGGCGGTGACCGGCGGAGTACCGGCGGAGTACGTCGCG 344
 381 TACTGGAAACAGCAGCCGAGATCTTGAGCGAAGCGCGGCGGAGTGGACACCGCGTGC 440
 345 TACTGGAAACAGCAGCCGAGATCTTGAGCGAAGCGCGGCGGAGTGGACACCGCGTGC 404
 441 AGACACAATAGAGGGGCGGAGACACGACCTCTCTCGGCGGCTTGAACAGCCCAAT 500
 405 AGACACAATAGAGGGGCGGAGACACGACCTCTCTCGGCGGCTTGAACAGCCCAAT 464
 501 GTGCGCATCTCCCTGTCCAGGACAGAGGCGCTCAACACCAACACTCTGTGTCTGTCG 560
 465 GTGCGCATCTCCCTGTCCAGGACAGAGGCGCTCAACACCAACACTCTGTGTCTGTCG 524
 561 GTGACAGATTTTACCCAGCCCAAGATCAAGTGCCTGTTTCAAGAAATGGCCAGGAGAG 620
 525 GTGACAGATTTTACCCAGCCCAAGATCAAGTGCCTGTTTCAAGAAATGGCCAGGAGAG 584
 621 ACAGTGGGGGTCTATCCACACAGCTTATTAGGAATGGGACTGACCTTCCAGTCTCTG 680
 585 ACAGTGGGGGTCTATCCACACAGCTTATTAGGAATGGGACTGACCTTCCAGTCTCTG 644
 681 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACTGTCATGTGGAGATCCC 740
 645 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACTGTCATGTGGAGATCCC 704
 741 AGCCTGAAGAGAGCCCATCACTGTGGAGTGA 771
 705 AGCCTGAAGAGAGCCCATCACTGTGGAGTGA 735

LT 11
 9069

AAx89069 standard; DNA; 1508 BP.

AAx89069;

14-SEP-1999 (first entry)

Single chain IAD/OVA 323-229 MHC fusion protein encoding DNA.
 Major histocompatibility complex; MHC; single chain MHC; sc-MHC; Ig;
 peptide binding groove; immunoglobulin; T cell receptor; immune response;
 immune-related disorder; antigenic peptide; fusion protein; ss.
 Synthetic.
 WO9921572-A1.
 06-MAY-1999.
 13-OCT-1998; 98WO-US021520.
 29-OCT-1997; 97US-00960190.
 (SUNO-) SUNOL MOLECULAR CORP.
 Rhode PR, Acevedo J, Burkhardt M, Jiao J, Wong HC;
 WPI; 1999-418411/35.
 P-PSDB; AAY27111.

Single chain major histocompatibility complex class I complexes.

Example 1; Fig 1; 148pp; English.

The invention relates to new single chain major histocompatibility complex (sc-MHC) class II complexes that comprise a peptide binding groove, and a modified class II beta 2 chain or covalently linked immunoglobulin (Ig) light chain constant (C1) region. The MHC complexes are useful for detection and analysis of peptide ligands, pathogenic T-cells, for functional, cellular and molecular assays. They can be used to identify and isolate T cell receptor and/or MHC agonists and antagonists. They can be used in vivo to compete with pathogenic antigen presenting cells involved in immune-related disorders. They can also be used to raise antibodies and to screen immune cells. It is also use in a method of suppressing an immune response in mammals. The sc-MHC complexes comprising modified class II beta 2 chains and/or Ig-C1 regions are soluble and provide enhanced yield. These MHC complexes also can contain single antigenic peptides readily isolated from expressing cells in significant quantities. The polypeptide MHC complexes also provide a means to detect cells expressing multiple target structures with a single complex. The present sequence represents a DNA encoding a single chain IAD/OVA 323-229 MHC fusion protein

Sequence 1508 BP; 337 A; 413 C; 441 G; 317 T; 0 U; 0 Other;

Query Match 63.9%; Score 607.8; DB 2; Length 1508;
 Best Local Similarity 89.6%; Pred. No. 1.1e-131;
 Matches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;

Qy 21 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGTGCTG 80
 Db 6 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGTGCTG 65
 Qy 81 AGCAGCCCGGAGTACGAGGGCGGAATCCATCTGCTTCTCCCTGCTGGAGCACCG 140
 Db 66 AGCAGCCCAAGGAC-----CTTAAGTATCTCTCAGGCTGTTTCAC 104
 Qy 141 ATCGTGGTGTCCGCGAGCTGGAGCGAGTGGGGCTCACTAGTGCCTCCGAGGCTCTGGA 200
 Db 105 GCTGCTCAGCTGAAATCAACGAAGCTGTGTGTAGCGGAGGGGCGGAAGCGCGGA 164
 Qy 201 GGTGGAGGCTCCGAAAGGCATTTCTGTGTCCAGTTCAAGGGCGAGTGTCTACTACACCAAC 260
 Db 165 GGGGGAAGCTCCGAAAGGCATTTCTGTGTCCAGTTCAAGGGCGAGTGTCTACTACACCAAC 224
 Qy 261 GGGAGCGAGATACGAGTGTGACCGGAGTACCGGCGGTGACCGGCGGAGTACGTCGCG 320
 Db 225 GGGAGCGAGATACGAGTGTGACCGGAGTACCGGCGGTGACCGGCGGAGTACGTCGCG 284
 Qy 321 TACGACAGGAGTGTGGCGGAGTACCGGCGGTGACCGGCGGAGTACCGGCGGAGTACGTCGCG 380


```
105 GCTGCTCAGCTGAAATCAAGAGTGTGTCGTAGCGAGGGCGGAGCGCGGA 164
201 GGTGAGGCTCGAAGGCAATTCCTGTGTCAGATTCAAGGGCGAGTCTACTACACCAAC 260
165 GGGGGAATCCGAAGGCAATTCCTGTGTCAGATTCAAGGGCGAGTCTACTACACCAAC 224
261 GGGAGCGAGCGCATACGGCTCTGTACACAGATACATCTACACCGGAGGAGTACCTGGCG 320
225 GGGAGCGAGCGATACGGCTCTGTACACAGATACATCTACACCGGAGGAGTACCTGGCG 284
321 TACGACAGCGAGCTGGGCGAGTACCGCGGTGACCGAGCTGGGCGGCGAGACCGCCAG 380
285 TACGACAGCGAGCTGGGCGAGTACCGCGGTGACCGAGCTGGGCGGCGAGACCGCCAG 344
381 TACTGACAGCGAGCGGAGATCTTGGAGCGAAGCGGCGCGAGGTGGACACGCGCTGC 440
345 TACTGGAACAGCGAGCGGAGATCTTGGAGCGAAGCGGCGCGAGGTGGACACGCGCTGC 404
441 AGACACAACCTACGAGGGCGGAGACACGAGCCTCTCTGCGGCGCTTGAACAGCCCAAT 500
405 AGACACAACCTACGAGGGCGGAGACACGAGCCTCTCTGCGGCGCTTGAACAGCCCAAT 464
501 GTGCGCATCTCCCTGTCCAGGACAGAGGCCCTCAACACCAACACACTCTGCTGTTCG 560
465 GTGCGCATCTCCCTGTCCAGGACAGAGGCCCTCAACACCAACACACTCTGCTGTTCG 524
561 GTGACAGATTTTACCCAGCCCAAGATCAAGTGCCTGTTCCAGGAATGGCCAGGAGG 620
525 GTGACAGATTTTACCCAGCCCAAGATCAAGTGCCTGTTCCAGGAATGGCCAGGAGG 584
621 ACAGTGGGGGTCTCATCCACACAGCTTATTAGGAATGGGGAATGGAGTCTCCAGTCTCTG 680
585 ACAGTGGGGGTCTCATCCACACAGCTTATTAGGAATGGGGAATGGAGTCTCCAGTCTCTG 644
681 GTCATCTGGAGATGACCCCTCATCAGGAGAGGTTCAACCTGCGCATGTGGAGATCCC 740
645 GTCATCTGGAGATGACCCCTCATCAGGAGAGGTTCAACCTGCGCATGTGGAGATCCC 704
741 AGCCTGAGAGCCCCATCACTGTGGAGTGA 771
705 AGCCTGAGAGCCCCATCACTGTGGAGTGA 735
```

```
LT 15
7587
AAT17587 standard; DNA; 1508 BP.
AAT17587;
26-SEP-1996 (first entry)
Vector SCT1-derived single chain gene encoding MHC fusion complex.
MHC; major histocompatibility complex; PCR; polymerase chain reaction;
T cell activity modulator; antagonist; immune disorder; allergy;
multiple sclerosis; insulin-dependent diabetes mellitus;
rheumatoid arthritis; myasthenia gravis; ds.
Synthetic.
Key Location/Qualifiers
CDS 6..1508
/*tag= a
sig_peptide 6..86
/*tag= b
/*label= I-Ad beta chain leader
/*notes= "murine MHC class II I-Ad gene beta chain leader
sequence"
misc_feature 87..137
/*tag= c
/*label= OVA_323-339
/*notes= "chicken ovalbumin residues 323-339"
Query Match 63.7%; Score 606.2; DB 2; Length 1508;
Best Local Similarity 89.5%; Pred. No. 2.5e-131;
Sequence 1508 BP; 337 A; 414 C; 440 G; 317 T; 0 U; 0 Other;
```

138..167
/*tag= d
/note= "10 residue linker peptide"

168..452
/*tag= e
/label= I-Ad beta1
/note= "murine MHC class II I-Ad gene beta-1 domain"

453..734
/*tag= f
/label= I-Ad beta2
/note= "murine MHC class II I-Ad gene beta-2 domain"

735..806
/*tag= g
/note= "24 residue peptide linker"

807..1067
/*tag= h
/label= I-Ad alpha1
/note= "murine MHC class II I-Ad gene alpha-2 domain"

1068..1352
/*tag= i
/label= I-Ad alpha2
/note= "murine MHC class II I-Ad gene alpha-2 domain"

1353..1505
/*tag= j
/label= I-Ad alpha-TM
/note= "murine MHC class II I-Ad gene alpha-transmembrane domain"

WO9604314-A1.
15-FEB-1996.
31-JUL-1995; 95WO-US009816.
29-JUL-1994; 94US-00283302.
01-FEB-1995; 95US-00382454.
(DADE-) DADE INT INC.
Wong HC, Rhode PR, Weidanz JA, Grammer S, Edwards AC;
Chavallaz P, Jiao J;
WPI; 1996-129343/13.
P-PSDB; AAR98906.
Major histocompatibility complex fusion complex for modulating T cell
activity - used in the treatment of immune disorders, e.g. multiple
sclerosis, IDDM and rheumatoid arthritis.
Example 17; Fig 28; 210pp; English.
AAT17587 encodes a murine MHC fusion complex capable of modulating T cell
activity encoded by the vector SCT1. The MHC fusion complex comprises at
least one MHC molecule containing a peptide-binding groove and a
presenting peptide covalently linked to the MHC molecule and opt. a
transmembrane domain. DNA encoding a MHC fusion complex may be cloned
into a host cell to express the complex. The transformed cells may then
be used to identify peptides that modulate, pref. antagonise, T cell
activity. DNA encoding a MHC fusion complex or a single chain fusion
molecule may be used to vaccinate a mammal against a targeted disorder.
The fusion complexes may be used to suppress an immune response in an
animal suffering from an immune disorder e.g. multiple sclerosis, insulin
-dependent diabetes mellitus, rheumatoid arthritis, myasthenia gravis or
chronic allergies. The complexes may also be used in the treatment of
livestock and pets such as cats and dogs. The MHC fusion complexes can be
produced such that they contain a single antigenic peptide including one
of known structure, additionally a wide range of peptides can be
presented for T cell interaction
SQ Sequence 1508 BP; 337 A; 414 C; 440 G; 317 T; 0 U; 0 Other;

THIS PAGE BLANK (USPTO)

GenCore version 5.1.8
Copyright (c) 1993 - 2006 Bioceleration Ltd.

protein - nucleic search, using frame_plus_p2n model
on: May 31, 2006, 23:04:55 ; Search time 714 Seconds
(without alignments)
4482.160 Million cell updates/sec

US-10-048-116B-6
ect score: 1620
ence: 1 MALQIPSLLSNAVVLMVL.....LKWKLQALKKLAQHHHHHH 306

ing table: BLOSUM62
Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

ched: 5244920 seqs, 3486124231 residues

al number of hits satisfying chosen parameters: 10489840

um DB seq length: 0

um DB seq length: 2000000000

rocessing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

and line parameters:

EL=frame+ p2n.model -DEV=xlh
'abs/ABSSWEB spool/US10048116/runat_31052006_110136_25948/app query.fasta.1
'N Geneseq -OFMT=fastap -SUFFIX=p2n.rng -MINMATCH=0.1 -LOOPCL=0 -LOOPEXT=0
'NS-bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
'ALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
'FMT=ptc -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000 -HOST=abss05h
'R=US10048116 @CGN_1_1_761 @runat_31052006_110136_25948 -NCPU=6 -ICPU=3
'MAP -NEG_SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG -DEV TIMEOUT=120
'N TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6 -FGAPEXT=7
'POP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

ibase : N Geneseq 8.*

1: Geneseqn1980s.*
2: Geneseqn1990s.*
3: Geneseqn2000s.*
4: Geneseqn2001as.*
5: Geneseqn2001bs.*
6: Geneseqn2002as.*
7: Geneseqn2002bs.*
8: Geneseqn2003as.*
9: Geneseqn2003bs.*
10: Geneseqn2003cs.*
11: Geneseqn2003ds.*
12: Geneseqn2004as.*
13: Geneseqn2004bs.*
14: Geneseqn2005s.*
15: Geneseqn2006s.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

alt	Score	Query	Length	ID	Description
1	1620	100.0	921	5 AAF55099	Aaf55099 DNA encod
2	1255.5	77.5	893	2 AAT04262	Aat04262 Hybrid IA
3	1235	76.2	945	12 ADQ31225	Adq31225 I-Ab(beta

4	1219	75.2	915	12	ADQ31228	Adq31228 I-Ab(beta
5	1161.5	71.7	4724	2	AAV12068	Aav12068 Murine IA
6	1151	71.0	1013	2	AAT04269	Aat04269 Hybrid IA
7	1145	70.7	1382	2	AAT17588	Aat17588 Vector SC
8	1145	70.7	1382	2	AAT86989	Aat86989 SCE1 sing
9	1145	70.7	1382	8	ACA60744	Acac60744 Mouse MHC
10	1145	70.7	1385	2	AAT17586	Aat17586 Vector SS
11	1145	70.7	1385	2	AAT86987	Aat86987 SSC1 sing
12	1145	70.7	1385	8	ACA60742	Acac60742 Mouse MHC
13	1145	70.7	1508	2	AAT17587	Aat17587 Vector SC
14	1145	70.7	1508	2	AAT86988	Aat86988 SCT1 sing
15	1145	70.7	1508	2	AAX89069	Aax89069 Single ch
16	1145	70.7	1508	8	ACA60743	Acac60743 Mouse MHC
17	1096.5	67.7	798	12	ADJ75986	Adj75986 Marker ge
18	1096.5	67.7	798	14	ADX26090	Adx26090 Novel cel
19	1093	67.5	1085	4	ABI99040	Abi99040 Murine PC
20	1049.5	64.8	1698	4	ABI99038	Abi99038 Murine PC
21	1044.5	64.5	1662	4	ABI99039	Abi99039 Murine PC
22	979.5	60.5	702	2	AAQ03170	AAq03170 Sequence
23	979.5	60.5	702	2	AAT06286	Aat06286 I-Ab-beta
24	979.5	60.5	702	2	AAQ56920	AAq56920 Mouse I-A
25	972	60.0	1243	6	ABN84048	Abn84048 Single ch
26	963.5	59.5	702	2	AAQ35055	AAq35055 IAB beta
27	957	59.1	1686	4	ABI99031	Abi99031 MBP 1-14
28	957	59.1	1701	4	ABI99028	Abi99028 TAS MBP 1
29	957	59.1	2059	4	ABI99032	Abi99032 MBP 1-14
30	957	59.1	2346	4	ABI99027	Abi99027 TAS MBP 1
31	952	58.8	1707	4	ABI99030	Abi99030 TAS MBP 9
32	949	58.6	1680	4	ABI99021	Abi99021 I-As MBP.
33	949	58.6	2053	4	ABI99029	Abi99029 TAS MBP 9
34	949	58.6	2343	4	ABI99033	Abi99033 MBP 90-10
35	871	53.8	1344	2	AAT60705	Aat60705 cDNA enco
36	854.5	52.7	1323	2	AAT60700	Aat60700 cDNA enco
37	844.5	52.1	861	14	ASC64482	Aac64482 DRB1-biot
38	839.5	51.8	1192	10	AAE63150	Aae63150 Human maj
39	839.5	51.8	1192	10	ADP62751	Adp62751 Human maj
40	839.5	51.8	1192	11	ADP88246	Adp88246 Lung canc
41	839.5	51.8	1192	13	ADR24869	Adr24869 Breast ca
42	833.5	51.5	941	12	ADO40822	Ado40822 DNA encod
43	829	51.2	562	6	ABK63510	Abk63510 Rat seque
44	829	51.2	562	10	ADB57995	Adb57995 Toxicity-
45	829	51.2	562	10	ABT41775	Abt41775 Toxicity

ALIGNMENTS

RESULT 1

AAF5099

ID AAF5099 standard; DNA; 921 BP.

XX AAF5099;

DT 15-MAY-2001 (first entry)

XX DNA encoding a fusion protein comprising a beta chain of MHC.

XX Recombinant protein; alpha chain; beta chain; MHC; immunoglobulin;

XX major histocompatibility complex; Fc region; antigen; T lymphocyte;

XX immunostimulant; vaccine; infection; tumour; ss.

XX Synthetic.

XX Key Location/Qualifiers

FT CDS 1..921

FT /*tag= a

XX WO200109194-A1.

XX 08-FEB-2001.

XX 28-JUL-2000; 2000WO-FR002193.

XX 29-JUL-1999; 99FR-00009862.

(CNRS) CNRS CENT NAT RECH SCI.

Glaichenhaus N. Malherbe L:

WPI: 2001-182944/18.

P-PSDB: AAB67481.

New soluble recombinant protein, useful e.g. as immunostimulant, comprises dimeric major histocompatibility complex molecule fused to immunoglobulin Fc region.

Example 1: page 34-35; 43pp: French:

The specification describes soluble recombinant proteins that comprise at least a dimer formed from the alpha and beta-chains of MHC (major histocompatibility complex) Class I and II molecules in which at least one chain has, attached to its C-terminus, at least part of the Fc region of an immunoglobulin. The recombinant proteins, when linked to an antigenic peptide, are used to count and/or purify antigen-reactive T lymphocytes and to characterize their phenotype, e.g. in preclinical evaluation of vaccines. They are also used as immunostimulants, particularly for vaccine development (against infections and tumours), to count and determine phenotype of autoreactive T cells in subjects with, or at risk of developing, autoimmune diseases, e.g. for staging or evaluating treatments, and (to purify and/or enrich Ag-reactive T cells from cell cultures or patient samples, for use in subsequent curative or preventative cellular therapy. The present sequence encodes a recombinant protein of the invention, comprising a beta chain of MHC molecules

Sequence 921 BP: 214 A; 265 C; 286 G; 156 T; 0 U; 0 Other;

ment Scores:

Length:	6.68e-144	921
Matches:	1620.00	306
Conservative:	100.0%	0
Mismatches:	100.0%	0
Local Similarity:	100.0%	0
Y Match:	100.0%	0
Indels:	5	0
Gaps:	0	0

3-048-116B-6 (1-306) X AAF55099 (1-921)

1	MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu	20
1	ATGGCTCTGCAGATCCCGACGCTCTCTCTCACTAGCTGCTGTGGTGTGCTGATGGTGTG	60
21	SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro	40
61	AGCAGCCCCGGGACTGAGGGCGGAACTCCATCTGCTTTCTGCCGTCGCTGGAGCACCGG	120
41	IleValValSerGlySerTrpAspGlyGlyGlyGlySerLeuValProArgGlySerGly	60
121	ATCGTGGTGTCCGGCAGCTGGGACGGAGGTGGGGGCTACTAGTGGCCCGAGGCTCTGGA	180
61	GlyGlyGlySerGluArgHisPheValValGlnPheIysGlyGluCysTyrTrpThrAsn	80
181	GGTGGAGGCTCCGAAGAGCATTTCTGGTGTCAGTTCAAGGGCGAGTGTACTACACCAAC	240
81	GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg	100
241	GGGACGCGGCATACGGCTCGTGACCAAGATACATCTACACGGGGAGGATCGTGGCG	300
101	TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu	120
301	TACGACAGCCAGCTGGGCGGAGTACC CGCGGTGACCCGAGCTGGGGCGGCAGACGCCGAG	360
121	TyrTrpAsnSerGlnProGluIleLeuGluAaGlyThrArgAlaGluValAspThrAlaCys	140
361	TACTGGAAACGACGACGGAGATCTCTGGAGCGAAACCGGGCCGAGGTGGACACGGGGTCC	420
141	ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn	160
421	AGACACAACTACGAGGGGCGGAGACAGACATCTCTCGCGCGGTCTGAACAGGCCCAAT	480

```

/*tag= h
/notes= "probable primer binding site (primer #270)"
511..825
/*tag= i
/product= "IA beta chain beta 2 region"
521..550
/*tag= j
/notes= "probable primer binding site (primer #271)"
532..554
/*tag= k
/notes= "probable primer binding site (primer #272)"
808..836
/*tag= l
/notes= "probable primer binding site (primer #259)"
877..893
/*tag= m
/notes= "probable primer binding site (primer #232)"

```

W09523814-A1.

08-SEP-1995.

03-MAR-1995; 95WO-US002689.

04-MAR-1994; 94US-00207481.

(NAJE-) NAT JEWISH CENT IMMUNOLOGY & RESPIRATORY.

Kappler JW, Marrack P;

WPI; 1995-320543/41.

P-PSDB; AAR82533.

Peptide-MHC complex comprising antigenic peptide, linker and MHC segment - useful as reagents for the treatment of diseases including auto-immune diseases, immuno-stimulatory diseases or graft-host rejection.

Example 1; Page 53; 94pp; English.

This sequence represents a hybrid IA beta chain gene, containing the chicken ovalbumin peptide (cOVA). This sequence was used in the construction of a hybrid IA alpha beta dimer. The encoded protein (pIAD-OVA) was found to be more stable than the IA alpha beta dimer. The stability was decreased by the addition of a MHC groove specific binding peptide (e.g. see AAR82527, AAR82528 and AAR82531), compared to an increase seen on the addition of a MHC binding peptide to IE k/d-MCC. These complexes may be used to regulate an immune response. The complexes are capable of being recognised by a TCR alone or in combination with additional MHC proteins. These complexes are useful for therapeutic purposes and experimental purposes. They can also be used as reagents for the treatment of diseases including autoimmune diseases, immunodeficiency diseases, immunoproliferation diseases, and graft-host rejection

Sequence 893 BP; 204 A; 239 C; 275 G; 175 T; 0 U; 0 Other;

```

ment Scores:
i. No.: 2,39e-109 Length: 893
e: 1255.50 Matches: 242
ent Similarity: 95.4% Conservative: 6
: Local Similarity: 93.1% Mismatches: 7
y Match: 77.5% Indels: 5
2 Gaps: 1

```

10-048-116B-6 (1-306) x A0404262 (1-893)

- 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValLeuMetValLeu 20
- 61 ATGGCTCTGCAGATCCCGAGCCCTCTCTCTAGCTGCTGCTGCTGCTGCTGCTG 120
- 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
- 121 AGCAGCCCCGGGACTGAGGGCGGAACCTCGTACATGCTGCCCATGCT----- 168

```

QY 41 lleValValSerGlySerTrpAspGlyGlyGlyGlySerLeuValProArgGlySerGly 60
Db 169 ----GAGATCAATGAGCTGGCAGAGAGGTGGGGCTCACTAGTGGCCCCGAGGCTTGA 225
QY 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysTrpTrpThrAsn 80
Db 226 GGTGAGGCTCCGAAAGGCATTTCTGTGTCCAGTTTCAGGGCGAGTGTCTACTACACCAAC 285
QY 81 GlyThrGlnArgIleArgLeuValThrArgTrpIleTrpAsnArgGluGluTrpValArg 100
Db 286 GGGAGCGACGCGATACGGCTCGTGACCATATCACTCAACCGGAGGAGTACGTGCGC 345
QY 101 TyrAspSerAspValGlyGlyTrpArgAlaValThrGluLeuGlyArgProAlaGlu 120
Db 346 TAGGACGCGACGTGGCGAGTACCGCGCGGTGACCGAGCTGGGGCGCCAGACGCCGAG 405
QY 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAlaPheThrAlaCys 140
Db 406 TACTGGAAACAGCCAGCCGAGATCTCTGGAGCGAAGCGGGCGGAGGTGACACGGCGTGC 465
QY 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
Db 466 AGACACAACCTACGAGGGCGCGAGACCACTCTCCCTCGGGCGGCTTGAACAGCCCAAT 525
QY 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
Db 526 GTGCGCATCTCTCTGTCCAGGACAGAGGCCCTCAACACCACACACACACTCTGGTCTGTCG 585
QY 181 ValThrAspPheTyrProAlaLysIleLysValArgTrpPheArgAsnGlyGlnGluGlu 200
Db 586 GTGACAGATTTCTACCCAGCCCAAGATCAAGTCGCGCTGCTTCAAGGAATGCCAGGAGGAG 645
QY 201 ThrValGlyValSerSerThrGlnIleuIleArgAsnGlyAspTrpPheGlnValLeu 220
Db 646 ACAGTGGGGGTCTCATCCACAGCTTATTAGGAATGGGAGCTGGACCTTCCAGGTCCTG 705
QY 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
Db 706 GTCATGCTGGAGATGACCCCTCATCAGGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 765
QY 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db 766 AGCCTGAGAGAGCCCATCACTCTGGAGTGGAGGGCACAGTCCGAGTCTGCCCGGAGCAAG 825

```

RESULT 3

ADQ311225

ID ADQ311225 standard; cDNA; 945 BP.

XX AC ADQ311225;

XX AC ADQ311225;

DT 07-OCT-2004 (first entry)

XX DE I-Ab(beta)-Cholera toxin B subunit-leucine zipper (LZ)-Bira fusion cDNA.

XX class II major histocompatibility complex; MHC; CD4+ T-cell detection;

KW flow cytometry; mucous membrane invasive antigen;

KW I-Ab(beta)-cholera toxin B subunit-leucine zipper-Bira fusion; CTB; ss;

gene.

XX Vibrio cholerae.

OS Unidentified.

XX Key Location/Qualifiers

FT I..945

FT /tag= a

FT /product= "I-Ab(beta)-Cholera toxin B subunit (CTB) -

FT leucine zipper (LZ)-Bira fusion cDNA"

XX JP2004196789-A.

XX 15-JUL-2004.

XX 03-DEC-2003; 2003JP-00404367.

03-DEC-2002; 2002JP-00351818.

(SENT-) SENTAN KAGAKU GIJUTSU INCUBATION CENT KK.

WPI; 2004-546819/53.
P-PSDB; ADQ31224.

Peptide-Class II major histocompatibility complex (MHC) composite, useful for detecting antigen specific CD4+ T-cell, comprises antigen peptide containing epitope of mucous membrane invasive protein, and extracellular region of MHC.

Example 1; SEQ ID NO 10; 30pp; Japanese.

The invention relates to a novel class II major histocompatibility complex (MHC) antigenic peptide composite comprising a peptide containing the T-cell antigenic determinant of a mucous membrane invasive protein and the extracellular region of a class II MHC molecule or at least part of the extracellular region of the class II MHC molecule having an amino acid sequence comprising one or more deletions, substitutions or additions. The molecule of the invention may be useful for detecting an antigen-specific CD4+ T-cell by flow cytometry and for presenting a microorganism-derived mucous membrane invasive protein as an antigen. The method of the invention enables efficient detection of antigen-specific activation of CD4+ T-cells in the mucous membrane. The current sequence is that of the class II major histocompatibility complex-related I-Ab(alpha)-Cholera toxin B subunit (CTB)-leucine zipper (LZ)-Bira fusion cDNA of the invention.

Sequence 945 BP; 230 A; 256 C; 294 G; 165 T; 0 U; 0 Other;

ment Scores:

No.:	2 27e-107	Length:	945
e:	1235.00	Matches:	244
nt Similarity:	84.9%	Conservative:	14
Local Similarity:	80.3%	Mismatches:	42
y Match:	76.2%	Indels:	4
	12	Gaps:	3

3-048-116B-6 (1-306) x ADQ31225 (1-945)

```

1 MetAlaLeuGlnIlePro---SerLeuLeuLeuSerAlaAlaValValLeuMetVal 19
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
4 GTGTCTGAGCTCCCTGGAGTTCCTACATGCGAAAGCTGACAGTGCACACTGATGTG 63

20 LeuSerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHis 39
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
64 CTGAGCTCCCACTGGCTTGGCTGGAGACTCCTCGTGTGGACAAATAAGACGCCGCAC 123

40 ProfileValValSerGlySerTrpAspGlyGlyGlyGlySerLeuValProArgGlySer 59
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
124 GCGATCGCGCCCATCAGCATGCGACGAGGTGTGGTCC---GGTGGAGGGAGT 180

60 GlyGlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysTrpThr 79
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
181 CGAGTGGAGGGTCTGAAAGGCATTCTGTACCAAGTTTCATGGCGAGTGTACTTACC 240

80 AsnGlyThrGlnArgIleArgLeuValThrArgTrpIleTyrAsnArgGluValVal 99
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
241 AACGGGACGCGCATACGATACGATATGTACCATGATACATCTACACCGGGAGGAGTACGTG 300

100 ArgTrpAspSerAspValGlyGlyTrpArgAlaValThrGluLeuGlyArgProAspAla 119
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
301 CGCTACGACGACGAGTGGCGGACGACCGCGGTGTACCGAGTGGGGGCGCCAGACGCC 360

120 GluTrpTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAla 139
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
361 GAGTACTGGAAACAGCAGCGGAGATCTTGGAGCGAAGCGCGGCGAGTGGACAGCGTG 420

140 CysArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgGluGlnPro 159
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
421 TGCAGACACAACTACGAGGGCGGAGACCCACACTCTCTCGCGCGCTTGAACAGCCC 480

```

```

QY 160 AsnValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCys 179
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
Db 481 AATGTGTCATCTCCCTGTCCAGGACAGAGCCCTCAACACCAACACACTCTGGTCTGC 540

QY 180 SerValThrAspPheTyrProAlaIleLysValArgTrpPheArgAsnGlyGlnGlu 199
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
Db 541 TCAGTGCACAGATTCTACCCAGCAAGATCAAGTGCCTGTTCCGGAATGGCCAGGAG 600

QY 200 GluThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnVal 219
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
Db 601 GAGACGGTGGGGTCTCATCCACAGCTTATTAGGAATGGGACTGGACCTTCCAGGTC 660

QY 220 LeuValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHis 239
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
Db 661 CTGGTTCATGCTGGAGATGATGCCCTCGCGGGGAGAGGTCTACACCTGTCACTGGAGCAT 720

QY 240 ProSerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSer 259
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
Db 721 CCCAGCCTGAAGAGCCCATCACTGTGGAGTGGAGGCGACAGTCTGTCAGCA-----GAC 774

QY 260 LysGlyGlyGlySerThrThrAlaProSerAlaGlnLeuLysValLysLeuGlnAla 279
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
Db 775 CTGGTTCGCGCGGATCCACTACAGTCCATCAGCTCAGTTGMAAAGAAACTGCAGGCA 834

QY 280 LeuLysLysLysAsnAlaGlnLeuLysTrpLysLeuGlnAlaLeuLysLysLeuAla 299
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
Db 835 CTTAAGAAAGAAAGACGCTCAGCTGAAGTGGAAACTTCAAGCCCTCAAGAAGAAACTCGCC 894

QY 300 GlnHisHisHis 303
   ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
Db 895 CAGCTGCATCAT 906

```

RESULT 4

ADQ31228
ID ADQ31228 standard; cDNA; 915 BP.

AC ADQ31228;

XX 07-OCT-2004 (first entry)

XX I-Ab(beta)-E. coli heat-labile toxin B subunit-LZ-Bira fusion cDNA.

XX class II major histocompatibility complex; MHC; CD4+ T-cell detection;
 KW flow cytometry; mucous membrane invasive antigen;
 KW I-Ab(beta)-heat-labile toxin B subunit-leucine zipper-Bira fusion; LZB;
 KW ss; gene.

XX Escherichia coli.
 OS Unidentified.

XX Key Location/Qualifiers

XX CDS 1..915

FT /*tag= a

FT /product= "I-Ab(beta)-Escherichia coli heat-labile toxin
 FT B subunit (LZB)-leucine zipper (LZ)-Bira fusion protein"

XX JP2004196789-A.

XX 15-JUL-2004.

XX 03-DEC-2003; 2003JP-00404367.

XX 03-DEC-2002; 2002JP-00351818.

XX (SENT-) SENTAN KAGAKU GIJUTSU INCUBATION CENT KK.

XX WPI; 2004-546819/53.

XX P-PSDB; ADQ31227.

XX Peptide-Class II major histocompatibility complex (MHC) composite, useful
 for detecting antigen specific CD4+ T-cell, comprises antigen peptide
 containing epitope of mucous membrane invasive protein, and extracellular

antigen presenting molecules with one or more accessory molecules. The matrices are used to activate naive CD4+ T cells and to shift the ongoing activation state into a preferred differentiated population of Th1 or Th2 cells. Applications include the treatment of autoimmune disease, e.g. diabetes, multiple sclerosis, autoimmune thyroiditis, systemic lupus erythematosus, myasthenia gravis, Crohn's disease and inflammatory bowel disease, or an allergy, e.g. asthma and contact sensitivity

Sequence 4724 BP; 1196 A; 1194 C; 1200 G; 1134 T; 0 U; 0 Other;

ment Scores:

. No.:	1.85e-99	Length:	4724
3:	1161.50	Matches:	228
nt Similarity:	85.8%	Conservative:	1
Local Similarity:	85.4%	Mismatches:	1
/ Match:	71.7%	Indels:	37
	2	Gaps:	2

0-048-116B-6 (1-306) x AAV12068 (1-4724)

```

1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValMetValLeu 20
|||||
451 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGTGTG 510
|||||

21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
|||||
511 AGCAGCCCGAGGACTGAGCGCGGAAC----- 537
|||||

41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
|||||
537 ----- 537

61 GlyGlyGlySerGluArgHisPheValValGlnPheGlyGlyCysTyrThrAsn 80
|||||
538 -----TCGAAGGCATTTCTGTGTCAGTTCAAGGGCGAGTGTACTACCCAAC 588
|||||

81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluTyrValArg 100
|||||
589 GGGAGCGAGCGCATACGGCTGTGACCAAGATACATCTCAACCGGGAGGAGTACGTGGCG 648
|||||

101 TyrAspSerAspValGlyTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
|||||
649 TACGACAGCGAGTGGCGGAGTACCGCGGTGACCGGAGCTGGGGCGCCAGACGCCGAG 708
|||||

121 TyrTrpAsnSerGlnProGluLeuGluArgThrArgAlaGluValAspThrAlaCys 140
|||||
709 TACTGGACAGCCAGCCGAGATCTCTGGAGCGACCGGGCGAGTGGACACCGCGTGC 768
|||||

141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
|||||
769 AGACACAACACTAGAGGGGCGGAGACCAAGCACCTCCCTCGCGCGGCTTGAACAGCCCAAT 828
|||||

161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisAsnThrLeuValCysSer 180
|||||
829 ATCGCCATCTCCCTGTCCAGGACAGAGCCCTCAACACCACCAACACTCTGTGTGTTCG 888
|||||

181 ValThrAspPheTyrProAlaIleValValArgTyrPheArgAsnGlyGlnGluGlu 200
|||||
889 GTGACAGATTCTTACCCAGCCAGATCAAGTGGCTGTTCAGAAATGGCCAGGAGGAG 948
|||||

201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrThrPheGlnValLeu 220
|||||
949 ACAGTGGGGGTCTCATCCACACAGCTTATTAGGAATGGGAGCTGGACCTTCAGGTCCTG 1008
|||||

221 ValMetLeuGluMetThrProHisGlnGlyValValTyrThrCysHisValGluHisPro 240
|||||
1009 GTCATGCTGGAGATACCCCTCATCAGGAGAGGCTTACATCTGCATGTGGAGCATCCC 1068
|||||

241 SerLeuLysSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerLys 260
|||||
1069 AGCCTGAGAGCCCCATCACTGTGAGTGGAGGGGACAGTCCGAGTCTGCCCGGAGCAAG 1128
|||||

261 -----GlyGlyGlyGly 264

```

Db	1129	ATGTTGAGCGCATCGGGGC	1149
RESULT 6			
AAT04269			
ID	AAT04269	standard; DNA; 1013 BP.	
XX			
AC	AAT04269;		
XX			
DT	16-APR-1996	(first entry)	
XX			
DE	Hybrid IA beta chain gene.		
XX			
KW	Major histocompatibility complex; MHC; T-cell receptor; TCR;		
KW	autoimmune disease; immunodeficiency disease; immune response;		
KW	immunoproliferation disease; graft-host rejection; therapy; B cell;		
KW	M12.C3; pM12-IAB-Ea; 88.		
XX	Synthetic.		
XX			
OS			
XX	Key	Location/Qualifiers	
FT	primer_bind	1..18	
FT		/*tag= a	
FT		/note= "probable primer binding site (primer #76)"	
FT	primer_bind	complement(40..74)	
FT		/*tag= b	
FT		/note= "binding site for primer #362 (see AAT04270)"	
FT	CDS	63..959	
FT		/*tag= c	
FT		/product= "hybrid IA beta chain"	
FT	sig_peptide	63..143	
FT		/*tag= d	
FT		/note= "leader region"	
FT	primer_bind	complement(140..191)	
FT		/*tag= e	
FT		/note= "binding site for primer #363 (see AAT04271)"	
FT	primer_bind	complement(177..226)	
FT		/*tag= f	
FT		/note= "primer #364 binding site"	
FT	primer_bind	complement(212..266)	
FT		/*tag= g	
FT		/note= "primer #365 (see AAT04272) binding site"	
FT	primer_bind	385..403	
FT		/*tag= h	
FT		/note= "probable primer binding site (primer #270)"	
FT	mat_peptide	531..959	
FT		/*tag= i	
FT		/product= "IA beta chain beta 2 region"	
FT	primer_bind	535..564	
FT		/*tag= j	
FT		/note= "probable primer binding site (primer #271)"	
FT	primer_bind	544..568	
FT		/*tag= k	
FT		/note= "probable primer binding site (primer #272)"	
FT	primer_bind	823..850	
FT		/*tag= l	
FT		/note= "probable primer binding site (primer #259)"	
FT	primer_bind	942..976	
FT		/*tag= m	
FT		/note= "probable primer binding site (primer #366)"	
FT	primer_bind	1000..1013	
FT		/*tag= n	
FT		/note= "probable primer binding site (primer #59)"	
XX			
PN	W09523814-A1.		
XX			
PD	08-SEP-1995.		
XX			
PF	03-MAR-1995;	95WO-US002689.	
XX			
PR	04-MAR-1994;	94US-00207481.	
XX			
PA	(NAJE-) NAT JEWISH CENT IMMUNOLOGY & RESPIRATORY.		

Kappler JW, Marrack P;

WPI; 1995-320543/41.
P-PSDB; AAR82538.

Peptide-MHC complex comprising antigenic peptide, linker and MHC segment - useful as reagents for the treatment of diseases including auto-immune diseases, immuno-stimulatory diseases or graft-host rejection.

Example 2; Page 65; 9app; English.

This sequence represents a hybrid IA beta chain gene. This sequence contains a fragment of the IE alpha chain (residues 56-73), as well as a linker and cleavage site. This sequence was transfected into a B cell line (M12.C3) using plasmid pM12-IAB-Ea. It was found that the encoded sequence was expressed in these cells. Complexes such as this may be used to regulate an immune response. The complexes are capable of being recognised by a TCR alone or in combination with additional MHC proteins. These complexes are useful for therapeutic purposes and experimental purposes. They can also be used as reagents for the treatment of diseases including autoimmune diseases, immunodeficiency diseases, immunoproliferation diseases, and graft-host rejection

Sequence 1013 BP; 220 A; 272 C; 327 G; 192 T; 0 U; 2 Other;

ment Scores:

i. No.: 2,31e-99 Length: 1013
e: 1151.00 Matches: 230
ent Similarity: 86.8% Conservative: 6
Local Similarity: 84.6% Mismatches: 22
y Match: 71.0% Indels: 14
Gaps: 4

10-048-116B-6 (1-306) x AAT04269 (1-1013)

1 MetAlaLeuGluIleProSerLeuLeuSerAlaAlaValValLeuMetValLeu 20
63 ATGGCTCTCGAGATCCCGAGCTCCCTCTCGGCTGCTGTGGTGTCTCATGGGCTG 122
21 SerSerProGlyThrGluGlyGlyAenSerIleCysPheSerProSerLeuGluHisPro 40
123 AGCAGCCAGGAGACTGAGGGCGGAGACTCC-----GAACCTAGCTTTGAGGCTCAG 173
41 -----IleValValSerGlySerTrpAepGlyGlyGlySerLeuVal 55
174 GGTGCACCTGCCCAACATTGCTGTCGACAAAGCTGGAGGTGGTGGATCCGGTGA----- 227
56 ProArgGlySerGlyGlyGlySerGluArgHisPheValValGlnPheGlyGlyGlu 75
228 ----GGGGGAAGTGGAGGTGGAGGTCTGAAGGCATTTCGTGTACCATTTCTATGGCGGAG 284
76 CysTyTyThrAsnGlyThrGlnArgIleArgLeuValThrArgTyIleTyArgenArg 95
285 TGCTACTTACCACCGGAGCGGAGCGGCATACGATATGTGACCATACATCTACAACCG 344
96 GluGluTyValArgTyArgSerAepValGlyGlyTyArgAlaValThrGluLeuGly 115
345 GAGGAGTACGTGGCTACGACAGCGACGTGGCGGAGCCGCGGTGACCGAGCTGGGG 404
116 ArgProAspAlaGluTyTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGlu 135
405 CGGCCACAGCGCGAGTACTGGAAACACGCCAGCGGAGATCTGTGAGGAAACCGGGCCGAG 464
136 ValAspThrAlaCysArgHisAenTyGluGlyProGluThrSerThrSerLeuArgArg 155
465 GTGGACACGGTGTGCAGACACACTACGAGGGGCCGAGACCCACACTCCCTGCGGGCGG 524
156 LeuGluGlnProAsnValAlaIleSerLeuSerArgThrGluAlaLeuAenHisAen 175
525 CTTGAACAGCCCAATGTCGTCTCTCCCTGTCCAGGACAGAGGCCCTCAACACCAAC 584
176 ThrLeuValCysSerValThrAspPheTyProAlaLysIleLysValArgTrpPheArg 195

Db 585 ACTCTGGTCTGCTCAGTGACAGATTCTTACCCAGCCAGATCAAGTGGCTGCTCCGG 644
Qy 196 AenglyGlnGluThrValGlyValSerSerThrGlnLeuIleAargHenglyAepTrp 215
Db 645 AATGCCAGGAGGAGACGGTGGGCTCTCATCCACACAGCTTATTAGGAATGGGACTGG 704
Qy 216 ThrPheGlnValLeuValMetLeuGluMetThrProHisGlnGlyGluValTyThrCys 235
Db 705 ACCTTCCAGGTCCTGCTCATGCTGAGATGACCCCTCGCGGGGAGAGGTCTAYACCTGT 764
Qy 236 HisValGluHisProSerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGlu 255
Db 765 CACGTGGAGCATCCAGCTGAGAGCCCCATCATCTGTGGAGTGGAGGGCACAGTCTGAG 824
Qy 256 SerAlaAargSerLys-----GlyGlyGlyGly 264
Db 825 TCTGCTGAGGACAGATGTTGAGCGGCATCGGGGGC 860
RESULT 7
AAT17588
ID AAT17588 standard; DNA; 1382 BP.
XX AAT17588;
DT 26-SEP-1996 (first entry)
XX Vector SCEI-derived single chain gene encoding MHC fusion complex.
DE MHC; major histocompatibility complex; PCR; polymerase chain reaction;
KW T cell activity modulator; antagonist; immune disorder; allergy;
KW multiple sclerosis; insulin-dependent diabetes mellitus;
KW rheumatoid arthritis; myasthenia gravis; ds.
OS Synthetic.
XX
FH Key Location/Qualifiers
FT CDS 6..1382
FT sig_peptide 6..86
FT 6..86
FT /tag= a
FT /tag= b
FT /label= I-Ad beta chain leader
FT /note= "murine MHC class II I-Ad gene beta chain leader
sequence"
FT misc_feature 87..137
FT /tag= c
FT /label= OVA 323-339
FT /note= "chicken ovalbumin residues 323-339"
FT misc_feature 138..167
FT /tag= d
FT /note= "10 residue linker peptide"
FT misc_feature 168..452
FT /tag= e
FT /label= I-Ad beta1
FT /note= "murine MHC class II I-Ad gene beta-1 domain"
FT misc_feature 453..734
FT /tag= f
FT /label= I-Ad beta2
FT /note= "murine MHC class II I-Ad gene beta-2 domain"
FT misc_feature 735..806
FT /tag= g
FT /note= "24 residue peptide linker"
FT misc_feature 807..1067
FT /tag= h
FT /label= I-Ad alpha1
FT /note= "murine MHC class II I-Ad gene alpha-2 domain"
FT misc_feature 1068..1352
FT /tag= i
FT /label= I-Ad alpha2
FT /note= "murine MHC class II I-Ad gene alpha-2 domain"
FT misc_feature 1353..1379
FT /tag= j
FT /note= "EE tag"

WO9604314-A1.

15-FEB-1996.

31-JUL-1995; 95WO-US009816.

29-JUL-1994; 94US-00283302.

01-FEB-1995; 95US-00382454.

(DADE-) DADE INT INC.

Wong HC, Rhode PR, Weidanz JA, Grammer S, Edwards AC;

Chavallaz P, Jiao J;

WPI; 1996-129343/13.

P-PSDB; AAR98907.

Major histocompatibility complex fusion complex for modulating T cell activity - used in the treatment of immune disorders, e.g. multiple sclerosis, IDDM and rheumatoid arthritis.

Example 17; Fi9 29; 210pp; English.

AAT17388 encodes a murine MHC fusion complex capable of modulating T cell activity encoded by the vector SCB1. The MHC fusion complex comprises at least one MHC molecule containing a peptide-binding groove and a presenting peptide covalently linked to the MHC molecule and opt. a transmembrane domain. DNA encoding a MHC fusion complex may be cloned into a host cell to express the complex. The transformed cells may then be used to identify peptides that modulate, pref. antagonise, T cell activity. DNA encoding a MHC fusion complex or a single chain fusion molecule may be used to vaccinate a mammal against a targeted disorder. The fusion complexes may be used to suppress an immune response in an animal suffering from an immune disorder e.g. multiple sclerosis, insulin dependent diabetes mellitus, rheumatoid arthritis, myasthenia gravis or chronic allergies. The complexes may also be used in the treatment of livestock and pets such as cats and dogs. The MHC fusion complexes can be produced such that they contain a single antigenic peptide including one of known structure, additionally a wide range of peptides can be presented for T cell interaction

Sequence 1382 BP: 320 A; 374 C; 404 G; 284 T; 0 U; 0 Other;

ment Scores:

1. No.:	1.3e-98	Length:	1382
2.3:	1145.00	Matches:	227
3. Similarity:	87.2%	Conservative:	4
4. Local Similarity:	85.7%	Mismatches:	24
5. Match:	70.7%	Indels:	10
		Gaps:	3

0-048-116B-6 (1-306) x AAT17588 (1-1382)

1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValLeuMetValLeu 20
6 ATGGCTCTCAGATCCCGACCTCTCTCTCAGCTGCTGTGTGTGTGATGGTGTG 65
21 SerSerProGlyThrGluGlyGlyAenSerIleCysPheSerProSerLeuGluHisPro 40
66 ACAGCCCAAGACCTTAAGTATCTCTCAGGCTGTTACGCTGCTCACGCTGAA----- 119
41 IleValValSerGlySerTrpaspGlyGlyGlyGlySerLeuValProArgGlySerGly 60
120 ATCAACGAAGACTGGTCTGTAGCGAGGGGGCGGAAGC-----GGCGGA 164
61 GlyGlyGlySerGluAargHisPheValValGlnPheLeuGlyGlyCysTyrTyrThrAen 80
165 GGGGGGNAATCTCGAAGAGCATTTCTGGTGGTCCAGTTTCAGGGGAGTGTCTACACCAAC 224
81 GlyThrGlnAargIleArgLeuValThrArgTyrIleTyrAsnArgGluGlyTyrValArg 100
225 GGGAGCCAGCGATACGGTCTGTGACACAGATACATCTCAACCGGAGGAGTACGTGGCG 284

Chavallaz P, Jiao J;

WPI; 1996-129343/13.

P-PSDB; AAR98905.

Major histocompatibility complex fusion complex for modulating T cell activity - used in the treatment of immune disorders, e.g. multiple sclerosis, IDDM and rheumatoid arthritis.

Example 17; Fig 27; 210pp; English.

AAT1586 encodes a murine MHC fusion complex capable of modulating T cell activity encoded by the vector SSCI. The MHC fusion complex comprises at least one MHC molecule containing a peptide-binding groove and a presenting peptide covalently linked to the MHC molecule and opt. a transmembrane domain. DNA encoding a MHC fusion complex may be cloned into a host cell to express the complex. The transformed cells may then be used to identify peptides that modulate, pref. antagonise, T cell activity. DNA encoding a MHC fusion complex or a single chain fusion molecule may be used to vaccinate a mammal against a targeted disorder. The fusion complexes may be used to suppress an immune response in an animal suffering from an immune disorder e.g. multiple sclerosis, insulin dependent diabetes mellitus, rheumatoid arthritis, myasthenia gravis or chronic allergies. The complexes may also be used in the treatment of livestock and pets such as cats and dogs. The MHC fusion complexes can be produced such that they contain a single antigenic peptide including one of known structure, additionally a wide range of peptides can be presented for T cell interaction

Sequence 1385 BP; 316 A; 384 C; 398 G; 287 T; 0 U; 0 Other;

inment Scores:

i. No.:	1.3e-98	Length:	1385
re:	1145.00	Matches:	227
cent Similarity:	87.2%	Conservative:	4
Local Similarity:	85.7%	Mismatches:	24
ry Match:	70.7%	Indels:	10
	2	Gaps:	3

'0-048-116B-6 (1-306) x AAT17586 (1-1385)

1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValLeuMetValLeu 20
6 ATGGCTGTGAGATCCCCAGCCTCTCTCTCAGCTGCTGTGGTGTGCTGATGGTGTG 65
21 SerSerProGlyThrGluGlyGlyAanSerIleCysApeSerProSerLeuGluHisPro 40
66 AGCAGGCCCAAGACCTTAAGTATCTCTCAGGCTGTTACGCTGCTCACGCTGAA----- 119
41 IleValValSerGlySerTrpAspGlyGlyGlyGlySerLeuValProArgGlySerGly 60
120 ATCAACGAGACTGGTGGTGTAGCGAGGGGGCGGAAGC-----GGCGGA 164
61 GlyGlyGlySerGluAargHispheValValGlnPheIysGlyGluCysTyrThrAan 80
165 GGGGGAAACTCCGAAGAGCAATTTCTGGTCTCAAGTTCAAGGGCGAGTGTACTACACCAAC 224
81 GlyThrGlnAargIleAargLeuValThrArgTyrIleTyrAsnAargGluGlyTyrValArg 100
225 GGGACGCGAGCGCATACGGCTCGTGACCAGATACATCTACAAACGGGAGGAGTACGTGGCG 284
101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
285 TACGACACGACGTGGCGGAGTACCGCGGGGTGACCGAGCTCGGGCGGGCCAGACGCCGAG 344
121 TyrTrpAsnSerGlnProGluIleLeuGluAargThrArgAlaGluValAspThrAlaCys 140
345 TACTGGNACACCGCCGGAGATCTCTGGAGCGAAGCGGGGCCGAGGTGGACACGGGCTGC 404
141 ArgHisAanTyrGluGlyProGluThrSerThrSerLeuAargLeuGluGlnProAsn 160
405 AGACACAACCTTACAGAGGGCCGAGACAGCACCTCTCTCGGGCGGTGTGACAGCCCAAT 464

nt Similarity: 87.2% Conservative: 4
 Local Similarity: 85.7% Mismatches: 24
 / Match: 70.7% Indels: 10
 Gaps: 3

J-048-116B-6 (1-306) x AAT86987 (1-1385)

1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu 20
 6 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGGTGTG 65
 21 SerSerProGlyThrGluGlyGlyAenSerIleCysPheSerProSerLeuGluHisPro 40
 66 AGCAGCCCAAGACCTTAAGTATCTCTCAGGCTGTTCACGCTCTCAGCTGAA----- 119
 41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
 120 ATCAACGAGCTGGTGGTCTAGCGGAGGGGGCGGAAGC-----GGCGGA 164
 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysTyrTrpThrAsn 80
 165 GGGGGAACCTCCGNAAGCAATTCGTGGTCCAGTTCAGGGCGAGTGTACTACACCAAC 224
 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
 225 GGGACCGACGCGATACGGCTCGTGACCAAGATACATCTACACCGGGAGGAGTACGTGGC 284
 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyValArgProAspAlaGlu 120
 285 TACGACGCGAGCTGGCGAGTACCGCGGTGACCGAGCTGGGGCGGCCAGACCGCGAG 344
 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
 345 TACTGGAACAGCCAGCGAGATCTCGAGCGAACCGCGCGAGTGGACACGCGCTGC 404
 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
 405 AGACACAACTACGAGGGCGGAGACCAACACCTCTCCCTCGCGCGCTGTGAACAGCCCAAT 464
 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisAsnThrLeuValCysSer 180
 485 GTGCGCATCTCCCTGTCCAGACAGAGAGCCCTCAACACCAACACACTCTGGTCTGTTCG 524
 181 ValThrAspPheTyrProAlaIleLysValArgTrpPheArgAsnGlyGlnGluGlu 200
 525 GTGACAGATTTCTACCCAGCAAGATCAAAGTGGCTGTTCCAGGAATGGCCAGGAGAG 584
 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu 220
 585 ACAGTGGGGGTCTCATCCACAGACTTATTAGGAATGGGAGTGGACCTTCCAGGTCTCTG 644
 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
 645 GTCATGTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCATGTGGAGGATCCC 704
 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
 705 AGCCTGAAGAGCCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
 261 GlyGlyGlyGlySer 265
 756 GCGCGTGGTGGTTC 770

J 12
 1742
 ACA60742 standard; DNA; 1385 BP.
 ACA60742;
 16-JUN-2003 (first entry)
 Mouse MHC I-Ad/Ova 323-339 synthetic gene SSC1.

KW MHC; major histocompatibility complex; gene therapy; fusion complex;
 KW peptide-binding groove; T cell modulation; class II MHC; vaccine;
 KW autoimmune disorder; multiple sclerosis; rheumatoid arthritis;
 KW insulin-dependent diabetes mellitus; myasthenia gravis; immunogen;
 KW chronic allergy; mouse; ds; I-Ad; gene.
 XX Mus sp.
 OS Synthetic.
 XX US2002198144-A1.
 XX 26-DEC-2002.
 XX 06-JUL-2001; 2001US-00900379.
 XX 29-JUL-1994; 94US-00283302.
 PR 01-FEB-1995; 95US-00382454.
 PR 17-JAN-1997; 97US-00776084.
 XX (DADE-) DADE INT INC.
 XX Wong HC, Rhode PR, Weidanz JA, Grammer S, Edwards AC;
 PI Chavallaz P, Jiao JJ;
 XX WPI; 2003-341126/32.
 DR P-PSDB; ABU72106.
 XX Novel major histocompatibility complex fusion complex having presenting
 PT peptide covalently linked to MHC molecule containing peptide-binding
 PT groove, used for suppressing immune response in multiple sclerosis,
 PT allergies.
 XX Example 17; Fig 27; 126pp; English.
 CC The invention relates to a major histocompatibility complex (MHC) fusion
 CC complex (I) comprising an MHC molecule that contains a peptide-binding
 CC groove, and a presenting peptide covalently (e.g. an antigenic peptide)
 CC linked to the MHC molecule, where (I) is capable of modulating the
 CC activity of a T cell. Also included are a DNA construct coding for the
 CC activity of a T cell. Also included are a class II MHC (e.g. mouse I-Ad or I-
 CC As, or human HLA-DRI (human leukocyte antigen-DRI)), a multivalent MHC
 CC fusion complex comprising two or more linked complexes, identifying a
 CC peptide that can modulate the activity of T cells (involving introducing
 CC into host cells cloning vectors that each contain the fusion complex DNA,
 CC culturing the host cells under conditions suitable for expression of the
 CC MHC fusion complex, and selecting host cells that express MHC fusion
 CC complex that modulate the activity of T cells), a single recombinant
 CC expression vector comprising DNA that codes for the alpha and beta chains
 CC of the fusion complex MHC protein, a single recombinant expression vector
 CC comprising DNA that codes for a T cell costimulatory factor and the alpha
 CC and beta chains of the MHC fusion complex. The DNA constructs can contain
 CC heterologous leader peptide sequences and Kozak sequence for efficient
 CC expression of the fusion complex. Also included are inducing an immune
 CC response in a mammal (including vaccinating a mammal against a targeted
 CC disorder, by administering DNA sequence comprising a fusion complex, or
 CC DNA sequence coding for a fusion complex which is a single chain fusion
 CC molecule) and suppressing an immune response in a mammal by administering
 CC to the mammal a DNA sequence comprising an expression vector, encoding a
 CC full length MHC molecule that contains a transmembrane domain, and a
 CC presenting peptide that is a T cell receptor (TCR) antagonist or partial
 CC agonist and is covalently linked to the MHC protein, or DNA sequence
 CC coding for the fusion complex which is a single chain fusion molecule.
 CC The methods are useful for identifying a peptide that can modulate the
 CC activity of T cells, inducing an immune response in a mammal (including
 CC vaccinating a mammal against a targeted disorder) and for suppressing an
 CC immune response in a mammal. The disorders include an autoimmune disorder
 CC such as multiple sclerosis, insulin-dependent diabetes mellitus,
 CC rheumatoid arthritis, myasthenia gravis or chronic allergies. The present
 CC sequence encodes a mouse MHC class II I-Ad fusion complex of the
 CC invention
 XX Sequence 1385 BP; 316 A; 383 C; 399 G; 287 T; 0 U; 0 Other;

iment Scores:

i. No.:	1.3e-98	Length:	1385
e:	1145.00	Matches:	227
ent Similarity:	87.2%	Conservative:	4
Local Similarity:	85.7%	Mismatches:	20
y Match:	70.7%	Indels:	14
	8	Gaps:	3

10-048-116B-6 (1-306) x ACM60742 (1-1385)

```

1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
6 ATGGCTCTCAGATCCCAAGCCTCTCTCTCAGCTGCTGCTGCTGCTGCTGCTGCTG 65
21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTTCAAGCTGCTCAGCTGAA----- 119
41 IleValValSerGlySerTrpAspGlyGlyGlyGlySerLeuValProArgGlySerGly 60
120 ATCAACGAAGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 164
61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrTyrThrAsn 80
165 GGGGGAACCTCCGAAAGGCATTTCGTGCTCCAGTTCAGGCGGAGTCTACTACACCAAC 224
81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
225 GGGGCGCAGCGATACGGCTCGTACCATATCTACACCGGAGGAGTACGTGCGC 284
101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyValArgProAspAlaGlu 120
285 TAGCAGCAGCGAGTGGCGGAGTACCGCGCGGTGACCGAGCTGGGGGGCCAGACGCCGAG 344
121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
345 TACTGGACAGCAGCGCGGAGATCCTGGAGCGAAGCGCGGCGGAGTGGACACGGCGTGC 404
141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
405 AGACACACACTACGAGGGCGGAGACAGCACCTCTCCGCGCGGTTCGACAGCCCAAT 464
161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisAsnThrLeuValCysSer 180
465 GTGCGCATCTCCGTGTCAGGACAGAGGCGCTCAACACCAACTCTGTGCTGTTCG 524
181 ValThrAspPheTyrProAlaLysIleLysValArgTyrPheArgAsnGlyGlnGluGlu 200
525 GTGACAGATTTCTACCCAGCCAGATCAAGTGGCTGTTTCAAGATGCGCAGGAGGAG 584
201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrThrPheGlnValLeu 220
585 ACAGTGGGGGTCTCTCCACACAGCTATTAGGAATGGGAGCTGGACCTTCCAGGTCTCG 644
221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
645 GTCATCTCGAGATGACCTCTATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
241 SerLeuLysSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerLys 260
705 AGCCTGAAGAGCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
261 GlyGlyGlyGlySer 265
756 GCGCGTGGTGGTTC 770

```

LT 13

.7587
AAT17587 standard; DNA; 1508 BP.

AAT17587;

26-SEP-1996 (first entry)

XX	Vector SCTI-derived single chain gene encoding MHC fusion complex.
DE	MHC; major histocompatibility complex; PCR; polymerase chain reaction;
XX	T cell activity modulator; antagonist; immune disorder; allergy;
KW	multiple sclerosis; insulin-dependent diabetes mellitus;
KW	rheumatoid arthritis; myasthenia gravis; ds.
XX	Synthetic.
OS	
XX	
XX	Location/Qualifiers
FT	6..1508
FT	/tag= a
FT	6..86
FT	/tag= b
FT	/label= I-Ad beta chain_leader
FT	/note= "murine MHC class II I-Ad gene beta chain leader
FT	sequence"
FT	87..137
FT	/tag= c
FT	/label= OVA_323-339
FT	/note= "chicken ovalbumin residues 323-339"
FT	138..167
FT	/tag= d
FT	/note= "10 residue linker peptide"
FT	168..452
FT	/tag= e
FT	/label= I-Ad beta1
FT	/note= "murine MHC class II I-Ad gene beta-1 domain"
FT	453..734
FT	/tag= f
FT	/label= I-Ad beta2
FT	/note= "murine MHC class II I-Ad gene beta-2 domain"
FT	735..806
FT	/tag= g
FT	/note= "24 residue peptide linker"
FT	807..1067
FT	/tag= h
FT	/label= I-Ad alpha1
FT	/note= "murine MHC class II I-Ad gene alpha-2 domain"
FT	1068..1352
FT	/tag= i
FT	/label= I-Ad alpha2
FT	/note= "murine MHC class II I-Ad gene alpha-2 domain"
FT	1353..1505
FT	/tag= j
FT	/label= I-Ad alpha-TM
FT	/note= "murine MHC class II I-Ad gene alpha-transmembrane
FT	domain"
XX	
PN	WO9604314-A1.
XX	
PD	15-FEB-1996.
XX	
PF	31-JUL-1995; 95WO-US009816.
XX	
PR	29-JUL-1994; 94US-00283302.
PR	01-FEB-1995; 95US-00382454.
XX	
PA	(DADE-) DADE INT INC.
XX	
PI	Wong HC, Rhode PR, Weidanz JA, Grammer S, Edwards AC;
PI	Chavallaz P, Jiao J;
XX	
DR	WPI; 1996-129343/13.
DR	P-PSDB; AAR98906.
XX	
PT	Major histocompatibility complex fusion complex for modulating T cell
PT	activity - used in the treatment of immune disorders, e.g. multiple
XX	sclerosis, IDDM and rheumatoid arthritis.
PS	Example 17; Fig 28; 210pp; English.
XX	

Sequence 1508 BP; 337 A; 414 C; 440 G; 317 T; 0 U; 0 Other;

ment Scores:					
NO.:	1.46e-98	Length:	1508		
3:	1145.00	Matches:	227		
nt Similarity:	87.2%	Conservative:	4		
Local Similarity:	85.7%	Mismatches:	24		
Match:	70.7%	Indels:	10		
	2	Gaps:	3		

) -048-116B-6 (1-306) x AAT17587 (1-1508)

1	MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu	20
6	ATGGCTCTGCAGATCCCAAGCCTCCTCTCTCAGCTGCTGTGGTGTGTGATGGTGGCTG	65
21	SerSerProGlyThrGluGlyGlyAanSerIleCysPheSerProSerLeuGluHisPro	40
66	AGACGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTACGCTGCTCAGCTGAA-----	119
41	IleValValSerGlySerTrpAaspGlyGlyGlyGlySerLeuValProArgGlySerGly	60
120	ATCAACGAAGCTGGTCTGTCTAGCGAGGGGGCGGAAGC-----GCGCGA	164
61	GlyGlyGlySerGluArgHisPheValValGlnPheIysGlyGluCysTyrTyrThrAan	80
165	GGGGGAACCTCCGAAGAGCATTTCTGTGTCAGTTCAAGGGCGAGTGTACTATACCAAC	224
81	GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAanArgGluGluTyrValArg	100
225	GGGACGCGAGCGCATACGGCTCGTGACCAGATACATCTACAACCGGGAGGAGTACGTGGC	284
101	TyrAaspSerAaspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAaspAlaGlu	120
285	TACGACAGCGACGTGGGCGAGTACCGCGCGTCAACCGAGCTCGGGGGCGGCAGACGCGGAG	344
121	TyrTrpAasnSerGlnProGluIleLeuGluuArgThrArgAlaGluValAaspThrAlaCys	140
345	TACTGGAAACAGCAGACGGAGATCTCTGGACGAAACGGGGCCGAGGTGGACACGGCGTGC	404
141	ArgHisAasnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAasn	160
405	AGACACAACCTACGAGGGGGCGGAGACCAGCACCTCCCTCGCGCGGCTTGAACAGACCCAAT	464
161	ValAlaIleSerLeuSerArgThrGluAlaLeuAasnHisHisAasnThrLeuValCysSer	180
465	GTGCGCATCTCCCTGTCTCAGGACAGAGGGCCCTCAACCCACACAACTCTGTGGTCTGTTCG	524
181	ValThrAaspPheTyrProAlaValIleLysValArgTyrPheArgAasnGlyGlnGluGlu	200
525	GTGACAGATTTCTACCCAGCCAGATCAAGTGGCTGTGTTACAGGAATGGCCAGAGGAG	584
201	ThrValGlyValSerSerThrGlnLeuIleArgAasnGlyAaspTrpThrPheGlnValLeu	220
585	ACAGTGGGGTCTCATCCACAGCTTATTAGGAATGGGACCTGGACCTTCCAGGTCTGTG	644

Qy	221	ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro	240
Db	645	GTCATGCTGGAGATGACCCCTCATCGGAGAGGTCTACCTGCCATGTGGAGCATCC	704
Qy	241	SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaAargSerLys	260
Db	705	AGCTGAAGAGCCCCCATCTGTGGATGG-----ACTAGTGGTGGCGGTGGCAGC	755

Qy 261 GlyGlyGlyGlySer 265
pb 756 GGCGGTGGTGGTTCC 770

RESULT 14

REC-21
AAT86988
ID AAT86988 standard: DNA: 1508 BP.

AA
AC
AAT86988;

DT 27-MAR-1998 (first entry)

DE SCT1 single chain gene.

Construction; major histocompatibility complex; MHC; fusion complex; KW

KW SCT1 single chain gene; ss.

OS Synthetic.

Key	Location/Qualifiers
CDS	6. .1508
FT	/*tag= a
FT	

XX PN WO9728191-A1.

07-AUG-1997.

30-JAN-1997: 97WO-US001617.

AA
PR 31-JAN-1996; 96US-00596387.

PA (DADE-) DADE INT INC.

PI Rhode PR, Jiao J, Burkhardt M, Wong HC;

WPI: 1997-402555/37.

DR P-PSDB; AAW29213.

Single chain major histocompatibility complex comprising linked alpha and beta chains - useful for suppressing an immune response to an auto-immune disease, e.g. multiple sclerosis, rheumatoid arthritis, diabetes mellitus. etc.

XX
PS
Example 17: Page 137-139: 217pp: English.

CC The present sequence was used in the construction of major
CC histocompatibility complex (MHC) fusion complexes
CC

Sequence 1508 BP: 337 A: 413 C: 441 G: 317 T: 0 U: 0 Other: 0

Alignment Scores:		
Pred. No.:	1.46e-98	Length:
Score:	1145.00	Matches:
Percent Similarity:	87.2%	Conservative:
Best Local Similarity:	85.7%	Mismatches:
Query Match:	70.7%	Indels:
DR:	2	Gaps:
		10
		3
		1508
		227
		4
		24
		10
		3

US-10-048-116B-6 (1-306) X AAT86988 (1-1508)

1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValLeuMetValLeu 20

db
6 ATGGCTCTGCAGATCCCCAGCCCTCCTCCTCAGCTGCTGTGGTGGTGCTGATGGTCTG 65

21 SerSerProGlyThrGluGlyGlyAenSerIleCysPheSerProSerLeuGluHisPro 40
 66 AGAGCCCAAGAGCCTTAAGTATCTCTCAGGCTGTTACGCTGCTCACGCTGAA-----119
 41 IleValValSerGlySerTrpAepGlyGlyGlyGlySerLeuValProArgGlySerGly 60
 120 ATCAACGAAGCTGGTCTGCTAGCGGAGGGGGGAAGC-----GGCGGA 164
 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysTyrThrAsn 80
 165 GGGGGAACCTCCGAAGGATTTCTGGTGTCCAGTTCACGGGAGGAGTACTACACCAAC 224
 81 GlyThrGlnArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
 225 GGGACGACGCGATACGGCTCGTGACCATATCTACACGGGAGGAGTACGTGCC 284
 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
 285 TAGCAGCAGGAGCTGGGCGAGTACCGCGGTTGACCGAGCTGGGGCGGCAGACGGCAG 344
 121 TyrTrpAsnSerGlnProGluLeuLeuGluArgThrArgAlaGluValAspThrAlaCys 140
 345 TACTGGACAGCGAGCGGAGATCTCTGAGCGAAGCGGGCGGAGGTGACACGGCGTGC 404
 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgGluGlnProAsn 160
 405 AGACACAACTAGAGGGGGCGGAGACCGACCTCTCCGCGGCTTGAACAGGCCCAAT 464
 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisGlyAsnThrLeuValCysSer 180
 465 GTCCGCACTCTCCGTCTCAGGACAGAGGCGCTCAACACCAACACACACTCTGGTCTGTCG 524
 181 ValThrAspPheTyrProAlaIleLysValArgTyrPheArgAsnGlyGlnGluGlu 200
 525 GTGACAGATTCTACCCAGCAGATCAAGTCAAGTGGCTGCTCAGGAATGCCAGGAGGAG 584
 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrThrPheGlnValLeu 220
 585 ACAGTGGGGGTCTCATCCACAGACTTATAGGAATGGGAGCTGGACCTTCCAGGTCTCG 644
 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
 645 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCATGTGGAGCATCCC 704
 241 SerLeuLysSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerLys 260
 705 AGCCTGAGAGGCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
 261 GlyGlyGlyGlySer 265
 756 GGGCGGTGGGTGCTCC 770

JLT 15

:9069

AAX89069 standard; DNA; 1508 BP.

AAX89069;

14-SEP-1999 (first entry)

Single chain Tad/OVA 323-229 MHC fusion protein encoding DNA.

Major histocompatibility complex; MHC; single chain MHC; sc-MHC; Ig; peptide binding groove; immunoglobulin; T cell receptor; immune response; immune-related disorder; antigenic peptide; fusion protein; ss.

Synthetic.

W09921572-A1.

06-MAY-1999.

13-OCT-1998; 98WO-US021520.

XX 29-OCT-1997; 97US-00960190.
 PR (SUNO-) SUNOL MOLECULAR CORP.
 XX Rhode PR, Acevedo J, Burkhardt M, Jiao J, Wong HC;
 XX WPI; 1999-418411/35.
 DR P-PSDB; AAY27111.
 XX Single chain major histocompatibility complex class I complexes.
 XX Example 1; Fig 1; 148pp; English.
 CC The invention relates to new single chain major histocompatibility complex (sc-MHC) class I complexes that comprise a peptide binding groove, and a modified class II beta 2 chain or covalently linked immunoglobulin (Ig) light chain constant (CI) region. The MHC complexes are useful for detection and analysis of peptide ligands, pathogenic T-cells, for functional, cellular and molecular assays. They can be used to identify and isolate T cell receptor and/or MHC agonists and antagonists. They can be used in vivo to compete with pathogenic antigen presenting cells involved in immune-related disorders. They can also be used to raise antibodies and to screen immune cells. It is also use in a method of suppressing an immune response in mammals. The sc-MHC complexes comprising modified class II beta 2 chains and/or Ig-CI regions are soluble and provide enhanced yield. These MHC complexes also can contain single antigenic peptides readily isolated from expressing cells in significant quantities. The polyspecific MHC complexes also provide a means to detect cells expressing multiple target structures with a single complex. The present sequence represents a DNA encoding a single chain IAd/OVA 323-229 MHC fusion protein

XX SQ Sequence 1508 BP; 337 A; 413 C; 441 G; 317 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.: 1,46e-98 Length: 1508
 Score: 1145.00 Matches: 227
 Percent Similarity: 87.2% Conservatives: 4
 Best Local Similarity: 85.7% Mismatches: 24
 Query Match: 70.7% Indels: 10
 DB: 2 Gaps: 3

US-10-048-116B-6 (1-306) x AAX89069 (1-1508)

QY 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
 Db 6 ATGGCTCTGCAGATCCCGAGCCTCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTGTG 65
 QY 21 SerSerProGlyThrGluGlyGlyAenSerIleCysPheSerProSerLeuGluHisPro 40
 Db 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTACGCTGCTCACGCTGAA-----119
 QY 41 IleValValSerGlySerTrpAepGlyGlyGlyGlySerLeuValProArgGlySerGly 60
 Db 120 ATCAACGAAGCTGGTCTGCTAGCGGAGGGGGGAAGC-----GGCGGA 164
 QY 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysTyrThrAsn 80
 Db 165 GGGGGAACCTCCGAAGGATTTCTGGTGTCCAGTTCACGGGAGGAGTACTACACCAAC 224
 QY 81 GlyThrGlnArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
 Db 225 GGGACGACGCGATACGGCTCGTGACCATATCTACACGGGAGGAGTACGTGCC 284
 QY 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
 Db 285 TAGCAGCAGGAGCTGGGCGAGTACCGCGGTTGACCGAGCTGGGGCGGCAGACGGCAG 344
 QY 121 TyrTrpAsnSerGlnProGluLeuLeuGluArgThrArgAlaGluValAspThrAlaCys 140
 Db 345 TACTGGACAGCGGAGATCTCTGAGCGAAGCGGGCGGAGGTGACACGGCGTGC 404

```
141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
|||||
405 AGACACAACACTAGCAGGGGCGGAGACCACCTCCCTGCGGGGCTTGAACAGCCCAAT 464
|||||
161 VallalalleSerLeuSerArgThrGluAlaLeuAsnHisAsnThrLeuValCysSer 180
|||||
465 GTCGCCATCTCCCTGTCCAGGACAGAGGCCCTCAACACCACACAACTCTGGTCTGTTCG 524
|||||
181 ValThrAspPheTyrProAlaLysIleLysValArgTyrPheArgAsnGlyGlnGluGlu 200
|||||
525 GTGACAGATTCTTACCCAGCCCAAGATCAAGTGCCTGTTTCAGGAATGGCCAGGAGAG 584
|||||
201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrThrPheGlnValLeu 220
|||||
585 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGGACCTTCCAGGTCCTG 644
|||||
221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
|||||
645 GTCATGCTGGAGATGACCCCTCATCAGGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
|||||
241 SerLeuLysSerProIleThrValGluTyrPArgAlaGlnSerGluSerAlaArgSerLys 260
|||||
705 AGCCTGAAGAGCCCCCATCACTGTGGAGTGG-----ACTAGTGTGGGGTGGCAGC 755
|||||
261 GlyGlyGlyGlySer 265
|||||
756 GCGGGTGGTGGTTCC 770
|||||
```

Job completed: May 31, 2006, 23:17:04
Time : 723 secs

```

GenCore version 5.1.8
Copyright (c) 1993 - 2006 Bioceleration Ltd.

protein - nucleic search, using frame_plus_p2n model

on: May 31, 2006, 22:52:13 ; Search time 5232.37 Seconds
(without alignments)
5096.366 Million cell updates/sec

le: US-10-048-116B-2_COPY_1_278
fect score: 1496
quence: 1 MFCSRALIGVLNLTMSL.....QAASBRGPTIKPCPKCP 278

ding table: BLOSUM62
Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

ched: 6366136 seqs, 31973710525 residues

al number of hits satisfying chosen parameters: 12732272

imum DB seq length: 0
imum DB seq length: 2000000000

t-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

mand line parameters:
DEL=frame+p2n.model -DBV=xlh
/abses/ABSSWEB spool/US10048116/runat_31052006_110045_25595/app_query.fasta_1
3-GenEmbl -QFMT=fastap -SUFFIX=p2n.rge -MINMATCH=0.1 -LOOPEL=0 -LOOPEXT=0
VITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
DALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
JFMT=pco -NORM=ext -HEAPSIZ=500 -MINLEN=0 -MAXLEN=2000000000 -HOST=abes04
SER=US10048116 @CGN_1_1_5767 @runat_31052006_110045_25595 -NCPU=6 -ICPU=3
MMAP -NEG SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG -DEV_TIMEOUT=120
RN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6 -FGAPEXT=7
APOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

abase : GenEmbl.*
1: gb_env.*
2: gb_pat.*
3: gb_ph.*
4: gb_pl.*
5: gb_pr.*
6: gb_ro.*
7: gb_ats.*
8: gb_sy.*
9: gb_un.*
10: gb_vi.*
11: gb_ov.*
12: gb_hcg.*
13: gb_in.*
14: gb_om.*
15: gb_ba.*

```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

ult NO.	Score	Query Length	ID	Description
1	1496	100.0	1484	AX081280 Sequence
2	1182	79.0	978	K01923 Mouse MHC c
3	1182	79.0	4713	AR199665 Sequence

4	1161	77.6	771	6	AY452201	Mus muscu
5	1107	74.0	1085	6	BC029620	Mus muscu
6	1100	73.5	1110	6	BC043925	Mus muscu
7	1078	72.1	776	2	AR106256	Sequence
8	1078	72.1	776	2	AR229608	Sequence
9	1078	72.1	776	2	AR363023	Sequence
10	1078	72.1	1084	6	BC019721	Mus muscu
11	1078	72.1	1109	6	BC031711	Mus muscu
12	1075	71.9	978	6	MMMH01	Mouse fragm
13	1075	71.9	978	6	MUSMHIATAA	M21931 Mouse MHC c
14	1069	71.5	776	6	AR365183	Sequence
15	1065.5	71.2	1508	2	AR033963	Sequence
16	1065.5	71.2	1508	2	AR152030	Sequence
17	1065.5	71.2	1508	2	AR175096	Sequence
18	1065.5	71.2	1508	2	CS079300	Sequence
19	1065.5	71.2	1508	2	AX032544	Sequence
20	1057	70.7	942	6	MMTEANON	X52643 Mouse mRNA
21	1056.5	70.6	1508	2	BD138632	Soluble M
22	1048	70.1	932	6	MUSMHIATAA	K01922 Mouse MHC c
23	1048	70.1	942	6	AF119253	Mus muscu
24	1048	70.1	942	6	AF119254	Mus muscu
25	1020	68.2	998	6	MUSMHIATAA	K01924 Mouse MHC c
26	1007.5	67.3	1382	2	AR033964	Sequence
27	1007.5	67.3	1382	2	AR175097	Sequence
28	1007.5	67.3	1382	2	CS079301	Sequence
29	1007.5	67.3	1382	2	AX032545	Sequence
30	1000	66.8	886	6	MUSMHIATAA	M11356 Mouse MHC c
31	996	66.6	828	6	AF065910	Mus muscu
32	996	66.6	828	6	AF065911	Mus muscu
33	996	66.6	886	6	MUSMHIATAA	M11358 Mouse MHC c
34	993.5	66.4	1385	2	AR033962	Sequence
35	993.5	66.4	1385	2	AR175095	Sequence
36	993.5	66.4	1385	2	CS079299	Sequence
37	993.5	66.4	1385	2	AX032543	Sequence
38	993	65.7	1243	2	AX490802	Sequence
39	976	65.2	886	6	MUSMHIATAA	M11357 Mouse MHC c
40	966	64.6	771	6	AY626198	Rattus no
41	966	64.6	771	6	AY626199	Rattus no
42	964	64.4	771	6	AF307302	Rattus no
43	964	64.4	771	6	AY626195	Rattus no
44	964	64.4	771	6	AY626196	Rattus no
45	964	64.4	795	6	AY701537	Rattus no

ALIGNMENTS

```

RESULT 1
AX081280
LOCUS AX081280 1484 bp DNA linear PAT 27-FEB-2001
DEFINITION Sequence 1 from Patent WO0109194.
ACCESSION AX081280
VERSION AX081280.1 GI:13170129
KEYWORDS synthetic construct
SOURCE other sequences; artificial sequences.
ORGANISM
REFERENCE 1
AUTHORS Glaichenhaus, N. and Malherbe, L.
TITLE Recombinant proteins and molecular complexes derived therefrom,
analogous to molecules involved in immune responses
JOURNAL Patent: WO 0109194-A 1.08-FEB-2001;
CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE (CNRS) (FR)
FEATURES
source
1..1484
Location/Qualifiers
/organism="synthetic construct"
/mol_type="unassigned DNA"
/db_xref="taxon:32630"
1..>1482
note="unnamed protein product; ligation de fragments
d'ADN"
CDS
/codon_start=1
/transl_table=11
/protein_id="CAC33122.1"

```

```
/db_xref="GI:13170130"
/translation="MPCSRALILGLVALNTMLSCGGEDDIEADHVGFGVTTVQSPG
DIGQVTHEFDGDELFDVLDKKTKVRLPERGQLILFEPQGLONIAAEKNLGLTK
RNPFTPATNEAPQATVPFKSPVLQOPNTLFCVDNIFFPVNINIAEKNLGLTK
ETSLVNRDHSFKLSYLTFFPSDDDIYDCKVERHGLSEPVKHWPEIPAPMSLITE
TGGGSLTAPSAQLEKELEKQALKELEKQALKELEKQALKELEKQALKELEKQALKE
CPAPNLGAPSVFIFPPKIKQVLMISLSPITCVVDVSEDDPDVQISFVNNVEVHT
AQTQTHREDYNTSLRVGALPIQHODMNSGKFKVANKKOLPAPIERTISKPKGSVR
APQVTLPPPEEMTKQVLTLCMTVDPMEDIVYEVNTNGKTELVNKNTPVLDSDG
SYFMYSKLRVEKNWVERNSYSCSVHSEGLNHHHTTKFSRTPG"
```

CIN

Comment Scores:		
d. No.:	3.33e-147	Length: 1484
le:	1496.00	Matches: 278
cent Similarity:	100.0%	Conservatives: 0
t Local Similarity:	100.0%	Mismatches: 0
y Match:	100.0%	Indels: 0
	2	Gaps: 0
: 0-048-116B-2_COPY_1_278 (1-278) x AX081280 (1-1484)		
1	MetProCysSerArgAlaLeuLeuLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu	20
1	ATGCCGTGCAGCAGAGCTCTGATTCTGGGGGTCTCGCCCTGAACACCATGCTCAGCCTC	60
21	CysGlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr	40
61	TCCGAGGAGTGAAGACACATTGAGCCGACACAGTAGGCTTCTATGTTACACTGTTAT	120
41	GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr	60
121	CAGTCTCCTGGAGACATTGCCAGTACACACATGAATTGATGTTGATGATGTTCTAT	180
61	ValAspLeuAspIleGlyThrValTyrArgLeuProGluPheGlyGlnLeuLeuLeu	80
181	GTGGACTTGGATAGAAGAAACTGTCTGGAGGCTTCTGAGTTTGGCCAAATTGATCTC	240
81	PheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGlyHisAsnLeuGlyIleLeu	100
241	TTTGAGCCCCAAGGTGGAGCTGCAGAAACATAGCTGCAGAAAACACACTGGGAATCTTG	300
101	ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro	120
301	ACTAAGAGGTCAAATTTACCCAGCTACCAATGAGGCTCTCAAGCGAGCTGTGTTCCCC	360
121	LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe	140
361	AAAGTCCCTGTGCTGGGTGAGCCCAACACCCCTTATCTGTTTGTGGACAACTCTTC	420
141	ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr	160
421	CCACCTGTGATCAACATCATGCTGCAGAAATAGCAAGTCACTCAGACGCGCTTAT	480
161	GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe	180
481	GAGACGAGTCTCTCGTCAACGTCAGCAATCTCTTCCACAGCTGTCTTATCTCACTTC	540
181	IleProSerAspAspIleTyrAspCysValGluHisTrpGlyLeuGluGluPro	200
541	ATCCCTTCTGATGATGACATTTATGACTCAAGGTGAGCACTGGGGCTGGAGGAGCGG	600
201	ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThrGly	220
601	GTTCGAAACACTGGGAACCTGAGATTCCAGCCCTCATGTCAGAGCTGACAGAACTGGA	660
221	GlyGlyGlySerThrThrAlaProSerAlaGlnLeuGluLysGluLeuGlnAlaLeuGlu	240
661	GGTGGAGGATCCACTACAGCTCCATCAGCTCAGCTCGAAGAGAGCTCCAGGCCCTGGAG	720
241	LysGluAsnAlaGlnLeuGluTrpGluLeuGlnAlaLeuGluLysGluLeuAlaGlnAla	260
721	AAGGAAATGCAGCTGGAATGGGAGTTGCAAGCACTGGAAAGGAAGAACTGGCTCAGCA	780

Qy	261	AlaSerGluProArgGlyProThrIleLysProCysProCysProCysCysPro	278
Db	781	GCATCTGAGCCAGAGGGCCCCCAATCAAGCCCTGTCTCCATGCAATGCCCA	834
RESULT 2			
MUSMHAAD			
LOCUS	MUSMHAAD	978 bp	mRNA linear ROD 27-APR-1993
DEFINITION	Mouse MHC class II H2-IA-alpha gene (d haplotype) mRNA, complete cds.		
ACCESSION	K01923		
VERSION	K01923.1	GI:199449	
KEYWORDS	antigen; cell surface glycoprotein; class II gene; glycoprotein; histocompatibility antigen; integral membrane protein; major histocompatibility complex.		
SOURCE	Mus musculus	(house mouse)	
ORGANISM	Mus musculus		
	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi; Muroidea; Muridae; Murinae; Mus.		
REFERENCE	1	(bases 1 to 978)	
AUTHORS	Benoist,C.O., Mathis,D.J., Kanter,M.R., Williams,V.E. II and McDevitt,H.O.		
TITLE	Regions of allelic hypervariability in the murine A alpha immune response gene		
JOURNAL	Cell	34 (1), 169-177 (1983)	
PUBMED	6309407		
COMMENT	Original source text: Mus musculus (strain BALB/c, sub_species domesticus) spleen cDNA to mRNA. The protein domains are as follows: first external protein domain (D1) at bases 93-356; second external protein domain (D2) at bases 357-638; connecting peptide, transmembrane region, and cytoplasmic tail (CP,TM,C) at bases 639-791. [1] also sequenced the IA-alpha genes from mice of b,f,u and q haplotypes.		
FEATURES	Location/Qualifiers		
source	1..978		
	/organism="Mus musculus"		
	/mol_type="mRNA"		
	/strain="BALB/c"		
	/sub_species="domesticus"		
	/db_xref="taxon:10090"		
	/haplotype="d"		
	/tissue_type="spleen"		
gene	1..978		
mRNA	<1..>978		
	/gene="MHC H2-IA-alpha"		
	<1..>978		
	/gene="MHC H2-IA-alpha"		
	/product="IA-alpha mRNA"		
CDS	24..794		
	/gene="MHC H2-IA-alpha"		
	/codon_start=1		
	/protein_id="AAA39615.1"		
	/db_xref="GI:199450"		
	/translation="MPCSRALILGLVALNTMLSCGGEDDIEADHVGFGVTTVQSPG DIGQVTHEFDGDELFDVLDKKTKVRLPERGQLILFEPQGLONIAAEKNLGLTK RNPFTPATNEAPQATVPFKSPVLQOPNTLFCVDNIFFPVNINIAEKNLGLTK ETSLVNRDHSFKLSYLTFFPSDDDIYDCKVERHGLSEPVKHWPEIPAPMSLITE TGGGSLTAPSAQLEKELEKQALKELEKQALKELEKQALKELEKQALKELEKQALKE CPAPNLGAPSVFIFPPKIKQVLMISLSPITCVVDVSEDDPDVQISFVNNVEVHT AQTQTHREDYNTSLRVGALPIQHODMNSGKFKVANKKOLPAPIERTISKPKGSVR APQVTLPPPEEMTKQVLTLCMTVDPMEDIVYEVNTNGKTELVNKNTPVLDSDG SYFMYSKLRVEKNWVERNSYSCSVHSEGLNHHHTTKFSRTPG"		
	24..92		
sig_peptide	/gene="MHC H2-IA-alpha"		
mat_peptide	93..791		
	/gene="MHC H2-IA-alpha"		
	/product="unnamed"		
ORIGIN	44 bp upstream of HinfI site, chromosome 17.		
Alignment Scores:			
Pred. No.:	2.12e-114	Length:	978
Score:	1182.00	Matches:	219
Percent Similarity:	100.0%	Conservative:	0
Best Local Similarity:	100.0%	Mismatches:	0
Query Match:	79.0%	Indels:	0
DB:	6	Gaps:	0

4- -216

-10-048-116B-2_COPY_1_278 (1-278) x MUSMHIAD (1-978)

```
1 MetProCySerArgAlaLeuLeuLeuGlyValLeuAlaLeuAAsnThrMetLeuSerLeu 20
24 ATGCGGTGCAGCAGAGCTCTGATCTGGGGTCTCGCCCTGAACACCATGCTCAGCCTC 83
21 CysGlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyGlyThrThrValTyr 40
84 TCGGAGGTGAAGACACATTCAGGCCGACCATGAGGTCTCTATGGTAACTGTTTAT 143
41 GlnSerProGlyAspIleGlyGlnThrHisGluPheAspGlyAspGluLeuPheTyr 60
144 CAGTCTCTGGAGACATTCGCCAGTACACACATGATTTGATGATGATGTTTCTAT 203
61 ValAspLeuAspPheGlyGlnThrValTrpArgLeuProGluPheGlyGlnLeuLeu 80
204 GTGGACTTGGATAAGAGAAACTGCTCGAGGCTCTCTGAGTTGGCCAAATTGATCTC 263
81 PheGluProGlnGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeu 100
264 TTGAGCCCCAAGGTGGACTGCAGAAACATAGCTGCAGAAAAACACAACTTGGAACTCTG 323
101 ThrLysArgSerAspPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
324 ACTAGAGGTCAAAATTCACCCAGCTACCAATGAGGCTCTCTCAGGAGCTGTGTTCCC 383
121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
384 AAGTCCCTGTGCTGCTGGGTGAGCCCAACACCTTATCTGCTTTGTGGACAACTCTTC 443
141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
444 CCACCTGTGATCAACATCATCTGCTCAGAAATAGCAAGTCACTCAGACGCGGTTTAT 503
161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
504 GAGACGCTTCTCTGCTCAACGCTGACCATTCCTTCCACAGCTGCTTATCTCACCTTC 563
181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluPro 200
564 ATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCCTGGAGGAGCG 623
201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
624 GTTCTGAAACACTGGGAACCTGAGATTCAGCCCCCATGTCTGAGAGCTGACAGAACT 680
```

SULT 3
199665
US
SEQUENCE 7 from patent US 6355479.
AR199665
AR199665.1 GI:20249739

UNKNOWN.
UNKNOWN.
UNCLASSIFIED.

REFERENCE
AUTHORS
TITLE
JOURNAL
FEATURES

1 (bases 1 to 4713)
Webb,S.R., Wingvist,O., Karlsson,L., Jackson,M.R. and Peterson,P.A.
MHC class II antigen-presenting systems and methods for activating
CD4+ T cells

Patent: US 6355479-A 7 12-MAR-2002;
Location/Qualifiers
1. .4713
/organism="unknown"
/mol_type="unassigned DNA"

Alignment Scores:
Seq. No.: 2,056-113 Length: 4713
Score: 1182.00 Matches: 219
Percent Similarity: 100.0% Conservative: 0
Local Similarity: 100.0% Mismatches: 0
Indels: 0

131N

10-048-116B-2_COPY_1_278 (1-278) x AR199665 (1-4713)

QY 1 MetProCySerArgAlaLeuLeuGlyValLeuAlaLeuAAsnThrMetLeuSerLeu 20

DB 459 ATGCGGTGCAGCAGAGCTCTGATCTGGGGTCTCGCCCTGAACACCATGCTCAGCCTC 518

QY 21 CysGlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyGlyThrThrValTyr 40

DB 519 TCGGAGGTGAAGACACATTCAGGCCGACCATGAGGTCTCTATGGTAACTGTTTAT 578

QY 41 GlnSerProGlyAspIleGlyGlnThrHisGluPheAspGlyAspGluLeuPheTyr 60

DB 579 CAGTCTCTGGAGACATTCGCCAGTACACACATGATTTGATGATGATGTTTCTAT 638

QY 61 ValAspLeuAspPheGlyGlnThrValTrpArgLeuProGluPheGlyGlnLeuLeu 80

DB 639 GTGGACTTGGATAAGAGAAACTGCTCGAGGCTCTCTGAGTTGGCCAAATTGATCTC 698

QY 81 PheGluProGlnGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeu 100

DB 699 TTGAGCCCCAAGGTGGACTGCAGAAACATAGCTGCAGAAAAACACAACTTGGAACTCTG 758

QY 101 ThrLysArgSerAspPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120

DB 759 ACTAGAGGTCAAAATTCACCCAGCTACCAATGAGGCTCTCTCAGGAGCTGTGTTCCC 818

QY 121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140

DB 819 AAGTCCCTGTGCTGCTGGGTGAGCCCAACACCTTATCTGCTTTGTGGACAACTCTTC 878

QY 141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160

DB 879 CCACCTGTGATCAACATCATCTGCTCAGAAATAGCAAGTCACTCAGACGCGGTTTAT 938

QY 161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180

DB 939 GAGACGCTTCTCTGCTCAACGCTGACCATTCCTTCCACAGCTGCTTATCTCACCTTC 998

QY 181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluPro 200

DB 999 ATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCCTGGAGGAGCG 1058

QY 201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThr 219

DB 1059 GTTCTGAAACACTGGGAACCTGAGATTCAGCCCCCATGTCTGAGAGCTGACAGAACT 1115

RESULT 4
AY452201
LOCUS
DEFINITION
ACCESSION
VERSION
KEYWORDS
SOURCE
ORGANISM
REFERENCE
AUTHORS
TITLE
JOURNAL
REFERENCE
AUTHORS
TITLE
JOURNAL
FEATURES

AY452201
Mus musculus H-2 class II histocompatibility antigen, A-D alpha
chain precursor, mRNA, complete cds.
AY452201
AY452201.1 GI:38373608
Mus musculus (house mouse)
Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
Sciurognathi; Muridae; Murinae; Mus.
1 (bases 1 to 771)
Gao,M., Wang,H. and Wang,Q.
Establishment of pIRES- I-A(d) alpha beta and stable expression of
BALB/c mouse I-Ad alpha beta chain gene in NIH3T3 cell line
2 (bases 1 to 771)
Unpublished
Gao,M., Wang,H. and Wang,Q.
Direct Submission
Submitted (29-Oct-2003) Lab of Transfusion Transferred virus,
Transfusion Institute Beijing, 27 Taiping Road, Beijing 100039, PR
China
Location/Qualifiers

```
source
1..771
/organism="Mus musculus"
/mol_type="mRNA"
/strain="BALB/c"
/db_xref="taxon:10090"
/cell_line="SP20"
1..771
/note="MHC-II I-A(d) alpha"
/codon_start=1
/product="H-2 class II histocompatibility antigen, A-D
alpha chain precursor"
/protein_id="AAR19089.1"
/db_xref="GI:38373609"
/translation="MPCSRALITGLVALNTMLSCGSDVIEADHVGFGYTVYQSPG
DIGQVTHSFDEGLPYVDLKKTVRLPEFGQLIRPEQGLQNIARAKNIGLITK
RNFPTNAPNEAPQATVPKPSVLQGPHTLICFDVNIIPPVINITLRLNSKSVTDGVY
ETSFVINDHSHFKUSYITFIPSDDDIYDKRVEHGLSEPVKWEPEIPAPMSGLTE
TVVCALGSLVGLVIGTVGTIFIIQGLRSGGTSRHPGL"
CDS
comment Scores:
id. No.: 2,448-112 Length: 771
re: 1161.00 Matches: 216
cent Similarity: 99.1% Conservative: 1
t Local Similarity: 99.6% Mismatches: 2
y Match: 77.6% Indels: 0
Gaps: 0
: 0-048-116B-2_COPY_1_278 (1-278) x AY452201 (1-771)
1 MetProCysSerArgAlaLeuLeuLeuGlyValLeuAlaLeuAenThrMetLeuSerLeu 20
1 ATGCGGTGCAGCAGAGCTGATTCGGGGTCTCTCGCCCTCGCCAGAACCATGCTCAGCCTC 60
21 CysGlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrThrValTyr 40
61 TGCGGAGGTGAAGAGCTCATTCAGGCGCGACCATGAGTCTTCTATGGTACAACTGTTTAT 120
41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
121 CAGTCTCTCGGAGACATTCGGCCAGTACACATGATTTGATGGTGATGAGTGTCTTAT 180
61 ValAspLeuAspLysLysThrValTyrArgLeuProGluPheGlyGlnLeuLeuLeu 80
181 GTGGACTTGGATAAGAGAAACTGCTGGAGGCTTCTGAGTCTTCTGAGTGGCCATTGATCTC 240
81 PheGluProGlnGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeu 100
241 TTTGAGCCCCAAGGTGGACTGCANAAACATAGCTGCAGAAAAACACAACCTTGGGAATCTTG 300
101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
301 ACTAGAGGTCAATTTACCCAGCTACCATGAGGCTCTCTCAGCGACCTGTGTCTCCC 360
121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
361 AAGTCCCTGTGCTGCTGGGTGAGCCACACCCCTTATCTGCTTTGTGGACAACTCTTC 420
141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
421 CCACCTGTGATCAACATCATGCTGAGAAATAGCAAGTCAGTCACAGACGGCGTTTAT 480
161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
481 GAGACCAAGTCTCTCGTCAACCGTGACCATTCCTCCACAAAGCTGTCTTATCTCACTTC 540
181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTyrGlyLeuGluPro 200
541 ATCCCTCTTCATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCCCTGGAGGACCG 600
201 ValLeuLysHisTyrGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
601 GTTCTGAACACTGGGAACCTGAGATTCCAGCCCCCATCTGAGGCTGACAGAACT 657
```

RESULT 5

BC029620 1085 bp mRNA linear ROD 04-OCT-2003
Mus musculus histocompatibility 2, class II antigen A, alpha, mRNA
(CDNA clone MGC:25392 IMAGE:2609494), complete cds.

ACCESSION

BC029620

VERSION

BC029620.1 GI:20987326

KEYWORDS

MGC.

SOURCE

Mus musculus (house mouse)

ORGANISM

Mus musculus

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
Sciurognathi; Muridea; Muridae; Murinae; Mus.

REFERENCE

1 (bases 1 to 1085)

AUTHORS

Strausberg, R.L., Feingold, E.A., Grouse, L.H., Derge, J.G.,
Klausner, R.D., Collins, P.S., Wagner, L., Shenmen, C.M., Schuler, G.D.,
Altschul, S.F., Zeeberg, B., Buetow, K.H., Schaefer, C.F., Bhat, N.K.,
Hopkins, R.F., Jordan, H., Moore, T., Max, S.I., Wang, J., Hsieh, F.,
Diatchenko, L., Marusina, K., Farmer, A.A., Rubin, G.M., Hong, L.,
Stapleton, M., Soares, M.B., Bonaldo, M.F., Casavant, T.L.,
Scheetz, T.E., Brownstein, M.J., Uedin, T.B., Toshiyuki, S.,
Carninci, P., Prange, C., Raha, S.S., Loquellano, N.A., Peters, G.J.,
Aramson, R.D., Mullany, S.J., Bosak, S.A., McEwan, P.J.,
McKernan, K.J., Malek, J.A., Gunaratne, P.H., Richards, S.,
Worley, K.C., Hale, S., Garcia, A.M., Gay, L.J., Hulyk, S.W.,
Villalon, D.K., Muzny, D.M., Sodergren, E.J., Lu, X., Gibbs, R.A.,
Fahey, J., Helton, E., Kettman, M., Madan, A., Rodriguez, S.,
Sanchez, A., Whiting, M., Madan, A., Young, A.C., Shevchenko, Y.,
Bouffard, G.G., Blakeley, R.W., Touchman, J.W., Green, E.D.,
Dickson, M.C., Rodriguez, A.C., Grimwood, J., Schmutz, J., Myers, R.M.,
Butterfield, Y.S., Krzywinski, M.I., Skalska, U., Smalls, D.E.,
Schnerch, A., Schein, J.E., Jones, S.J. and Marra, M.A.

TITLE

Generation and initial analysis of more than 15,000 full-length
human and mouse cDNA sequences

Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903 (2002)

JOURNAL

12477932

PUBMED

2 (bases 1 to 1085)

REFERENCE

Strausberg, R.

AUTHORS

Direct Submission

TITLE

Submitted (06-MAY-2002) National Institutes of Health, Mammalian
Gene Collection (MGC), Cancer Genomics Office, National Cancer
Institute, 31 Center Drive, Room 11A03, Bethesda, MD 20892-2590,
USA

JOURNAL

NIH-MGC Project URL: <http://mgc.nci.nih.gov>
Contact: MGC help desk
Email: cgapbs-remail.nih.gov
Tissue Procurement: Jeffrey Green M.D.
cDNA Library Preparation: Life Technologies, Inc.
DNA Sequencing Arrayed by: The I.M.A.G.E. Consortium (LLNL)
Sequencing Center
Center code: BCM-HGSC
Web site: <http://www.hgsc.bcm.tmc.edu/cdna/>
Contact: amgobcm.tmc.edu
Gunnaratne, P.H., Garcia, A.M., Lu, X., Hulyk, S.W., Loulsegod, H.,
Kowis, C.R., Sneed, A.J., Martin, R.G., Muzny, D.M., Nanavati,
A.N., Gibbs, R.A.

REMARK

Clone distribution: MGC clone distribution information can be found
through the I.M.A.G.E. Consortium/LLNL at: <http://image.llnl.gov>
Series: IRAC Plate: 30 Row: a Column: 2
This clone was selected for full length sequencing because it
passed the following selection criteria: matched mRNA gi: 13540710.

COMMENT

1..1085
/organism="Mus musculus"
/mol_type="mRNA"
/strain="FVB/N"
/db_xref="taxon:10090"
/clone="MGC:25392 IMAGE:2609494"
/tissue_type="Mammary tumor, C3(1)-Tag model. Infiltrating
ductal Carcinoma. 5 month old virgin mouse."

FEATURES

Source

```

/clone_lib="NCI CGAP_Mam6"
/lab_host="DH10B"
/notes="vector: pCMV-SPORT6"
1. .1085
/genes="H2-Aa"
/notes="synonym: Aalpha"
/db_xref="GeneID:14960"
/db_xref="MGI:95895"
31. .801
/genes="H2-Aa"
/codon_start=1
/product="H2-Aa protein"
/protein_id="AAH29620.1"
/db_xref="GI:20987327"
/db_xref="GeneID:14960"
/db_xref="MGI:95895"
118. .363
/misc_feature
/genes="H2-Aa"
/notes="MHC II alpha; Region: Class II histocompatibility
antigen, alpha domain"
/db_xref="CDD:pfam00993"
415. .630
/misc_feature
/genes="H2-Aa"
/notes="Icgl; Region: Immunoglobulin C-Type"
/db_xref="CDD:smart00407"

Alignment Scores:
Seq. No.: 1 94e-106 Length: 1085
Pre: 1107.00 Matches: 205
Percent Similarity: 95.0% Conservative: 3
At Local Similarity: 93.6% Mismatches: 11
Try Match: 74.0% Indels: 0
Gaps: 0

-10-048-116B-2_COPY_1_278 (1-278) x BC029620 (1-1085)
1 MetProCysSerArgAlaLeuLeuLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
|||||
31 ATGCCGTGCAGCAGAGACTCTGATCTCGGGGCTCTCGCCCTGACCACTGCTCAGCCCTC 90
|||||
21 CysGlyGlyLeuAspAspIleGluAlaAspHisValGlyPheGlyThrThrValTyr 40
|||||
91 TGTGGAGGTGAAGACGACGACATTCAGCGCGACATGTAGGCTTCTATGTATATATAT 150
|||||
41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
|||||
151 CAGTCTCTCTGGACATTCGCCAGTATACACATGAATTTGATGCTGATGAGTGGTCTTAT 210
|||||
61 ValAspLeuAspIleGlySerThrValTyrArgLeuProGluPheGlyGlnLeuLeuLeu 80
|||||
211 GTGAGCTTGATGAAGAGGAGCTGTCTGATGCTCTCCGAGTTTGCCCAATTCAGCAGC 270
|||||
81 PheGluProGlnGlyLeuGlnAenIleAlaAlaGluLysHisAsnLeuGlyIleLeu 100
|||||
271 TTTGACCCCAAGTGGAGCTACAAACATAGCTACAGGAAACACAACTTGGGAGCTGG 330
|||||
101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
|||||
331 ACTAAGAGGTCAAAATTCACCCAGCTACCAATGAGGCTCCTCAAGCAACTGTGTTCCCC 390
|||||
121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
|||||
391 AAGTCCCTGTGCTGCTGGGTGACGCCCAATACCTTATCTGCTTGTGGACAACTCTTC 450
|||||
141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
|||||
451 CCTCTCTGTGATCAACATCATGCTCAGAAATAGCAAGTCACTCAGCAGCGCGTTTAT 510

```

```

QY 161 GluThrSerPheLeuValAsnArgPheHisSerPheHisValSerTyrLeuThrPhe 180
|||||
Db 511 GAGACGAGCTTCCTTGTCAACCGTGACCATTCCTTCCCAAGCTGTCTTATCTCACCCTTC 570
|||||
QY 181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluGluPro 200
|||||
Db 571 ATCCCTTCTGACGATGACATTTATGACTGCAAGGTGGAACACTGGGGCCCTGGACGAGCCA 630
|||||
QY 201 ValLeuLysHisTrpGluProGluLeuProAlaProMetSerGluLeuThrGluThr 219
|||||
Db 631 GTTCTGAACACTGGGACCTGAGATCCAGGCCCTCATGTCAGAGCTGACAGAGACT 687
|||||

RESULT 6
BC043925 1110 bp mRNA linear ROD 30-MAR-2005
Mus musculus histocompatibility 2, class II antigen A, alpha, mRNA
(cDNA clone MGC:49437 IMAGE:4023996), complete cds.
ACCESSION BC043925
VERSION BC043925.1 GI:27882597
KEYWORDS MGC.
SOURCE Mus musculus (house mouse)
ORGANISM Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
Sciurognathi; Muridea; Muridae; Murinae; Mus.
REFERENCE 1 (bases 1 to 1110)
AUTHORS Strausberg, R.L., Feingold, E.A., Grouse, L.H., Derge, J.G.,
Klausner, R.D., Collins, F.S., Wagner, L., Shenmen, C.M., Schuler, G.D.,
Altschul, S.F., Zeeberg, B., Buetow, K.H., Schaefer, C.F., Bhat, N.K.,
Hopkins, R.F., Jordan, H., Moore, T., Max, S.I., Wang, J., Heide, F.,
Diatchenko, L., Marusina, K., Farmer, A.A., Rubin, G.M., Hong, L.,
Stapleton, M., Soares, M.B., Bonaldo, M.F., Casavant, T.L.,
Schetz, T.E., Brownstein, M.J., Ustin, F.B., Toshlyuki, S.,
Carninci, P., Prange, C., Raha, S.S., Loquellano, N.A., Peters, G.J.,
Abramson, R.D., Mullahy, S.J., Bosak, S.A., McEwan, P.J.,
McKernan, K.J., Malek, J.A., Gunaratne, P.H., Richards, S.,
Worley, K.C., Hale, S., Garcia, A.M., Gay, L.J., Hultyk, S.W.,
Villalón, D.K., Muzny, D.M., Sodergren, E.J., Lu, X., Gibbs, R.A.,
Fahey, J., Helton, E., Kettner, M., Madan, A., Rodriguez, S.,
Sanchez, A.G., Whiting, M., Madan, A., Young, A.C., Shevchenko, Y.,
Bouffard, G.G., Blakeley, R.W., Touchman, J.W., Green, E.D.,
Dickson, M.C., Rodriguez, A.C., Grimwood, J., Schmutz, J., Myers, R.M.,
Butterfield, Y.S., Krzywinski, M.I., Skalska, U., Small, D.E.,
Schmerch, A., Schein, J.E., Jones, S.J. and Marra, M.A.
Mammalian Gene Collection Program Team
Generation and initial analysis of more than 15,000 full-length
human and mouse cDNA sequences
Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903 (2002)
12477932
JOURNAL PUBMED
2 (bases 1 to 1110)
NIH MGC Project
Direct Submission
Submitted (10-JAN-2003) National Institutes of Health, Mammalian
Gene Collection (MGC), Bethesda, MD 20892-2590, USA
NIH-MGC Project URL: http://mgc.nci.nih.gov
Contact: MGC help desk
Email: cgapbs@mail.nih.gov
Tissue Procurement: Lohar Hennighausen Ph.D., Robin Humphreys
cDNA Library Preparation: Life Technologies, Inc.
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: National Institutes of Health Intramural
Sequencing Center (NISC),
Gaithersburg, Maryland;
Web site: http://www.nisc.nih.gov/
Contact: nisc.mgc@nih.gov
Akhter, N., Avdey, K., Beckstrom-Sternberg, S.M., Benjamin, B.,
Blakesley, R.W., Bouffard, G.G., Breen, K., Brinkley, C., Brooks, S.,
Dietrich, N.L., Granite, S., Guan, X., Gupta, J., Haghighi, P.,
Hansen, N., Ho, S.-L., Karlins, E., Kwong, P., Latic, P., Legaspi, R.,
Maduro, Q.L., Mastello, C., Maskeri, B., Mastrian, S.D., McCloskey, J.C.,
McDowell, J., Pearson, R., Stantripop, S., Thomas, P.J., Touchman, J.W.,

```

Teurgeon, C., Vogt, J.L., Walker, M.A., Wetherby, K.D., Wiggins, L., Young, A., Zhang, L.-H. and Green, E.D.

Clone distribution: MGC clone distribution information can be found through the I.M.A.G.E. Consortium/ILNLI at: <http://image.llnl.gov>
Series: IRAP Plate: 85 Row: f Column: 12
This clone was selected for full length sequencing because it passed the following selection criteria: matched mRNA gi: 31981715.

URES

Location/Qualifiers
1. .1110
/organism="Mus musculus"
/mol_type="mRNA"
/strain="mix FVB/N, C57BL/6J"
/db_xref="taxon:10090"
/clone="MGC:49437 IMAGE:4023996"
/tissue_type="Mammary tumor. WAP-TGF alpha model. 7 months old, gross tissue."
/clone_lib="NCI CGAP_Mam5"
/lab_host="DH10B"
/note="Vector: pCMV-SPORT6"
1. .1110
/gene="H2-Aa"
/note="synonyms: Aalpha, IAalpha"
/db_xref="GeneID:14960"
/db_xref="MGI:95895"
35. - 805
/gene="H2-Aa"
/codon_start=1
/product="H2-Aa protein"
/protein_id="AAH43925.1"
/db_xref="GI:27882598"
/db_xref="GeneID:14960"
/db_xref="MGI:95895"
/translation="MPCSRALLILVGLTTLMLSCGDEDDIEADHGVYGVYTVYQSPG
DSQTFDFDGEWYVDLDKFTIWMLEPFGQSFDPQGLQNIATGKYLILIK
RNSNTPATNEAPQATVPFKSPVLGGQNTLQVNDIPFPVINTWLRNSKSVTDGVY
ETSFLVNRDHSFHLKSLYLFIPSDDDIYDCKRVEHGLBEPVLKHWBPEIPAPMSLSE
TWVCALGLSVGLGVIGVTIIFIQGLRSQGTSRHPGL"

gene

CDS

IN

ment Scores:

e. No.: 1.1e-105 Length: 1110
e. No.: 1100.00 Matches: 204
ent Similarity: 95.0% Conservative: 4
Local Similarity: 93.2% Mismatches: 11
y Match: 73.5% Indels: 0
Gaps: 0

0-048-116B-2_COPY_1_278 (1-278) x BC043925 (1-1110)

1 MetProCysSerArgAlaLeuLeuLeuGlyValLeuAlaLeuAAsnThrMetLeuSerLeu 20
35 ATGCCGTGAGAGAGACTCTGATTCGGGGTCTCGCCCTGACCAACATGCTCAGCCTC 94

21 CysGlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
95 TGTGGAGGTGAAGACACATTGAGCCGACACAGTAGGCGTCTATGGTACAACTGTATAT 154

41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
155 CAGTCTCTGGAGACATTGGCCAGTACACATGAATTTGATGGTGAATGGTGTCTAT 214

61 ValAspLeuAspLysLysLysThrValTyrArgLeuProGluPheGlyGlnLeuLeu 80
215 GTGGACTTGGATAGAGAGACTATCTGGATGCTCTCTGATTTGGCCAAATGGACAAGC 274

81 PheGluProGlnGlyLeuGlnAenIleAlaGluLysHisAsnLeuGlyIleLeu 100
275 TTTGACCCCAAGGTGGACTGCAAAACATAGCTACAGGAAATACACCTTGGGAATCTTG 334

101 ThrLysArgSerAsnPheThrProAlaThrAenGluAlaProGlnAlaThrValPhePro 120
335 ACTAAGAGGTCAAAATTCACCCAGCTACCAATGAGGCTCTCAAGCGACTGTGTCCCC 394

Qy 121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
Db 395 AAGTCCCTCTGCTGCTGGGTGAGCCCAACACCTTATCTGCGTTGTGGCAACATCTTC 454

Qy 141 ProProValIleAenIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
Db 455 CCTCTCTGATCAACATCAGATGGCTCAGAAATAGCAAGTCAGTCACAGACGGCGTTAT 514

Qy 161 GluThrSerPheLeuValAenArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
Db 515 GAGACCACTCTCTTGTCAACCGTGACATCTCTTCCAAAGCTGTCTTATCTCACCTTC 574

Qy 181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluGluPro 200
Db 575 ATCCCTTCTGAGATGATATTTATGACTGCAAGGTGGAGCACTGGGCTGGAGAGCG 634

Qy 201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
Db 635 GTTCTGAACACTGGGAACCTGAGATTCAGCCCCCATGTGACAGCTGACAGAGACT 691

RESULT 7
AR106256 LOCUS 776 bp DNA linear PAT 14-FEB-2001
DEFINITION Sequence 4 from patent US 6106840.
ACCESSION AR106256
VERSION AR106256.1 GI:12820786
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE 1 (bases 1 to 776)
AUTHORS Clark, B.R., Sharma, S.D. and Lerch, B.L.
TITLE MHC conjugates useful in ameliorating autoimmunity
JOURNAL Patent: US 6106840-A 4 22-AUG-2000;
FEATURES Location/Qualifiers
source 1. .776
/organism="unknown"
/mol_type="unassigned DNA"

ORIGIN

Alignment Scores:
Pred. No.: 1.36e-103 Length: 776
Score: 1078.00 Matches: 201
Percent Similarity: 94.1% Conservative: 5
Best Local Similarity: 91.8% Mismatches: 13
Query Match: 72.1% Indels: 0
Gaps: 0
Db:

US-10-048-116B-2_COPY_1_278 (1-278) x AR106256 (1-776)

Qy 1 MetProCysSerArgAlaLeuLeuLeuGlyValLeuAlaLeuAAsnThrMetLeuSerLeu 20
Db 6 ATGCCGCGCAGACAGCTCTGATTCGGGGTCTCGCCCTGACCAACATGCTCAGCCTC 65

Qy 21 CysGlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
Db 66 TGTGGAGGTGAAGACACATTGAGCCGACACAGTAGGCGCTATGGTATAGTGTATAT 125

Qy 41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
Db 126 CAGTCTCTGGAGACATTGGCCAGTACACATTTGAATTTGATGGTGAATGGTGTCTAT 185

Qy 61 ValAspLeuAspLysLysLysThrValTyrArgLeuProGluPheGlyGlnLeuLeu 80
Db 186 GTGGACTTGGATAGAGAGACTGTCTGGATGCTCTCTGATTTGGCCAAATGGACAAGC 245

Qy 81 PheGluProGlnGlyLeuGlnAenIleAlaGluLysHisAsnLeuGlyIleLeu 100
Db 246 TTTGACCCCAAGGTGGACTGCAAAACATAGCTGTAGTAAACACCACTTGGGAGTCTTG 305

Qy 101 ThrLysArgSerAsnPheThrProAlaThrAenGluAlaProGlnAlaThrValPhePro 120

306 ACTAAGAGGTCAAATTCACCCAGCTACCAATGAGGCTCCTCAAGGAGCTGTGTTCCCC 365
121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
366 AAGTCCCTGTGCTGCTGGGTGAGCCCAACACCTCATCTGCTTTGGACCAACATCTTC 425
141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
426 CCTCCTGTGATCAACATCAGTGGCTCAGAAATAGCAGTCACTCCGACGCGTGTAT 485
161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
486 GAGACGAGCTTCTCGTCAACGCTGACTATTCTCTCCACAGCTGCTTATCTCACCTTC 545
181 IleProSerAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluPro 200
546 ATCCCTTCTGACGATGACATTTATGACTGCAAGGTGGAACACTGGGGCCTGGAGGAGCG 605
201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
606 GTTCTGAAACACTGGGAACCTGAGATTCAGCCCCCATGTGACAGCTGACAGACT 662

RESULT 8
229608
LOCUS AR229608 776 bp DNA linear PAT 20-DEC-2002
DEFINITION Sequence 4 from patent US 6451314.
ACCESSION AR229608
VERSION AR229608.1 GI:27269264
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE 1 (bases 1 to 776)
AUTHORS Clark, B.R., Sharma, S.D. and Lerch, B.L.
TITLE MHC conjugates useful in ameliorating autoimmunity
JOURNAL Patent: US 6451314-A 4 17-SEP-2002;
ANERGEN, Inc.; Seattle, WA
FEATURES
source
1. .776
/organism="unknown"
/mol_type="genomic DNA"

Alignment Scores:
Pred. No.: 1.36e-103 Length: 776
Score: 1078.00 Matches: 201
Percent Similarity: 94.1% Conservative: 5
Best Local Similarity: 91.8% Mismatches: 13
Query Match: 72.1% Indels: 0
DB: 2 Gaps: 0

-10-048-116B-2_COPY_1_278 (1-278) x AR229608 (1-776)

1 MetProCysSerArgAlaLeuIleLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
6 ATGCCCGCAGCAGAGCTCTGATCTGGGGTCTCGCCCTGACCACTGCTCAGCCTC 65
21 CysGlyGlyLeuAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
66 TGTGGAGGTGAAGACGACATTTAGGCGCAGCAGTGGCACCCTATGTTATAGTGTATAT 125
41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
126 CAGTCTCTGGAGACATTTGGCCAGTACACATTTGAATTTGATGGTGTATGTTCTAT 185
61 ValAspLeuAspLysLysValThrValTrpArgLeuProGluPheGlyGlnLeuLeu 80
186 GTGACATTGGATTAAGAGGAGACTGTCTGGATCTTCTGAGTTTGGCCAAATGGCAAGC 245
81 PheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisLeuGlyIleLeu 100
246 TTTGACCCCAAGGTGGACTGCAGAAACATAGCTGTAGTAAACACAACTGGGAGTCTTG 305

QY 101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
Db 306 ACTAAGAGGTCAAATTCACCCAGCTACCAATGAGGCTCCTCAAGGAGCTGTGTTCCCC 365
QY 121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsnIlePhe 140
Db 366 AAGTCCCTGTGCTGCTGGGTGAGCCCAACACCTCATCTGCTTTGGACCAACATCTTC 425
QY 141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
Db 426 CCTCCTGTGATCAACATCAGTGGCTCAGAAATAGCAGTCACTCCGACGCGTGTAT 485
QY 161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
Db 486 GAGACGAGCTTCTCGTCAACGCTGACTATTCTCTCCACAGCTGCTTATCTCACCTTC 545
QY 181 IleProSerAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluPro 200
Db 546 ATCCCTTCTGACGATGACATTTATGACTGCAAGGTGGAACACTGGGGCCTGGAGGAGCG 605
QY 201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
Db 606 GTTCTGAAACACTGGGAACCTGAGATTCAGCCCCCATGTGACAGCTGACAGACT 662

RESULT 9
AR363023 776 bp DNA linear PAT 03-SEP-2003
LOCUS AR363023
DEFINITION Sequence 5 from patent US 5194425.
ACCESSION AR363023
VERSION AR363023.1 GI:34423771
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE 1 (bases 1 to 776)
AUTHORS Sharma, S.D., Lerch, L.B. and Clark, B.R.
TITLE MHC-mediated toxic conjugates useful in ameliorating autoimmunity
JOURNAL Patent: US 5194425-A 5 16-MAR-1993;
ANERGEN, Inc.; Redwood City, CA
FEATURES
source
1. .776
/organism="unknown"
/mol_type="genomic DNA"

ORIGIN

Alignment Scores:
Pred. No.: 1.36e-103 Length: 776
Score: 1078.00 Matches: 201
Percent Similarity: 94.1% Conservative: 5
Best Local Similarity: 91.8% Mismatches: 13
Query Match: 72.1% Indels: 0
DB: 2 Gaps: 0

US-10-048-116B-2_COPY_1_278 (1-278) x AR363023 (1-776)

QY 1 MetProCysSerArgAlaLeuIleLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
Db 6 ATGCCCGCAGCAGAGCTCTGATCTGGGGTCTCGCCCTGACCACTGCTCAGCCTC 65
QY 21 CysGlyGlyLeuAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
Db 66 TGTGGAGGTGAAGACGACATTTAGGCGCAGCAGTGGCACCCTATGTTATAGTGTATAT 125
QY 41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
Db 126 CAGTCTCTGGAGACATTTGGCCAGTACACATTTGAATTTGATGGTGTATGTTCTAT 185
QY 61 ValAspLeuAspLysLysValThrValTrpArgLeuProGluPheGlyGlnLeuLeu 80
Db 186 GTGACATTGGATTAAGAGGAGACTGTCTGGATCTTCTGAGTTTGGCCAAATGGCAAGC 245
QY 81 PheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisLeuGlyIleLeu 100

```
246 TTGTGACCCCAAGTGGAGCTGCAAAACATAGCTGTAGTAAACACAACTTGGAGCTCTTG 305
101 ThrLySerArgSerAsnPheThrProAlaThrArgGluAlaProGlnAlaThrValPhePro 120
306 ACTAAGAGGTCAATTTCCACCCAGCTACCAATGAGGTCTCTCAAGCGACTGTGTTCCTCC 365
121 LySerProValLeuLeuGlyGlnProAlaThrLeuLeuLeuLeuLeuLeuLeuLeuLeu 140
366 AAGTCCCTCTGTCTGCTGGTCCAGCCCAACACCTCTCATCTGTTTGTGGACACATCTTC 425
141 ProProValLeuAsnLeuThrTrpLeuArgAsnSerLySerValThrAspGlyValTyr 160
426 CCTCTGTGATCAACATCATGTGCTAGAGTTCAGAAATAGCAAGTCAAGCGAGCGTGTAT 485
161 GluThrSerPheLeuValAsnArgPheHisSerPheHisLeuLeuSerTyrLeuThrPhe 180
486 GAGACAGCTCTTCTCGTCAACCGTGACTATCTCTCCCAAGCTGCTTATCTACCTTC 545
181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluGluPro 200
546 ATCCCTCTGACGATGACATTTATGACTGCAAGGTGGAACACTGGGGCTGGAGGAGCG 605
201 ValLeuLysHisTrpGluProGluLeuProAlaProMetSerGluLeuThrGluThr 219
606 GTTCTGAACACTGGGAACCTGAGATTCCAGCCCTCATGTCTAGAGCTGACAGAGACT 662

LT 10
9721
S
NITION
SSION
TION
ORDS
ICE
GANISM
RENCE
THORS
TLE
URNAL
URNED
RENCE
THORS
TLE
URNAL
MARK
ENT
```

CDNA Library Preparation: Life Technologies, Inc.
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (ILNL)
DNA Sequencing by: Baylor College of Medicine Human Genome Sequencing Center
Center code: BCM-HGSC
Web site: <http://www.hgsc.bcm.tmc.edu/cdna/>
Contact: amgobcm.tmc.edu
Gunaratne, P.H., Garcia, A.M., Lu, X., Hulyk, S.W., Loulaeeged, H., Kowis, C.R., Sneed, A.J., Martin, R.G., Muzny, D.M., Nanavati, A.N., Gibbs, R.A.

Clone distribution: MGC clone distribution information can be found through the I.M.A.G.E. Consortium/ILNL at: <http://image.llnl.gov>
Series: IRAK Plate: 40 Row: d Column: 4
This clone was selected for full length sequencing because it passed the following selection criteria: matched mRNA gi: 13540710.

FEATURES

Location/Qualifiers

source

1..1084
/organism="Mus musculus"
/mol_type="mRNA"
/strain="mix FVB/N, C57BL/6J"
/db_xref="taxon:10090"
/clone="MGC:30249 IMAGE:3669693"
/tissue_type="Mammary tumor. WAP-TGF alpha model. 7 months old, gross tissue."
/clone_lib="NCI CGAP Mam5"
/lab_host="DH10B"
/note="Vector: pCMV-SPORT6"
1..1084
/gene="H2-Aa"
/note="synonym: Aalpha"
/db_xref="GeneID:14960"
/db_xref="MGI:95895"
6..776
/gene="H2-Aa"
/product="histocompatibility 2, class II antigen A, alpha"

gene

1..1084
/gene="H2-Aa"
/note="synonym: Aalpha"
/db_xref="GeneID:14960"
/db_xref="MGI:95895"
6..776
/gene="H2-Aa"
/product="histocompatibility 2, class II antigen A, alpha"

CDS

1..1084
/gene="H2-Aa"
/note="synonym: Aalpha"
/db_xref="GeneID:14960"
/db_xref="MGI:95895"
6..776
/gene="H2-Aa"
/product="histocompatibility 2, class II antigen A, alpha"

ORIGIN

Alignment Scores:
Pred. No.: 2,2e-103 Length: 1084
Score: 1078.00 Matches: 201
Percent Similarity: 94.1% Conservative: 5
Best Local Similarity: 91.8% Mismatches: 13
Query Match: 72.1% Indels: 0
DB: 6 Gaps: 0

US-10-048-116B-2_COPY_1_278 (1-278) x BC019721 (1-1084)

Qy 1 MetProCysSerArgAlaLeuLeuLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
Db 6 ATGCCGCCAGCAGAGCTCTGATTCTGGGGGTCTCGCCCTGACCACCATGCTCAGCCTC 65
Qy 21 CysGlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
Db 66 TGTGAGGTGAAGACGACATTGAGGCCGCCACCATGTTAGTATAGTGTATAT 125
Qy 41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
Db 126 CAGTCTCTCGAGACATTTGGCCAGTACACATTTGAATTTGATGGTGTGATGTTGTCTAT 185
Qy 61 ValAspLeuAspLysLeuValThrValTrpArgLeuProGluPheGlyGlnLeuLeu 80
Db 186 GTTGACTGGATGAAGAGGAGACTGTCTGGATGCTCTCTGATTTGGCCCATTTGGCAGC 245

81 PheGluProGlnGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyIleLeu 100
||||:|||||
246 TTTGACCCCAAGGTGACGACAAACATAGCTGTAGTAACACACAACTTGGGAGTCTTG 305
101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnIleAlaThrValPhePro 120
|||||
306 ACTAAGAGGTCAATTCACCCAGCTACCAATGAGGCTCTCAAGGAGCTGTGTTCCCC 365
121 LysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAsnIlePhe 140
|||||
366 AAGTCCCTGTGCTGCTGCGGTGACGCCCAACACCCCTCATCTGCTTGTGGACAACATCTTC 425
141 ProProValIleAsnIleThrTroLeuArgAsnSerLysSerValThrAspGlyValTyr 160
|||||
426 CTTCTGTGTATCAACATCAATGCTCAGAAATAGCAAGTCAGTCGACGACGGTGTAT 485
161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
|||||
486 GAGACCAAGCTTCTTCGTCAACCGTGACTATCTCTCCACAAGCTGCTTATCTCACCTTC 545
181 IleProSerAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluPro 200
|||||
546 ATCCCTTCTGACGATGACATTTATGACTGCAAGGTGGAACACTGGGCGCTGGAGGACCG 605
201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
|||||
606 GTTCTGAACACTGGGAACCTGAGATTCCAGCCCCCATGTGACAGCTGACAGAGACT 662

3ULT 11
311711
US
INITIATION
USION
SESSION
SION
WORDS
ORCE
ORGANISM
REFERENCE
AUTHORS

BC031711 1109 bp mRNA linear ROD 30-JUN-2004
Mus musculus histocompatibility 2, class II antigen A, alpha, mRNA
(cDNA clone MGC:25391 IMAGE:3670758), complete cds.
BC031711
BC031711.1 GI:21618807
MGC.
Mus musculus (house mouse)
Mus musculus
Eukaryota; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
Sciurognathi; Muridae; Murinae; Mus.
1 (bases 1 to 1109)
Strausberg R.L., Feingold, E.A., Grouse, L.H., Derge, J.G.,
Klausner, R.D., Collins, F.S., Wagner, L., Shenmen, C.M., Schuler, G.D.,
Altschul, S.F., Zeeberg, B., Buetow, K.H., Schaefer, C.F., Bhat, N.K.,
Hopkins, R.F., Jordan, H., Moore, T., Max, S.I., Wang, J., Hsieh, P.,
Diatchenko, L., Marusina, K., Farmer, A.A., Rubin, G.M., Hong, L.,
Stapleton, M., Soares, M.B., Bonaldo, M.P., Casavant, T.L.,
Scheetz, T.E., Brownstein, M.J., Usdin, T.B., Toshiyuki, S.,
Carninci, P., Prange, C., Raja, S.S., Loquellano, N.A., Peters, G.J.,
Abramson, R.D., Mullah, S.J., Bosak, S.A., McEwan, P.J.,
McKernan, K.J., Malek, J.A., Gunaratne, P.H., Richards, S.,
Worley, K.C., Hale, S., Garcia, A.M., Gay, L.J., Hulyk, S.W.,
Villalon, D.K., Muzny, D.M., Sodergren, E.J., Lu, X., Gibbs, R.A.,
Fahey, J., Helton, E., Ketterman, M., Madan, A., Rodrigues, K.,
Sanchez, A., Whitting, M., Madan, A., Young, A.C., Shevchenko, Y.,
Bouffard, G.G., Blakesley, R.W., Touchman, J.W., Green, E.D.,
Dickson, M.C., Rodriguez, A.C., Grimwood, J., Schmutz, J., Myers, R.M.,
Butterfield, Y.S., Krzywicki, M.I., Skalska, U., Smalios, D.E.,
Schnerch, A., Schein, J.E., Jones, S.J. and Marra, M.A.
Generation and initial analysis of more than 15,000 full-length
human and mouse cDNA sequences
Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903 (2002)
12477932
2 (bases 1 to 1109)
Strausberg, R.
Direct Submission
Submitted (06-JUN-2002) National Institutes of Health, Mammalian
Gene Collection (MGC), Cancer Genomics Office, National Cancer
Institute, 31 Center Drive, Room 11A03, Bethesda, MD 20892-2590,
USA
NIH-MGC Project URL: <http://mgc.nci.nih.gov>

COMMENT

Contact: MGC help desk
Email: cgabs-@mail.nih.gov
Tissue Procurement: Lothar Hennighausen Ph.D., Robin Humphreys
cDNA Library Preparation: Life Technologies, Inc.
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Baylor College of Medicine Human Genome
Sequencing Center
Center code: BCM-HGSC
Web site: <http://www.hgsc.bcm.tmc.edu/cdna/>
Contact: ang@bcm.tmc.edu
Gunaratne, P.H., Garcia, A.M., Lu, X., Hulyk, S.W., Loulseged, H.,
Kowis, C.R., Sneed, A.J., Martin, R.G., Muzny, D.M., Nanavati,
A.N., Gibbs, R.A.

Clone distribution: MGC clone distribution information can be found
through the I.M.A.G.E. Consortium/LLNL at: <http://image.llnl.gov>
Series: IRAK Plate: 30 Row: c Column: 18
This clone was selected for full length sequencing because it
passed the following selection criteria: matched mRNA gi: 13540710.

FEATURES

source
1..1109
/organism="Mus musculus"
/mol_type="mRNA"
/strain="mix FVB/N, C57BL/6J"
/db_xref="taxon:10090"
/clone="MGC:25391 IMAGE:3670758"
/tissue_type="Mammary tumor. WAP-TGF alpha model. 7 months
old, gross tissue."
/clone_lib="NCI CGAP_Mam5"
/lab_host="DH10E"
/note="Vector: pCMV-SPORT6"
gene
1..1109
/genes="H2-Aa"
/note="synonym: Aalpha"
/db_xref="GeneID:14960"
/db_xref="MGI:95895"
12..782
/genes="H2-Aa"
/codon_start=1
/product="histocompatibility 2, class II antigen A, alpha"
/protein_id="AAH31711.1"
/db_xref="GI:21618808"
/db_xref="GeneID:14960"
/db_xref="MGI:95895"
/translation="MPSRALILGLVLTMLSLCGEDDIEADHVTYCYISVYQSPG
DIGQTFPFGDELFDYLDKKEVTWMLPEFGLASFQGGQNTAVVKNHGVLFK
RNSPTATNEAPQATVPKPSVLLGQNPFLICFVDNIFPPVINITLWRNSKSVADGVY
ETSFVNRDYSFHKLSTLTFIPSDDDIYDCKVEHMGLEBPVLKWSPEIPAPMSELTE
TVVICALGLSVGLGVVVGTFIFIQGLRSQGSRSHPGL"

ORIGIN

Alignment Scores:
Pred. No.: 2,27e-103 Length: 1109
Score: 1078.00 Matches: 201
Percent Similarity: 94.1% Conservative: 5
Best Local Similarity: 91.8% Mismatches: 13
Query Match: 72.1% Indels: 0
DB: 6 Gaps: 0
US-10-048-116B-2_COPY_1_278 (1-278) x BC031711 (1-1109)
Qy 1 MetProCysSerArgAlaLeuIleLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
Db 12 ATGCCCGGACGAGACTCTGATCTCTGGGGGCTCTCGCCCTGACCATGCTCAGCCTC 71
Qy 21 CysGlyGlyIleGluAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
Db 72 TGTGGAGGTGAACGACGACATTGAGGCCGACCATGAGGACCTATGTTATAGTGTATAT 131
Qy 41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
Db 132 CAGTCTCTCTGGACATTTGCCAGTAGTACACATTTGAATTTGATGTTGATGTTGTTCTAT 191

61 ValAspLeuAspLysLysLysThrValTrrArgLeuProGluPheGlyGlnLeuLeu 80
 192 GTGGACTGGATAAGAGAGAGACTGCTCGATGCTCTCGAGTTGGCCAAATGGCAAGC 251
 81 PheGluProGlnGlyGlyLeuGlnAsnLeuAlaAlaGluLysHisAsnLeuGlyLeu 100
 252 TTTGACCCCAAGGTGGAGCTGCAAAACATAGCTGTAGTAAACACAACTTGGGAGCTTG 311
 101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
 312 ACTAAGAGGTCAAAATTCACCCAGCTACCAATGAGGCTCTCAAGGCACTGTGTCCCC 371
 121 LysSerProValLeuLeuGlyGlnProAsnThrLeuLeuLysPheValAspAsnLeuPhe 140
 372 AAGTCCCTGTGCTGCTGGTTCAGCCCAACACCTCATCTGTTGTGGCAACATCTTC 431
 141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
 432 CCTCCTGTGATCAACATCACATGCTGCTGCAAAATAGCAAGTCAGTCGCAGACGCTTTAT 491
 161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
 492 GAGACAGCTTCTTCGTCAACCGTGACTATTCCTTCCAACTGCTCTTATCTCACCTTC 551
 181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluPro 200
 552 ATCCCTCTCTGACGATGACATTTATGACTGCAGAGTGGAAACACTGGGGCTGGAGGCG 611
 201 ValLeuLysHisTrpGluProGluLeuProAlaProMetSerGluLeuThrGluThr 219
 612 GTTCTGAACACTGGGAACCTGAGATTCCAGCCCCCATGTCCAGAGCTGACAGAGACT 668

LT 12
 01
 S
 NITION
 SSION
 TION
 ORDS
 CE
 GANISM
 RENCE
 THORS
 TILE
 URNAL
 URMED
 RENCE
 THORS
 TILE
 URNAL
 ENT
 URES
 source
 mRNA
 CDS
 /organism="Mus musculus"
 /mol_type="mRNA"
 /db_xref="taxon:10090"
 <1..791
 /product="messenger RNA"
 24..794
 /note="unnamed protein product; coding sequence"
 /codon_start=1
 /protein_id="CAA24215.1"
 /db_xref="GI:53077"
 /db_xref="GOA:P01910"
 /db_xref="UniProtKB/Swiss-Prot:P01910"
 /translation="MFRSRLALGLVALTTLMLSCGGEDIEADHVGSGITVYQSPG
 978 bp mRNA linear ROD 12-SEP-1993
 Mouse fragment of mRNA encoding for the Ia antigen (heavy chain)
 from major histocompatibility complex (A-k-alpha). This is coded by
 the I-A region of the MHC and corresponds to the k haplotype.
 V00832 J00399
 V00832.1 GI:53076
 complementary DNA; histocompatibility antigen; signal peptide.
 Mus musculus (house mouse)
 Mus musculus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
 Sciurognathi; Muroidea; Muridae; Murinae; Mus.
 Benoist,C.O., Mathis,D.J., Kanter,M.R., Williams,V.E. II and
 McDavitt,H.O.
 The murine Ia alpha chains, E alpha and A alpha, show a surprising
 degree of sequence homology
 Proc. Natl. Acad. Sci. U.S.A. 80 (2), 534-538 (1983)
 630851
 2 (bases 1 to 30)
 Benoist,C.O.
 Direct Submission
 Submitted (05-MAY-1983)
 Data kindly reviewed (05-MAY-1983) by C.O. Benoist.
 Location/Qualifiers
 1..978
 /organism="Mus musculus"
 /mol_type="mRNA"
 /db_xref="taxon:10090"
 <1..791
 /product="messenger RNA"
 24..794
 /note="unnamed protein product; coding sequence"
 /codon_start=1
 /protein_id="CAA24215.1"
 /db_xref="GI:53077"
 /db_xref="GOA:P01910"
 /db_xref="UniProtKB/Swiss-Prot:P01910"
 /translation="MFRSRLALGLVALTTLMLSCGGEDIEADHVGSGITVYQSPG

ORIGIN

Alignment Scores:
 Pred. No.: 3.92e-103 Length: 978
 Score: 1075.00 Matches: 203
 Percent Similarity: 93.6% Conservative: 2
 Best Local Similarity: 92.7% Mismatches: 14
 Query Match: 71.9% Indels: 0
 DB: 6 Gaps: 0

US-10-048-116B-2_COPY_1_278 (1-278) x MMH01 (1-978)

QY 1 MetProCysSerArgAlaLeuIleLeuGlyValLeuAlaLeuAsnThrMetLeuSerLeu 20
 DB 24 ATGCCGCGCAGCAGAGCTCTGATTTCTGGGGTCTCTGCCCTGACCACTGCTCAGCCTC 83
 QY 21 CysGlyGlyGluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrValTyr 40
 DB 84 TCGGAGGTGAAGACGACATTTGAGCCGACCACTGAGGCTCTATGGTATAAATCTATAT 143
 QY 41 GlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeuPheTyr 60
 DB 144 CAGTCTCTCGAGACATTTGGCCAGTACACATTTGAATTTGATGGTATGATGTTCTAT 203
 QY 61 ValAspLeuAspLysLysLysThrValTrrArgLeuProGluPheGlyGlnLeuLeu 80
 DB 204 GTGACTTGGGATAAGAGAGAGCTGCTCGGATGCTCTCTGAGTTTGGCTCAACTGAGAAGA 263
 QY 81 PheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGlyLeu 100
 DB 264 TTTGAGCCCCAAGGTGGAGCTGCAAAACATAGCTACAGGAAACACAACTTGGAAATCTTG 323
 QY 101 ThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrValPhePro 120
 DB 324 ACTAAGAGGTCAAAATTTCCACCCAGCTACCAATGAGGCTCTCTCAAGGCACTGTGTTC 383
 QY 121 LysSerProValLeuLeuGlyGlnProAsnThrLeuLeuLysPheValAspAsnLeuPhe 140
 DB 384 AAGTCTCTGCTGCTGCTGGTTCAGCCCAACACCTTATCTGCTTGTGGCAACATCTTC 443
 QY 141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
 DB 444 CCTCCTGTGATCAACATCACATGCTGCTGAGAAATAGCAAGTCAGTCACAGACGCGTTAT 503
 QY 161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
 DB 504 GAAACCACTTCTTCTGTCACCGTACTATTCTCTCCCAAGCTGCTTATCTCAGCTTC 563
 QY 181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluPro 200
 DB 564 ATCCCTCTCTGACGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCTTGGAGGCGC 623
 QY 201 ValLeuLysHisTrpGluProGluLeuProAlaProMetSerGluLeuThrGluThr 219
 DB 624 GTTCTGAACACTGGGAACCTGAGATTCCAGCCCCCATGTCCAGAGCTGACAGAGACT 680

RESULT 13

MUSMHIKA
 LOCUS
 DEFINITION
 ACCESSION
 VERSION
 KEYWORDS
 SOURCE
 ORGANISM
 MUSMHIKA
 Mouse MHC class II H2-I-A-alpha gene (k haplotype), complete cds.
 M21931
 M21931.1 GI:199493
 cell surface glycoprotein; class II gene; integral membrane
 protein; major histocompatibility complex.
 Mus musculus (house mouse)
 Mus musculus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;
 Sciurognathi; Muroidea; Muridae; Murinae; Mus.


```
|||||
366 AAGTCCCTGTGCTGCTGGGTGAGCCCAACACCCCTCATCTGCTTTGTGGACAACTCTTC 425
|||||
141 ProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGlyValTyr 160
|||||
426 CCTCCTGTGATCAACATCATCATGGCTCAGAAATAGCAAGTCAGTCGACGCGTGTAT 485
|||||
161 GluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeuThrPhe 180
|||||
486 GAGACCAAGCTTCTCGTCAACCGTGACTATTCTTCCACAAGCTGCTTATCTCACCTTC 545
|||||
181 IleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGluPro 200
546 ATCCCTTCTGACGATGACATTTATGACTGCAAGGTGGAACACTGGGGCCTGGAGGCGG 605
|||||
201 ValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGluThr 219
606 GTTCTGAACACTGGGAACCTGAGATTCCAGCCCCCATGTCAGAGCTGACAGAGACT 662

* LT 15
3963
S AR033963 1508 bp DNA linear PAT 29-SEP-1999
NTION Sequence 122 from patent US 5869270.
SSION AR033963
ION AR033963.1 GI:5949568
ORDS
CE Unknown.
GANISM Unclassified.
RENCE 1 (bases 1 to 1508)
THORS Rhode, P.R., Jiao, J.-A., Burkhardt, M. and Wong, H.C.
TLE Single chain MHC complexes and uses thereof
URNAL Patent: US 5869270-A 122 09-FEB-1999;
URES Location/Qualifiers
source
1..1508
/organism="unknown"
/mol_type="unassigned DNA"
(IN
Comment Scores:
Al. No.: 7.34e-102 Length: 1508
e: 1065.50 Matches: 198
ent Similarity: 98.5% Conservative: 0
Local Similarity: 98.5% Mismatches: 0
y Match: 71.2% Indels: 3
2 Gaps: 1
0-048-116B-2_COPY_1_278 (1-278) x AR033963 (1-1508)
22 GlyGly-----GluAspAspIleGluAlaAspHisValGlyPheTyrGlyThrThr 38
792 GCGGGTTCCTCGAGTGAACGACGACATTGAGCGCGACCGTAGGCTTCTATGTTACAACT 851
39 ValTyrGlnSerProGlyAspIleGlyGlnTyrThrHisGluPheAspGlyAspGluLeu 58
852 GTTTATCAGTCTCCTGGAGACATTTGGCCAGTACACACATGAATTTGATGGTGATGATTG 911
59 PheTyrValAspLeuAspLysLysThrValTyrArgLeuProGluPheGlyGlnLeu 78
912 TTCTATGTGAGCTTGGATGAAGAGAAACTGTCTGGAGGCTTCCCTGAGTTTGGCCAAATTG 971
79 IleLeuPheGluProGlnGlyGlyLeuGlnAsnIleAlaAlaGluLysHisAsnLeuGly 98
972 ATACTCTTTGAGCCCCAAGTGGACTGCAAAACATAGCTGCAGAAAAACACAACTTGGGA 1031
99 IleLeuThrLysArgSerAsnPheThrProAlaThrAsnGluAlaProGlnAlaThrVal 118
1032 ATCTTGACTAAGAGGTCAAAATTTACCCCGAGCTACCAATGAGGCTCCTCAAGCGACTGTG 1091
119 PheProLysSerProValLeuLeuGlyGlnProAsnThrLeuIleCysPheValAspAsn 138
1092 TTCCCCCAAGTCCCTGTGCTGTGGGTGAGCCCAACACACCTTTATCTGCTTTGTGGACAC 1151
```

```
Qy 139 IlePheProProValIleAsnIleThrTrpLeuArgAsnSerLysSerValThrAspGly 158
Db 1152 ATCTTCCACCTGTGATCAACATCACATGGCTCAGAAATAGCAAGTCAGTCACAGCGC 1211
Qy 159 ValTyrGluThrSerPheLeuValAsnArgAspHisSerPheHisLysLeuSerTyrLeu 178
Db 1212 GTTTATGAGACGAGCTTCTCGTCAACCGTGACCAATTCCTTCCACAAAGCTGCTTTATCTC 1271
Qy 179 ThrPheIleProSerAspAspAspIleTyrAspCysLysValGluHisTrpGlyLeuGlu 198
Db 1272 ACCTTCATCCCTTCTGATGATGACATTTATGACTGCAAGGTGGAGCACTGGGGCCTGGAG 1331
Qy 199 GluProValLeuLysHisTrpGluProGluIleProAlaProMetSerGluLeuThrGlu 218
Db 1332 GAGCGGGTTCTGAAACACTGGGAACCTGAGATTCCAGCCCCCATGTCAGAGCTGACAGAA 1391
Qy 219 Thr 219
Db 1392 ACT 1394
```

Search completed: June 1, 2006, 03:20:58
Job time : 5235.37 secs

GenCore version 5.1.8
Copyright (C) 1993 - 2006 Bioceleration Ltd.

protein - nucleic search, using frame_plus_p2n model
on: May 31, 2006, 23:08:35 ; Search time 6465 seconds
(without alignments)
4540.119 Million cell updates/sec

e: US-10-048-116b-6
ect score: 1620
ence: 1 MALQIPSLLSAAVVLVWL.....LKWKLQALKKLAQHSHHHH 306

ing table: BLOSUM62
Xgapop 10.0, Xgapext 0.5
Ygapop 10.0, Ygapext 0.5
Fgapop 6.0, Fgapext 7.0
Delop 6.0, Delext 7.0

ched: 6366136 seqs, 31973710525 residues

al number of hits satisfying chosen parameters: 12732272

.num DB seq length: 0

.num DB seq length: 2000000000

:-processing: Minimum Match 0%

Listing first 45 summaries

and line parameters:

DEL=frame+p2n.model -DEV=xlh
'abses/ABSSWEB spool/US10048116/runat 31052006 110137 25959/app query.fasta_1
-GenEmbl -QFMT=fastap -SUFFIX=p2n.rge -MINMATCH=0.1 -LOOPCL=0 -LOOPEXT=0
[TS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS-human40.cdi -LIST=45
ALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
FMT=pcr -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000 -HOST=abes03h
R=US10048116 @CGN 1 1 5548 @runat 31052006 110137 25959 -NCPU=6 -ICPU=3
MMAP -NEG_SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG -DEV TIMEOUT=120
N TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6 -FGAPEXT=7
APOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

ibase : GenEmbl.*

- 1: gb_env.*
- 2: gb_pat.*
- 3: gb_ph.*
- 4: gb_pl.*
- 5: gb_pr.*
- 6: gb_ro.*
- 7: gb_sta.*
- 8: gb_sy.*
- 9: gb_un.*
- 10: gb_vi.*
- 11: gb_ov.*
- 12: gb_htg.*
- 13: gb_in.*
- 14: gb_om.*
- 15: gb_ba.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Alt	Score	Query	Match	Length	ID	Description
1	1620	100.0	921	2	AX081281	Sequence
2	1255.5	77.5	893	2	AR047947	Sequence
3	1161.5	71.7	4724	2	AR199666	Sequence

4	1154	71.2	1013	2	AR047957	Sequence
5	1145	70.7	1382	2	AR033964	Sequence
6	1145	70.7	1382	2	AR175097	Sequence
7	1145	70.7	1382	2	CS079301	Sequence
8	1145	70.7	1382	2	AX032545	Sequence
9	1145	70.7	1385	2	AR033962	Sequence
10	1145	70.7	1385	2	AR175095	Sequence
11	1145	70.7	1385	2	CS079299	Sequence
12	1145	70.7	1385	2	AX032543	Sequence
13	1145	70.7	1508	2	AR033963	Sequence
14	1145	70.7	1508	2	AR152030	Sequence
15	1145	70.7	1508	2	AR175096	Sequence
16	1145	70.7	1508	2	CS079300	Sequence
17	1145	70.7	1508	2	AX032544	Sequence
18	1136	70.1	1508	2	BD138632	Soluble M
19	1131.5	69.8	1251	6	BC010322	Mus muscu
20	1102.5	68.1	798	6	MUSMHIABQ	Mus muscu
21	1096.5	67.7	798	2	CQ777552	Sequence
22	1054.5	65.1	888	6	MUSMHIABNO	Mus muscu
23	1054.5	65.1	1204	6	BC008168	Mus muscu
24	1050.5	64.8	792	6	AY452202	Mus muscu
25	1042.5	64.4	777	6	AF065913	Mus muscu
26	1042.5	64.4	792	6	AF293060	Mus muscu
27	1042.5	64.4	792	6	MUSMHIH2	Mus muscu
28	1042.5	64.4	1162	6	BC057998	Mus muscu
29	1041.5	64.3	792	6	MUSMHIAB5	Mus muscu
30	1036.5	64.0	792	6	AF119251	Mus muscu
31	1036.5	64.0	792	6	AF119252	Mus muscu
32	1033.5	63.8	750	6	AF065912	Mus muscu
33	1030.5	63.6	1078	6	AF293061	Mus muscu
34	1028.5	63.5	792	6	MUSMHIABK	Mus muscu
35	1016.5	62.7	792	6	MUSMHIABU	Mus muscu
36	998.5	61.6	1070	6	AF015280	Mus muscu
37	993.5	61.3	760	6	MUSMHIABF	Mus muscu
38	979.5	60.5	702	2	AR106257	Sequence
39	979.5	60.5	702	2	AR229609	Sequence
40	979.5	60.5	702	2	AR363024	Sequence
41	972	60.0	575	6	AY303785	Mus muscu
42	972	60.0	578	6	AY303784	Mus muscu
43	972	60.0	1243	2	AX490802	Sequence
44	964.5	59.5	792	6	AY626181	Rattus no
45	964.5	59.5	792	6	AY626184	Rattus no

ALIGNMENTS

RESULT 1	AX081281	Sequence 2 from Patent WO0109194.	921 bp	DNA	linear	PAT 27-FEB-2001
LOCUS	AX081281	Sequence 2 from Patent WO0109194.	921 bp	DNA	linear	PAT 27-FEB-2001
DEFINITION	AX081281	Sequence 2 from Patent WO0109194.	921 bp	DNA	linear	PAT 27-FEB-2001
ACCESSION	AX081281	Sequence 2 from Patent WO0109194.	921 bp	DNA	linear	PAT 27-FEB-2001
VERSION	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001
KEYWORDS	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001
SOURCE	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001
ORGANISM	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001
REFERENCE	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001
AUTHORS	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001
TITLE	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001
JOURNAL	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001
FEATURES	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001
source	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001
CDS	AX081281.1	GI:13170131	921 bp	DNA	linear	PAT 27-FEB-2001

Glaichenhaus, N. and Malherbe, L.
Recombinant proteins and molecular complexes derived therefrom,
analogous to molecules involved in immune responses
Patent: WO 0109194-A 2 08-FEB-2001;
CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE (CNRS) (FR)

Location/Qualifiers
1..921
/organism="synthetic construct"
/mol_type="unassigned DNA"
/db_xref="taxon:32630"
/note="ligation de fragments d'ADNC"
1..921
/note="unnamed protein product"
/codon_start=1
/transl_table=11
/protein_id="CAC33123.1"

174 GGTGACCTGGCCCAACATTGCTGTCGACCAAGGCTGGAGGTGGTGGATCOGTGGGA----- 227

56 ProArgGlySerGlyGlyGlySerGluArgHisPheValValGlnPheIysGlyGlu 75

228 ---GGGGAGGTGGAGGTGGAGGGTCTGAAAGGCATTTTCGTGTATACCATGTTATGGGCGCG 284

76 CysTyrTyrThrAsnGlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArg 95

285 TGCTACTTACCAACACGGGACGCGACATACGATATGTGACCATATCTTACCAACCGG 344

96 GluGluTyrValArgTyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGly 115

345 GAGGAGTACGTGCGCTACGACAGCGACGTGGCGGAGCACCGCGCGGTGACCGAGCTGGGG 404

116 ArgProAspAlaGluTyrTyrAsnSerGlnProGluIleLeuGluArgThrArgAlaGlu 135

405 CGCGCAGACGCGGAGTACTGGMACAGCAGCGGAGATCTTGGAGCGAACCGCGGCGCG 464

136 ValAspThrAlaCysArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArg 155

465 GTGGACACGGTGTGCAGACACAACTACGAGGGCGCGAGACCCACACCTCCCTGCGGCGG 524

156 LeuGluGlnProAsnValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsn 175

525 CTTGAACAGCCCAATGTGCTATCTCTCCCTGTCCAGGACAGAGGCCCTCAACCCACCAAC 584

176 ThrLeuValCysSerValThrAspPheTyrProAlaValIleLeuValArgTyrPheArg 195

585 ACTCTGGGTCTGCTCAGTGACAGATTTTACCAGCCAGCATCAAGTGGCTGGTTCGG 644

196 AsnGlyGlnGluThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyr 215

645 AATGCCAGGAGGAGAGCGGTGGGTCTCATCCACACAGCTTATTAGGAATGGGGACTGG 704

216 ThrPheGlnValLeuValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCys 235

705 ACCTTCCAGGTCTGCTCATGTGAGATGACCCCTCGCGGGGAGAGGTCTACACCTGT 764

236 HisValGluHisProSerLeuIysSerProIleThrValGluTyrArgAlaGlnSerGlu 255

765 CAGGTGGAGCATCCAGCTGAAGAGCCCATCATCTGTGGAGTGGAGGGCACAGTCTGAG 824

256 SerAlaArgSerLys-----GlyGlyGlyGly 264

825 TCTGCTGGAGCAAGATGTTGAGCGGCATCGGGGGC 860

LT 5
3964
S
NITION
SSION
ION
ORDS
CE
GANISM
RENCE
THORS
TLE
JRNAL
JRES
source
IN

AR033964
Sequence 123 from patent US 5869270.
AR033964
AR033964.1 GI:5949569
Unknown.
Unknown.
Unclassified.
1 (bases 1 to 1382)
Rhode, P.R., Jiao, J.-A., Burkhardt, M. and Wong, H.C.
Single chain MHC complexes and uses thereof
Patent: US 5869270-A 123 09-FEB-1999;
Location/Qualifiers
1. 1382
/organism="unknown"
/mol_type="unassigned DNA"

1382 bp DNA linear PAT 29-SEP-1999

ment Scores:
No.: 1.91e-110 Length: 1382
a: 1145.00 Matches: 227
ent Similarity: 87.2% Conservative: 4
Local Similarity: 85.7% Mismatches: 24
Y Match: 70.7% Indels: 10
Gaps: 3

US-10-048-116B-6 (1-306) x AR033964 (1-1382)

QY 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValLeuMetValLeu 20

Db 6 ATGGCTCTGCGAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGGTCTGATGGTGTG 65

QY 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40

Db 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTCACGCTGCTCACGCTGAA----- 119

QY 41 IleValValSerGlySerTyrAspGlyGlyGlySerLeuValProArgGlySerGly 60

Db 120 ATCAACGAAGCTGCTGCTAGCGGAGGGGGCGGAAGC-----GGCGGA 164

QY 61 GlyGlyGlySerGluArgHisPheValValGlnPheIysGlyGlyCysTyrTyrThrAsn 80

Db 165 GGGGGAACCTCCGAAGGCATTTCTGGTCCAGTTCAAGGGCGAGTGTACTACACCAAC 224

QY 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100

Db 225 GGGACGCGAGCATACGCTCGTCCAGATACATCTACAAACCGGGAGGAGTACGTGGCG 284

QY 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120

Db 285 TACGACGCGACGTGGGCGAGTACCGCGCGGTGACCGAGCTGGGGCGGCCAGACCCGAG 344

QY 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140

Db 345 TACTGGAAACGCCAGCGGAGATCTTGGAGCGAACCGGGCGGAGGTGGACACGGCGTGC 404

QY 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgLeuGluGlnProAsn 160

Db 405 AGACACAACCTACGAGGGCGCGAGACCCAGCACCTCCCTGCGCGGCTTGAACAGCCCAAT 464

QY 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180

Db 465 GTCGCCCATCTCCCTGTCCAGGACAGAGCCCTCAACACCAACACACTCTGTGCTGTTCG 524

QY 181 ValThrAspPheTyrProAlaIleIleIysValArgTyrPheArgAsnGlyGlnGluGlu 200

Db 525 GTGACAGATTTCTACCCAGCCCAAGATCAAGTGGCTGTTTCAGGAATGGCCAGGAGGAG 584

QY 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrThrPheGlnValLeu 220

Db 585 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGGACTGGACCTTCCAGGTCTCTG 644

QY 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240

Db 645 GTCATGTCTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704

QY 241 SerLeuIysSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerLys 260

Db 705 AGCTGAAGAGCCCATCATCTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755

QY 261 GlyGlyGlyGlySer 265

Db 756 GGCCTGGTGGTGTTC 770

RESULT 6
ARI75097
LOCUS
DEFINITION
ACCESSION
VERSION
KEYWORDS
SOURCE
ORGANISM
REFERENCE
AUTHORS
TITLE
JOURNAL

ARI75097
Sequence 123 from patent US 6309645.
ARI75097
ARI75097.1 GI:17916396
Unknown.
Unknown.
Unclassified.
1 (bases 1 to 1382)
Rhode, P.R., Jiao, J.-A., Burkhardt, M. and Wong, H.C.
MHC molecules and uses thereof
Patent: US 6309645-A 123 30-OCT-2001;

1382 bp DNA linear PAT 17-DEC-2001

[illegible]

LOCUS AX032543 1385 bp DNA linear PAT 20-SEP-2000
DEFINITION Sequence 121 from Patent EP0997477.
ACCESSION AX032543
VERSION AX032543.1 GI:10279484
KEYWORDS .
SOURCE unidentified
ORGANISM unclassified sequences.
REFERENCE 1
AUTHORS Chavallaz, P.A., Edwards, A.C., Grammer, S., Jiao, J.A., Rhode, P.R., Weidanz, J.A. and Wong, H.C.
TITLE Whc complexes and uses thereof
JOURNAL Patent: EP 0997477-A 121 03-MAY-2000;
SUNOL MOLECULAR CORP (US)
FEATURES
source location/Qualifiers
1..1385
/organism="unidentified"
/mol_type="unassigned DNA"
/db_xref="taxon:32644"

Alignment Scores:
Pred. No.: 1.91e-110 Length: 1385
Score: 1145.00 Matches: 227
Percent Similarity: 87.2% Conservative: 4
Best Local Similarity: 85.7% Mismatches: 24
Query Match: 70.7% Indels: 10
DB: 2 Gaps: 3

US-10-048-116B-6 (1-306) x AX032543 (1-1385)

QY 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
|||||
Db 6 ATGGCTCTGCAGATCCCGAGCCTCTCTCTCAGCTGCTGTGGTGTGTGTGTGTGTG 65
|||||

QY 21 SerSerProGlyThrGluGlyGlyAenSerIleCysPheSerProSerLeuGluHisPro 40
|||||
Db 66 AGCAGCCCAAGAGCATTTAAGTATCTCTCAGAGCTGTTTCACGCTGCTCACGCTGAA----- 119
|||||

QY 41 IleValValSerGlySerTrpAspGlyGlyGlyValGlnPheLysGlyCysTrpThrAen 60
|||||
Db 120 ATCAACGAGCTGCTGCTAGCGAGGGGGCGGAGC-----GGCGGA 164
|||||

QY 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyCysTrpThrAen 80
|||||
Db 165 GGGGAAACTCCGAAAGCATTTCTGTCGTCAGATACATCTACACCGGCGAGTACTACACCAAC 224
|||||

QY 81 GlyThrGlnAenGlyIleArgLeuValThrArgTrpIleTyrAenArgGluTyrValArg 100
|||||
Db 225 GGGAGCGAGCTGCTGCTAGCGAGGGGGCGGAGC-----GGCGGA 164
|||||

QY 101 TyrAenSerAspValGlyGlyValArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
|||||
Db 285 TACGACGACGACGTGGCGAGTACCGCGGTGACCGAGCTGGGGCGGCGAGCGCGAG 344
|||||

QY 121 TyrTrpAenSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
|||||
Db 345 TACTGGAACTACGAGGGCGGAGGAGTCTTCCGAGCGAGTGGGAGTGGGAGTGGGAGTGGGAG 404
|||||

QY 141 ArgHisAenTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGlnProAen 160
|||||
Db 405 AGACACACTACGAGGGCGGAGGAGTCTTCCGAGCGAGTGGGAGTGGGAGTGGGAGTGGGAGTGGGAG 464
|||||

QY 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAenHisHisAenThrLeuValCysSer 180
|||||
Db 465 GTGCGCATCTCCCTGCTCCAGGAGCAGAGGCCCTCAACCGGCGAGTGGGAGTGGGAGTGGGAGTGGGAG 524
|||||

QY 181 ValThrAspPheTyrProAlaLysIleLysValArgTrpPheArgAenGlyGlnGlu 200
|||||
Db 525 GTGACAGATTTCACCCAGCCAGATCAAGTGCGCTGTTTCCAGAAATGGCCAGGAGGAG 584
|||||

QY 201 ThrValGlyValSerSerThrGlnLeuIleArgAenGlyAspTrpThrPheGlnValLeu 220
|||||
Db 585 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGAGCTGACCTTCCAGGTCCTG 644
|||||

QY 221 ValMetLeuGluMetThrProHisGlnGlyValTyrThrCysHisValGluHisPro 240
|||||
Db 645 GTCATGTGGAGATGATACCCCTCATCGGAGGAGGTCTACACTGCTGCATGTGGAGCATCTCC 704
|||||

QY 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
|||||
Db 705 AGCCTGAAGAGCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
|||||

QY 261 GlyGlyGlyGlySer 265
|||||
Db 756 GCGCGTGTGTGTTC 770
|||||


```

81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
|||||
225 GGGAGCGAGCGATACGGCTCGTACAGATACATCTCAACCGGGAGGAGTACGTGCGC 284

101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
|||||
285 TACGACGACGAGTGGCGGAGTACCGCGGTGACCGAGCTGGGCGCGCAGACCGCGAG 344

121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
|||||
345 TACTGGAAACAGCCGCGAGATCTTGAGCGAACCGGGCCGAGGTGGACACGCGGTGC 404

141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
|||||
405 AGACACACACTACGAGGGGCGGAGACCGACCTCCCTGCGCGGCTTGAACAGCCCAAT 464

161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisAsnThrLeuValCysSer 180
|||||
465 GTCCGATCTCCCTGTCCAGGACAGAGGCCCTCAACACCAACACACTCTGGTCTGTTCG 524

181 ValThrAspPheTyrProAlaValIleValArgTyrPheArgAsnGlyGlnGlu 200
|||||
525 GTGACAGATTTCTACCCAGCCAAAGTCAAGTCCGCTGGTTCAGGAATGGCCAGGAGAG 584

201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrThrPheGlnValLeu 220
|||||
585 ACAGTGGGGGTCTCATCCACACAGCTTATTAGGAATGGGAGCTGGACCTTCCAGGTCCTG 644

221 ValMetLeuGluMetThrProHisGlnGlyValThrCysHisValGluHisPro 240
|||||
645 GTCATGTGGAGATGACCCCTCATCAGGAGAGGTCTACACTGCCATGTGGAGCATCCC 704

241 SerLeuValSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerLys 260
|||||
705 AGCCTGAAGAGCCCATCATCTGTGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755

261 GlyGlyGlyGlySer 265
756 GCGCGTGGTGGTTCC 770

```

```

JT 15
5096
NITION
SIION
ION
RDS
DE
ANISM
RENCE
THORS
TLE
JRNAL
JRES
source
IN

AR175096
Sequence 122 from patent US 6309645.
AR175096
AR175096.1 GI:17916395
Unknown.
Unknown.
Unclassified.
1 (bases 1 to 1508)
Rhode, P.R., Jiao, J.-A., Burkhardt, M. and Wong, H.C.
MHC molecules and uses thereof
Patent: US 6309645-A 122 30-OCT-2001;
Location/Qualifiers
1. 1508
/organism="unknown"
/mol_type="unassigned DNA"

```

```

ment Scores:
. NO.: 2.13e-110 Length: 1508
3: 1145.00 Matches: 227
ant Similarity: 87.2% Conservative: 4
Local Similarity: 85.7% Mismatches: 24
/ Match: 70.7% Indels: 10
2 Gaps: 3

```

-048-116B-6 (1-306) x AR175096 (1-1508)

```

1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
|||||
6 ATGGCTCTGCAGATCCCCAGCCCTCTCTCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTG 65

```

Search completed: June 1, 2006, 01:03:44
Job time : 6473 secs

```

QY 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
|||||
Db 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTACGCTGCTCACGCTGAA----- 119

QY 41 IleValValSerGlySerTyrAspGlyGlyGlySerLeuValProArgGlySerGly 60
|||||
Db 120 ATCAACGAAGCTGCTGCTGCTAGCGAGGGGGCGGAAGC-----GCGCGA 164

QY 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrTyrThrAsn 80
|||||
Db 165 GGGGAAACTCCGAAAGSCATTTCTGTGTCAGTTCAAGGGCGAGTGTCTACTACCAAC 224

QY 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
|||||
Db 225 GGGAGCGAGCGATACGCGCTCGTACACAGATACATCTCAACCGGGAGGAGTACGTGCGC 284

QY 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
|||||
Db 285 TACGACGAGCGAGTGGCGGAGTACCGCGGTGACCGGAGCTGGGCGCGCCAGACCGCGAG 344

QY 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
|||||
Db 345 TACTGGAAACAGCCAGCCGAGATCTTGAGCGAACCGGGCCGAGGTGGACACGCGGTGC 404

QY 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
|||||
Db 405 AGACACACACTACGAGGGGCGGAGACCGACCTCCCTGCGCGGCTTGAACAGCCCAAT 464

QY 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisAsnThrLeuValCysSer 180
|||||
Db 465 GTCCGATCTCCCTGTCCAGGACAGAGGCCCTCAACACCAACACACTCTGGTCTGTTCG 524

QY 181 ValThrAspPheTyrProAlaValIleValArgTyrPheArgAsnGlyGlnGluGlu 200
|||||
Db 525 GTGACAGATTTCTACCCAGCCAAAGTCAAGTCCGCTGGTTCAGGAATGGCCAGGAGAG 584

QY 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrThrPheGlnValLeu 220
|||||
Db 585 ACAGTGGGGGTCTCATCCACACAGCTTATTAGGAATGGGAGCTGGACCTTCCAGGTCCTG 644

QY 221 ValMetLeuGluMetThrProHisGlnGlyGluValThrCysHisValGluHisPro 240
|||||
Db 645 GTCATGTGGAGATGACCCCTCATCAGGAGAGGTCTACACTGCCATGTGGAGCATCCC 704

QY 241 SerLeuValSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerLys 260
|||||
Db 705 AGCCTGAAGAGCCCATCATCTGTGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755

QY 261 GlyGlyGlyGlySer 265
Db 756 GCGCGTGGTGGTTCC 770

```


GenCore version 5.1.9
Copyright (c) 1993 - 2006 Bioceleration Ltd.

OM protein - nucleic search, using frame_plus_p2n model

Run on: June 30, 2006, 01:23:04 ; Search time 522.277 Seconds
(without alignments)
6007.369 Million cell updates/sec

Title: US-10-048-116b-6_COPY_1_300

Perfect score: 1572

Sequence: 1 MALQIPSLLSAAVVVLWL.....KKQAQLKWLKQLKLLKLAQ 300

Scoring table:

	BLOSUM62
Xgapop 10.0 , Xgapext 0.5	
Ygapop 10.0 , Ygapext 0.5	
Fgapop 6.0 , Fgapext 7.0	
Delop 6.0 , Delext 7.0	

Searched: 5244920 seqs, 3486124231 residues

Total number of hits satisfying chosen parameters: 10489840

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Command line parameters:

-MODEL=frame+ p2n.model -DEV=xlp
-Q=/abs/ABSSWEB.spool/US10048116/runat.29062006.093309.10102/app.query.fasta.1
-DB=N Geneseq -QFMT=fastap -SUFFIX=p2n.rng -MINMATCH=0.1 -LOOPEXT=0
-UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
-DOCALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFMT=ptc -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000 -HOST=abs05p
-USER=US10048116 @CGN 1.1423 @runat.29062006.093309.10102 -NCPU=6 -ICPU=3
-NO MMAP -NEG SCORES=0 -WAIT -DSPBLOC=100 -LONGLOG -DEV TIMEOUT=120
-WARN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6 -FGAPEXT=7
-YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database :

N Geneseq 8:*

1: Geneseqn1980s:*
2: Geneseqn1990s:*
3: Geneseqn2000s:*
4: Geneseqn2001as:*
5: Geneseqn2001bs:*
6: Geneseqn2002as:*
7: Geneseqn2002bs:*
8: Geneseqn2003as:*
9: Geneseqn2003bs:*
10: Geneseqn2003cs:*
11: Geneseqn2003ds:*
12: Geneseqn2004as:*
13: Geneseqn2004bs:*
14: Geneseqn2005s:*
15: Geneseqn2006s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	1572	100.0	921	5 AAF55099	Aaf55099 DNA encod
2	1255.5	79.9	893	2 AAT04262	Aat04262 Hybrid IA
3	1222	77.7	945	12 ADQ31225	Adq31225 I-Ab(beta

4	1206	76.7	915	12	ADQ31228	Adq31228 I-Ab(beta
5	1161.5	73.9	4724	2	AAV12068	Aav12068 Murine IA
6	1151	73.2	1013	2	AAT04269	Aat04269 Hybrid IA
7	1145	72.8	1382	2	AAT17588	Aat17588 Vector SC
8	1145	72.8	1382	2	AAT86989	Aat86989 SCE1 sing
9	1145	72.8	1382	8	ACA60744	ACA60744 Mouse MHC
10	1145	72.8	1385	2	AAT17586	Aat17586 Vector SS
11	1145	72.8	1385	2	AAT86987	Aat86987 SSC1 sing
12	1145	72.8	1385	8	ACA60742	ACA60742 Mouse MHC
13	1145	72.8	1508	2	AAT17587	Aat17587 Vector SC
14	1145	72.8	1508	2	AAT86988	Aat86988 SCT1 sing
15	1145	72.8	1508	2	AAT89069	Aat89069 Single ch
16	1145	72.8	1508	8	ACA60743	ACA60743 Mouse MHC
17	1036.5	69.8	798	12	ADJ75986	Adj75986 Marker ge
18	1036.5	69.8	798	14	ADX26090	Adx26090 Novel cel
19	1093	69.5	1085	4	ABI99040	Abi99040 Murine pC
20	1049.5	66.8	1698	4	ABI99038	Abi99038 Murine pC
21	1044.5	66.4	1662	4	ABI99039	Abi99039 Murine pC
22	979.5	62.3	702	2	AAQ03170	Aaq03170 Sequence
23	979.5	62.3	702	2	AAT06286	Aat06286 I-Ab-beta
24	979.5	62.3	702	2	AAQ56920	Aaq56920 Mouse I-A
25	972	61.8	1243	6	ABN84048	Abn84048 Single ch
26	963.5	61.3	702	2	AAQ35055	Aaq35055 IAB beta
27	957	60.9	1686	4	ABI99031	Abi99031 MBP 1-14
28	957	60.9	1701	4	ABI99028	Abi99028 IAS MBP 1
29	957	60.9	2059	4	ABI99032	Abi99032 MBP 1-14
30	957	60.9	2346	4	ABI99027	Abi99027 IAS MBP 1
31	952	60.6	1707	4	ABI99030	Abi99030 IAS MBP 9
32	949	60.4	1680	4	ABI99021	Abi99021 I-Aa MBP
33	949	60.4	2053	4	ABI99029	Abi99029 IAS MBP 9
34	949	60.4	2343	4	ABI99033	Abi99033 MBP 90-10
35	871	55.4	1344	2	AAT60705	Aat60705 CDNA enco
36	854.5	54.4	1323	2	AAT60700	Aat60700 CDNA enco
37	844.5	53.7	861	14	AEC64482	Aec64482 DRB1-biot
38	839.5	53.4	1192	10	AAD63150	Aad63150 Human maj
39	839.5	53.4	1192	10	AAD62751	Aad62751 Human maj
40	839.5	53.4	1192	11	ADP88246	Adp88246 Lung canc
41	839.5	53.4	1192	13	ADR24869	Adr24869 Breast ca
42	833.5	53.0	941	12	ADO40822	Ado40822 DNA encod
43	829	52.7	562	6	ABK63510	Abk63510 Rat seque
44	829	52.7	562	10	ADB57995	Adb57995 Toxicity-
45	829	52.7	562	10	ABT41775	Abt41775 Toxicity

ALIGNMENTS

RESULT 1

AAF55099
ID AAF55099 standard; DNA; 921 BP.

AC AAF55099;

DT 15-MAY-2001 (first entry)

DE DNA encoding a fusion protein comprising a beta chain of MHC.

XX Recombinant protein; alpha chain; beta chain; MHC; immunoglobulin;
XX major histocompatibility complex; Fc region; antigen; T lymphocyte;
XX immunostimulant; vaccine; infection; tumour; ss.

OS Synthetic.

XX Key Location/Qualifiers

XX CDS 1..921

XX FT /*tag= a

XX PN WO200109194-A1.

XX PD 08-FEB-2001.

XX PF 28-JUL-2000; 2000WO-FR002193.

XX PR 29-JUL-1999; 99FR-00009862.

XX
DR WPI: 2004-546819/53.
DR P-PSDB; ADQ31224.
XX
PT Peptide-Class II major histocompatibility complex (MHC) composite, useful
PT for detecting antigen specific CD4+ T-cell, comprises antigen peptide
PT containing epitope of mucous membrane invasive protein, and extracellular
PT region of MHC.
XX
XX Example 1; SEQ ID NO 10; 30pp; Japanese.

XX The invention relates to a novel class II major histocompatibility
CC complex (MHC) antigenic peptide composite comprising a peptide containing
CC the T-cell antigenic determinant of a mucous membrane invasive protein
CC and the extracellular region of the class II MHC molecule or at least part
CC of the extracellular region of the class II MHC molecule having an amino
CC acid sequence comprising one or more deletions, substitutions or
CC additions. The molecule of the invention may be useful for detecting an
CC antigen-specific CD4+ T-cell by flow cytometry and for presenting a
CC microorganism-derived mucous membrane invasive protein as an antigen. The
CC method of the invention enables efficient detection of antigen-specific
CC activation of CD4+ T-cells in the mucous membrane. The current sequence
CC is that of the class II major histocompatibility complex-related I-
CC Ab(alpha)-Cholera toxin B subunit (CTB)-leucine zipper (LZ)-Bira fusion
CC cDNA of the invention.

XX
SQ Sequence 945 BP; 230 A; 256 C; 294 G; 165 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.: 1.74e-108 Length: 945
Score: 1222.00 Matches: 242
Percent Similarity: 85.0% Conservative: 14
Best Local Similarity: 80.4% Mismatches: 41
Query Match: 77.7% Indels: 4
DB: 12 Gaps: 3

US-10-048-116B-6_COPY_1_300 (1-300) x ADQ31225 (1-945)

QY 1 MetAlaLeuGlnIlePro---SerLeuLeuLeuSerAlaAlaValValValLeuMetVal 19
DB 4 GTGTGTCTGAAGCTCCTCGAGGTTCCTACATGGCAAGCTGACATGTGACTGTATGGTG 63
QY 20 LeuSerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHis 39
DB 64 CTGAGCTCCCACTGCTTGGCTGGAGACTCTCGCTGTGGACATAAGACCGCCGAC 123
QY 40 ProlleValValSerGlySerTrpAspGlyGlyGlyGlySerLeuValProArgGlySer 59
DB 124 GCGATCGCGCCCATCAGCATGCGCAACGAGGTGTGGTCC---GGTGGAGGGGAAGT 180
QY 60 GlyGlyGlyGlySerGluArgHisPheValValGlnPheGlyGlyGlyCysTyrThr 79
DB 181 GGAGGTGGAGGGTCTGAAGGCATTTCTGTGTACAGTTTCATGGCGAGTGCTACTTCACC 240
QY 80 AsnGlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrVal 99
DB 241 AACGGGACCGCAGGCATACATATGTGACACAGATACATCTACACCGGGAGGATACGTG 300
QY 100 ArgTyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAla 119
DB 301 CGCTACGACAGGACGCTGGCGGAGCACCGCGGGTGACCGAGTGGGGCGGCAGACGCC 360
QY 120 GluTyrTrpAsnSerGlnProGluIleLeuGluAArgThrArgAlaGluValAspThrAla 139
DB 361 GAGTACTGGAACAGCCAGCGGAGATCTTGGAGCGAACCGCGCGCGAGCTGGACACGGTG 420
QY 140 CysArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnPro 159
DB 421 TGCACACACAACTACGAGGGGCGGAGACCCACACCTCTCGCGGGCTTGAACAGCCC 480
QY 160 AsnValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCys 179
DB 481 AATGTCGTATCTCCCTGTCCAGGACAGAGGGCCCTCAACACACACAACTCTGGTCTGC 540

QY 180 SerValThrAspPheTyrProAlaIleLysValArgTrpPheArgAsnGlyGlnGlu 199
DB 541 TCAGTGACAGATTTCTACCCAGCCCAAGATCAAAGTCGCTGGTTCCGGAAATGCCAGGAG 600
QY 200 GluThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnVal 219
DB 601 GAGCGTGGGGTCTCATCCACACAGCTTTTAGGAATGGGACTGGACCTTCCAGGTC 660
QY 220 LeuValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHis 239
DB 661 CTGGTCATCTCGAGATGACCCCTCGCGGGGAGAGGTCTACACCTGTACGTGGAGCAT 720
QY 240 ProSerLeuLysSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSer 259
DB 721 CCCAGCCTGAAGAGCCCCATCACTGTGGAGTGGAGGCACAGTCGTCAGCA-----GAC 774
QY 260 LysGlyGlyGlySerThrAlaProSerAlaGlnLeuLysLysLysLeuGlnAla 279
DB 775 CTGGTTCGCGGGATCCACTACAGCTCCATCAGCTCAGTTGAAAAAGAACTGCAGGCA 834
QY 280 LeuLysLysLysAsnAlaGlnLeuLysTrpLysLeuGlnAlaLeuLysLysLysLeuAla 299
DB 835 CTTAAGAAAAAGAACGCTCAGCTGAAGTGGAAACTTCAAGCCCTCAAGAGAACTCGCC 894
QY 300 Gln 300
DB 895 CAG 897
RESULT 4
ADQ31228
ID ADQ31228 standard; cDNA; 915 BP.
XX
AC ADQ31228;
XX
DT 07-OCT-2004 (first entry)
XX
DE I-Ab(beta)-E. coli heat-labile toxin B subunit-LZ-Bira fusion cDNA.
XX
KW class II major histocompatibility complex; MHC; CD4+ T-cell detection;
KW flow cytometry; mucous membrane invasive antigen;
KW I-Ab(beta)-heat-labile toxin B subunit-leucine zipper-Bira fusion; LTB;
KW ss; gene.
XX
OS Escherichia coli.
XX Unidentified.
FH Key Location/Qualifiers
FT CDS 1..915
FT /*tag= a
FT /product= "I-Ab(beta)-Escherichia coli heat-labile toxin
FT B subunit (LTB)-leucine zipper (LZ)-Bira fusion protein"
XX JP2004196789-A.
XX
XX 15-JUL-2004.
XX
XX 03-DEC-2003; 2003JP-00404367.
XX
XX 03-DEC-2002; 2002JP-00351818.
XX
XX (SENT-) SENTAN KAGAKU GIJUTSU INCUBATION CENT KK.
XX
XX WPI; 2004-546819/53.
DR P-PSDB; ADQ31227.
XX
XX Peptide-Class II major histocompatibility complex (MHC) composite, useful
PT for detecting antigen specific CD4+ T-cell, comprises antigen peptide
PT containing epitope of mucous membrane invasive protein, and extracellular
PT region of MHC.
XX
XX Example 3; SEQ ID NO 13; 30pp; Japanese.

DR P-PSDB; AAR82538.

XX Peptide-MHC complex comprising antigenic peptide, linker and MHC segment
 PT - useful as reagents for the treatment of diseases including auto-immune
 PT diseases, immuno-stimulatory diseases or graft-host rejection.

XX Example 2; Page 65; 94pp; English.

XX This sequence represents a hybrid IA beta chain gene. This sequence
 CC contains a fragment of the IE alpha chain (residues 56-73), as well as a
 CC linker and cleavage site. This sequence was transfected into a B cell
 CC line (M12.C3) using plasmid pM12-IAb-Ea. It was found that the encoded
 CC sequence was expressed in these cells. Complexes such as this may be used
 CC to regulate an immune response. The complexes are capable of being
 CC recognised by a TCR alone or in combination with additional MHC proteins.
 CC These complexes are useful for therapeutic purposes and experimental
 CC purposes. They can also be used as reagents for the treatment of diseases
 CC including autoimmune diseases, immunodeficiency diseases,
 CC immunoproliferation diseases, and graft-host rejection

SQ Sequence 1013 BP; 220 A; 272 C; 327 G; 192 T; 0 U; 2 Other;

Alignment Scores:

Pred. No.: 1.43e-101 Length: 1013
 Score: 1151.00 Matches: 230
 Percent Similarity: 86.8% Conservative: 6
 Best Local Similarity: 84.6% Mismatches: 22
 Query Match: 73.2% Indels: 14
 DB: 2 Gaps: 4

US-10-048-116B-6_COPY_1_300 (1-300) x AAT04269 (1-1013)

QY 1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu 20
 Db 63 ATGGCTCTGCAGATCCACGCTCTCTCTCGCTGCTGCTGCTGCTGCTGCTGCTGCTG 122
 QY 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
 Db 123 AGCAGCCAGGGAGTGGGGCGGAGACTCC-----GAAGCTAGCTTGGGCTCAG 173
 QY 41 -----11eValValSerGlySerTrpAspGlyGlyGlyGlySerLeuVal 55
 Db 174 GTGCACTGCCAACATGTCTGTCACACGCTGGAGGTGGTGTGATCCGGTGA----- 227
 QY 56 ProArgGlySerGlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlu 75
 Db 228 ---GGGGAGAGTGGAGGTCTGAAGGCAATTTCTGTACCACTTCATCGGCGAG 284
 QY 76 CysTyrTyrThrAsnGlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArg 95
 Db 285 TGCTACTTCCACCAACGGGACGCGCATACGATATGTGACCAATACATCTACAACCGG 344
 QY 96 GluGluTyrValArgTyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGly 115
 Db 345 GAGAGTACGTGGCTACGACGACGCTGGGCGAGCACCGCGGTGACCGAGCTGGGG 404
 QY 116 ArgProAspAlaGluTyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGlu 135
 Db 405 CGGCCACAGCCCGAGTACTGGAACAGCCAGCGGAGATCTCGAGCGAACCGCGCGAG 464
 QY 136 ValAspThrAlaCysArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArg 155
 Db 465 GTGGACACGGTGTGCAGACACAACACTACGAGGGGCGGAGACCCACACCTCCCTGCGCGG 524
 QY 156 LeuGluGlnProAsnValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisAsn 175
 Db 525 CTTGAACAGCCCAATGTGTCATCTCCTGTCCAGGACAGAGGCCCTCAACCAACCAAC 584
 QY 176 ThrLeuValCysSerValThrAspPheTyrProAlaLysIleLysValArgTrpPheArg 195
 Db 585 ACTCTGTCTGTCTCAGTGACAGATTTCTACCCAGCCCAAGATCAAGTGGCTGTGTCGG 644
 QY 196 AsnGlyGlnGluThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrp 215

Db 645 AATGCCAGGAGGAGCGGTGGGCTCTCATCCACACAGCTTATTAGGAATGGGACTGG 704
 QY 216 ThrPheGlnValLeuValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCys 235
 Db 705 ACCTTCAGGTCCTGGTCATGCTGGAGATGACCCCTCGCGGGGAGAGGTTCTTACCTGT 764
 QY 236 HisValGluHisProSerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGlu 255
 Db 765 CACGTGGAGCATCCAGCCTGAGAGGCCCATCATCTGTGGAGTGGAGGCGCACAGTCTCGAG 824
 QY 256 SerAlaArgSerIys-----GlyGlyGlyGly 264
 Db 825 TCTGCTGGAGCAAGATGTTGAGCGGCATCGGGGC 860
 RESULT 7
 AAT17588
 ID AAT17588 standard; DNA; 1382 BP.
 XX
 AC AAT17588;
 XX
 DT 26-SEP-1996 (first entry)
 XX
 DE Vector SCE1-derived single chain gene encoding MHC fusion complex.
 XX
 KW MHC; major histocompatibility complex; PCR; polymerase chain reaction;
 KW T cell activity modulator; antagonist; immune disorder; allergy;
 KW multiple sclerosis; insulin-dependent diabetes mellitus;
 KW rheumatoid arthritis; myasthenia gravis; ds.
 XX
 OS Synthetic.
 XX
 FH Key Location/Qualifiers
 FT CDS 6..1382
 FT /*tag= a
 FT sig_peptide 6..86
 FT /*tag= b
 FT /label= I-Ad beta chain leader
 FT /note= "murine MHC class II I-Ad gene beta chain leader
 FT sequence"
 FT misc_feature 87..137
 FT /*tag= c
 FT /label= OVA 323-339
 FT /note= "chicken ovalbumin residues 323-339"
 FT misc_feature 138..167
 FT /*tag= d
 FT /note= "10 residue linker peptide"
 FT misc_feature 168..452
 FT /*tag= e
 FT /label= I-Ad beta1
 FT /note= "murine MHC class II I-Ad gene beta-1 domain"
 FT misc_feature 453..734
 FT /*tag= f
 FT /label= I-Ad beta2
 FT /note= "murine MHC class II I-Ad gene beta-2 domain"
 FT misc_feature 735..806
 FT /*tag= g
 FT /note= "24 residue peptide linker"
 FT misc_feature 807..1067
 FT /*tag= h
 FT /label= I-Ad alpha1
 FT /note= "murine MHC class II I-Ad gene alpha-2 domain"
 FT misc_feature 1068..1352
 FT /*tag= i
 FT /label= I-Ad alpha2
 FT /note= "murine MHC class II I-Ad gene alpha-2 domain"
 FT misc_feature 1353..1379
 FT /*tag= j
 FT /note= "EE tag"
 XX
 PN WO9604314-A1.
 XX
 XX 15-FEB-1996.

US-10-048-116B-6_COPY_1_300 (1-300) x AAT86987 (1-1385)		Chronic allergy; mouse; ds; I-Ad; gene.	
Qy	1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20	OS	Mus sp.
Db	6 ATGGCTTCGACAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGGTCTGATGGTCTG 65	XX	Synthetic.
Qy	21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40	XX	US2002198144-A1.
Db	66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTCAAGCTGCTCAGCTGAA----- 119	XX	26-DEC-2002.
Qy	41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60	XX	06-JUL-2001; 2001US-00900379.
Db	120 ATCAACGAGCTGCTGCTAGCGGAGGGGGCGAAGC-----GGCGGA 164	XX	29-JUL-1994; 94US-00283302.
Qy	61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTrpTrpThrAsn 80	PR	01-FEB-1995; 95US-00182454.
Db	165 GGGGAAACTCCGAAGGCATTTTCGTGTCAGTTCAAGGGCGAGTGCTACTACACCAAC 224	PR	17-JAN-1997; 97US-00776084.
Qy	81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100	XX	(DADE-) DADE INT INC.
Db	225 GGGACGACGCGATACCGCTCGTGACCGAGATACATCTACAAACCGGGAGGAGTACGTGCGC 284	XX	Wong HC, Rhode PR, Weidanz JA, Grammer S, Edwards AC;
Qy	101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120	PI	Chavaillaz P, Jiao JJJ;
Db	285 TACGACGACGACGTGGGAGGTACCGCGGTGACCGAGCTGGGGCGGCCAGACGCCGAG 344	XX	WPI; 2003-341126/32.
Qy	121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140	DR	P-PSDB; ABU72106.
Db	345 TACTGGAACACCGACCGGAGATCTTGAGCGAAGCGGGCGGAGGTGGACACGGCGTGC 404	XX	Novel major histocompatibility complex fusion complex having presenting peptide covalently linked to MHC molecule containing peptide-binding groove, used for suppressing immune response in multiple sclerosis, allergies.
Qy	141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160	XX	Example 17; Fig 27; 126pp; English.
Db	405 AGACACAACATACGAGGGCGGAGACCAACGACCTCCCTCGCGCGGTGAAACACGCCCAAT 464	CC	The invention relates to a major histocompatibility complex (MHC) fusion complex (I) comprising an MHC molecule that contains a peptide-binding groove, and a presenting peptide covalently (e.g. an antigenic peptide) linked to the MHC molecule, where (I) is capable of modulating the activity of a T cell. Also included are a DNA construct coding for the complex, where the MHC molecule is a class II MHC (e.g. mouse I-Ad or I-As, or human HLA-DR1 (human leukocyte antigen-DR1)), a multivalent MHC fusion complex comprising two or more linked complexes, identifying a peptide that can modulate the activity of T cells (involving introducing into host cells cloning vectors that each contain the fusion complex DNA, culturing the host cells under conditions suitable for expression of the MHC fusion complex, and selecting host cells that express MHC fusion complex that modulate the activity of T cells), a single recombinant expression vector comprising DNA that codes for the alpha and beta chains of the fusion complex MHC protein, a single recombinant expression vector comprising DNA that codes for a T cell costimulatory factor and the alpha and beta chains of the MHC fusion complex. The DNA constructs can contain heterologous leader peptide sequences and Kozak sequence for efficient expression of the fusion complex. Also included are inducing an immune response in a mammal (including vaccinating a mammal against a targeted disorder, by administering DNA sequence comprising a fusion complex, or DNA sequence coding for a fusion complex which is a single chain fusion molecule) and suppressing an immune response in a mammal by administering to the mammal a DNA sequence comprising an expression vector, encoding a full length MHC molecule that contains a transmembrane domain, and a presenting peptide that is a T cell receptor (TCR) antagonist or partial agonist and is covalently linked to the MHC protein, or DNA sequence coding for the fusion complex which is a single chain fusion molecule. The methods are useful for identifying a peptide that can modulate the activity of T cells, inducing an immune response in a mammal (including vaccinating a mammal against a targeted disorder) and for suppressing an immune response in a mammal. The disorders include an autoimmune disorder such as multiple sclerosis, insulin-dependent diabetes mellitus, rheumatoid arthritis, myasthenia gravis or chronic allergies. The present sequence encodes a mouse MHC class II I-Ad fusion complex of the invention
Qy	161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisAsnThrLeuValCysSer 180	XX	Sequence 1385 BP; 316 A; 383 C; 399 G; 287 T; 0 U; 0 Other;
Db	465 GTCCGCATCTCCCTGTCGACGACAGAGCCCTCAACACCAACACATCTGGTCTGTGCG 524	XX	Alignment Scores:
Qy	181 ValThrAspPheTyrProAlaLysIleLysValArgTrpPheArgAsnGlyGlnGluGlu 200	XX	Pred. No.: 8.33e-101 Length: 1385
Db	525 GTGACAGATTCTACCCAGCCCAAGATCAAGTGGCTGGTTTCAGGAATGGCCAGGAGGAG 584	XX	Score: 1145.00 Matches: 227
Qy	201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpPheGlnValLeu 220	XX	Percent Similarity: 87.2%
Db	585 ACAGTGGGGGTCTCATCCACACAGCTTATTAGGAATGGGGACTGGACCTTCCAGGTCTGTG 644	XX	
Qy	221 ValMetLeuGluMetThrProHisGlnGlyValTyrThrCysHisValGluHisPro 240	XX	
Db	645 GTCATGTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGACATCCC 704	XX	
Qy	241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260	XX	
Db	705 AGCCTGAAGACCCCATCTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755	XX	
Qy	261 GlyGlyGlyGlySer 265	XX	
Db	756 GCGCGGTGTGTGTCC 770	XX	
RESULT 12			
ACA60742			
ID	ACA60742 standard; DNA; 1385 BP.		
AC	ACA60742;		
XX			
DT	16-JUN-2003 (first entry)		
DE	Mouse MHC I-Ad/Ova 323-339 synthetic gene SSC1.		
XX			
KW	MHC; major histocompatibility complex; gene therapy; fusion complex; peptide-binding groove; T cell modulation; class II MHC; vaccine; autoimmune disorder; multiple sclerosis; rheumatoid arthritis; insulin-dependent diabetes mellitus; myasthenia gravis; immunogen;		

Best Local Similarity: 85.7% Mismatches: 24
Query Match: 72.8% Indels: 10
DB: 8 Gaps: 3

US-10-048-116B-6_COPY_1_300 (1-300) x ACA60742 (1-1385)

```
QY 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValValLeuMetValLeu 20
Db 6 ATGGCTCTGCAGATCCCGACCTCTCTCAGCTGCTGTGGTGGTGTGGTGTGGTGTGGTGTG 65
QY 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGCTGTTTCAGCTGCTCAGCTGAA----- 119
QY 41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
Db 120 ATCAACGAAGCTGCTGCTAGCGAGGGGGCGGAAGC-----GGCGGA 164
QY 61 GlyGlyGlySerGluArgHisPheValValGlnPheIysGlyGluCysTyrTyrThrAsn 80
Db 165 GGGGGAACCTCCGAAAGGCAATTCGTGGTCCAGTTCAGGGCGAGTGCTACTACCAAC 224
QY 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
Db 225 GGGACCGACGCATACGGCTCGTACACAGATACATCTACACCGGAGGAGTACGTGGCC 284
QY 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
Db 285 TACGACAGCGAGCTGGCGGAGTACCGCGCGTGACCGAGCTGGGGCGGCAGACGCGGAG 344
QY 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
Db 345 TACTGGAACAGCGCAGCGCGAGATCCTGGAGCGAAGCGCGCGGAGGTGGACACGGCGTGC 404
QY 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
Db 405 AGACACAACTACGAGGGCGGAGACGACGACCTCTCCGCGCGCTTGAACAGCCCAAT 464
QY 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
Db 465 GTCCCATCTCCCTGTCAGGACAGAGGCGCTCAACCAACCAACCACTCTGGTCTGTTTCG 524
QY 181 ValThrAspPheTyrProAlaIleValIleValArgTyrPheArgAsnGlyGlnGluGlu 200
Db 525 GTGACAGATTTCTACCCAGCCCAAGATCAAAGTGCCTGTTTCAAGGAATGCCAGGAGGAG 584
QY 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrPheGlnValLeu 220
Db 585 ACAGTGGGGTCTCATCCACACAGCTATTAGGATGGGAGCTGGACCTTCAGGTCTCTG 644
QY 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
Db 645 GTCATGCTGGAGATGACCCCTCATCAGGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
QY 241 SerLeuIysSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerLys 260
Db 705 AGCCTGAAGAGAGCCCATCACTCTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
QY 261 GlyGlyGlyGlySer 265
Db 756 GCGCGTGGTGTTC 770
```

RESULT 13

AAT17587
ID AAT17587 standard; DNA; 1508 BP.
XX
AC AAT17587;
XX
DT 26-SEP-1996 (first entry)
XX
DE Vector SC11-derived single chain gene encoding MHC fusion complex.
XX
KW MHC; major histocompatibility complex; PCR; polymerase chain reaction;

T cell activity modulator; antagonist; immune disorder; allergy;
multiple sclerosis; insulin-dependent diabetes mellitus;
rheumatoid arthritis; myasthenia gravis; da.
Synthetic.

Key Location/Qualifiers
CDS 6..1508
/tag= a
sig_peptide 6..86
/tag= b
/label= I-Ad beta chain_leader
/note= "murine MHC class II I-Ad gene beta chain leader sequence"
misc_feature 87..137
/tag= c
/label= OVA 323-339
/note= "chicken ovalbumin residues 323-339"
misc_feature 138..167
/tag= d
/note= "10 residue linker peptide"
misc_feature 168..452
/tag= e
/label= I-Ad beta1
/note= "murine MHC class II I-Ad gene beta-1 domain"
misc_feature 453..734
/tag= f
/label= I-Ad beta2
/note= "murine MHC class II I-Ad gene beta-2 domain"
misc_feature 735..806
/tag= g
/note= "24 residue peptide linker"
misc_feature 807..1067
/tag= h
/label= I-Ad alpha1
/note= "murine MHC class II I-Ad gene alpha-1 domain"
misc_feature 1068..1352
/tag= i
/label= I-Ad alpha2
/note= "murine MHC class II I-Ad gene alpha-2 domain"
misc_feature 1353..1505
/tag= j
/label= I-Ad alpha-TM
/note= "murine MHC class II I-Ad gene alpha-transmembrane domain"

W09604314-A1.
15-FEB-1996.
31-JUL-1995; 95WO-US009816.
29-JUL-1994; 94US-00283302.
01-FEB-1995; 95US-00382454.
(DADE-) DADE INT INC.
Wong HC, Rhode PR, Weidanz JA, Grammer S, Edwards AC;
Chavallaz P, Jiao J;
WPI; 1996-129343/13.
P-PSDB; AAR98906.
Major histocompatibility complex fusion complex for modulating T cell activity - used in the treatment of immune disorders, e.g. multiple sclerosis, IDDM and rheumatoid arthritis.
Example 17; Fig 28; 210pp; English.
AAT17587 encodes a murine MHC fusion complex capable of modulating T cell activity encoded by the vector SC11. The MHC fusion complex comprises at least one MHC molecule containing a peptide-binding groove and a presenting peptide covalently linked to the MHC molecule and opt. a

transmembrane domain. DNA encoding a MHC fusion complex may be cloned into a host cell to express the complex. The transformed cells may then be used to identify peptides that modulate, pref. antagonise, T cell activity. DNA encoding a MHC fusion complex or a single chain fusion molecule may be used to vaccinate a mammal against a targeted disorder. The fusion complexes may be used to suppress an immune response in an animal suffering from an immune disorder e.g. multiple sclerosis, insulin-dependent diabetes mellitus, rheumatoid arthritis, myasthenia gravis or chronic allergies. The complexes may also be used in the treatment of allergic diseases. The complexes may also be used in the treatment of livestock and pets such as cats and dogs. The MHC fusion complexes can be produced such that they contain a single antigenic peptide including one or more known structures, additionally a wide range of peptides can be presented for T cell interaction

Sequence 1508 BP: 337 A: 414 C: 440 G: 317 T: 0 U: 0 Other: 0

Alignment Scores:		
Pred. No.:	9.35e-101	1508
Score:	1145.00	227
Percent Similarity:	87.2%	Conservative: 4
Best Local Similarity:	85.7%	Mismatches: 24
Query Match:	72.8%	Indels: 10
DB:	2	Gaps: 3

US-10-048-116B-6 COPY 1 300 (1-300) x AAT17587 (1-1508)

Qy	1	MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu	20
Db	6	ATGGCTCTGCAGATCCCCAGACCTCTCTCTCAGCTGTGTGTGTGTGTATGGTGCTG	65
Qy	21	SerSerProGlyThrGluGlyClyAenSerIleCysPheSerProSerLeuGluHisPro	40
Db	66	AGCAGCCCAAGACCTTAAGTATCTCTCAGGCTGTTCAGCTGTCTACGCTGA	119
Qy	41	IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly	60
Db	120	ATCAACGAAGCTGTGTCTAGCGAGCGGGCGGAAGC-----GGCGGA	164
Qy	61	GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysfYrThrAen	80
Db	165	GGGGAAACTCCGAANGCATTTCTGTGTCTCAAGGGCGAGTGCTACTACACCAAC	224
Qy	81	GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluTyrValArg	100
Db	225	GGGACGCAGCATACGGCTCGTGACCAGATACATCTACAACGGGAGGAGTACGTGC	284
Qy	101	TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu	120
Db	285	TACGACACGACGTGGGGGAGTACCGCGCGGTGACCGAGCTCGGGCGGCACAGCCCGAG	344
Qy	121	TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys	140
Db	345	TACTGGAACAGCCACGCCGAGATCTCTGGAGCGNAACGGCGCCGAGGTGGACACGGCGTGC	404
Qy	141	ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn	160
Db	405	AGACACAACTACGAGGGCGGAGACCAACGACCTCCCTCGCGCGGTCTGAACAGGCCCAAT	464
Qy	161	ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer	180
Db	465	GTCGCCATCTCCCTGTCTCAGGACAGAGGCCCTCAACCACCACCAACTCTGGTGTGTCTCG	524
Qy	181	ValThrAspPheTyrProAlaLysIleLysValArgTfPheArgAsnGlyGlnGluGlu	200
Db	525	GTGACAGATTTCTACCCAGCCCAAGATCAAAAGTGCCTGGTTTCAGGAATGGCCAGAGGAG	584
Qy	201	ThrValGlyValSerSerThrClnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu	220
Db	585	ACAGTGGGGGTCTCATCCACACAGCTTAATTAGGAATGGGGACTGACACCTTCACAGGTCCTG	644
Qy	221	ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro	240
Db	645	GTCAATCTGGAGATCAACCCCTCATCAGGAGAGGTCTACACTGCCATGTGAGATCCC	704


```
Qy 161 ValAlaLeSerLeuSerArgThrGluAlaLeuAenHisHisAenThrLeuValCysSer 180
Db 465 GTCCGCATCTCCCTGTCCAGGACAGAGCCCTCAACCAACCACTCTGGTCTGTTCG 524
Qy 181 ValThrAspPheTyrProAlaValLeuValArgTyrPheArgAenGlyGlnGluGlu 200
Db 525 GTGACAGATTCTACCCAGCCCAAGATCAAGTGCCTGGTTCAGGAATGGCCAGAGGAG 584
Qy 201 ThrValGlyValSerSerThrGlnLeuIleArgAenGlyAspTyrThrPheGlnValLeu 220
Db 585 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGGACCTCCAGGTCTCG 644
Qy 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
Db 645 GTCATGCTGGAGATGACCCCTCATCAGGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
Qy 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db 705 AGCCTGAAGAGCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
Qy 261 GlyGlyGlyGlySer 265
Db 756 GCGCGTGGTGGTTCC 770
```

Search completed: June 30, 2006, 01:48:14
Job time : 528.277 secs

Result No.	Query			DB	ID	Description
	Score	Match	Length			
1	918	100.0	921	2	AX081281	Sequence
2	696.2	75.8	893	2	AR047947	Sequence
3	637.6	69.5	1013	2	AR047957	Sequence
4	607.8	66.2	1382	2	AR033964	Sequence
5	607.8	66.2	1382	2	AR175097	Sequence
6	607.8	66.2	1382	2	CS079301	Sequence
7	607.8	66.2	1382	2	AX032545	Sequence
8	607.8	66.2	1385	2	AR033962	Sequence
9	607.8	66.2	1385	2	AR175095	Sequence
10	607.8	66.2	1385	2	CS079299	Sequence
11	607.8	66.2	1385	2	AX032543	Sequence
12	607.8	66.2	1508	2	AR033963	Sequence
13	607.8	66.2	1508	2	AR152030	Sequence
14	607.8	66.2	1508	2	AR175096	Sequence
15	607.8	66.2	1508	2	CS079300	Sequence
16	607.8	66.2	1508	2	AX032544	Sequence
17	604.6	65.9	1508	2	BD138632	Soluble N
18	598.6	65.2	4724	2	AR199666	Sequence

AR047957 AR047957 1013 bp DNA linear PAT 29-SEP-1999
LOCUS Sequence 38 from patent US 5820866.
DEFINITION AR047957
ACCESSION AR047957
VERSION AR047957.1 GI:5970300
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE Unclassified.
1 (bases 1 to 1013)
AUTHORS Kappler, J.W. and Warrack, P.
TITLE Product and process for T cell regulation
JOURNAL Patent: US 5820866-A 38 13-OCT-1998;
FEATURES Location/Qualifiers
source 1..1013
/organism="unknown"
/mol_type="unassigned DNA"
ORIGIN
Query Match 69.5%; Score 637.6; DB 2; Length 1013;
Best Local Similarity 89.5%; Pred. No. 3.3e-174;
Matches 698; Conservative 0; Mismatches 79; Indels 3; Gaps 1;
QY 1 ATGGCTCTGCAGATCCCGAGCCCTCCTCTCAGCTGCTGTGTGCTGTGTGTGCTG 60
Db |||||||
QY 63 ATGGCTCTGCAGATCCCGAGCCCTCCTCTCAGCTGCTGTGTGCTGTGTGTGCTG 122
Db |||||||
QY 61 AGCAGCCCGGACTGAGGGCGGAAATCCATCTGCTTCTCGCGCTCGCTGGAGCACCCG 120
Db |||||||
QY 123 AGCAGCCCGGACTGAGGGCGGAGACTCCGAAGCTAGCTTTGAGGCTCAGGTGACATG 182
Db |||||||
QY 121 ATCGTGTGCTCGGAGCTGGAGCGAGGTGGGGCTCACTAGTGCCTCGGAGCTCTGGA 180
Db |||||||
QY 183 GCCAATCTGCTGCACAAAGGCTGGAGGTGGTGATC---CGGTGGAGGGGAAAGTGA 239
Db |||||||
QY 181 GTGTGAGGCTCCGAAAGGCATTTCTGTGTCAGTTCAGGGCGAGTGTACTACCAAC 240
Db |||||||
QY 240 GTGTGAGGCTCTGAAAGGCATTTCTGTGTCAGTTCAGGGCGAGTGTACTACCAAC 299
Db |||||||
QY 241 GGGAGCGACGCATACGGCTCTGTGACAGATACATCTACAACCGGAGGAGTACGTGCGC 300
Db |||||||
QY 300 GGGAGCGACGCATACGATATGTGACCAATACATCTACAACCGGAGGAGTACGTGCGC 359
Db |||||||
QY 301 TAGCAGCGAGCTGTGGCGAGTACCGCGCGGTGACCGAGCTGGGGCGGCAGACGCCGAG 360
Db |||||||
QY 360 TAGCAGCGAGCTGTGGCGAGTACCGCGCGGTGACCGAGCTGGGGCGGCAGACGCCGAG 419
Db |||||||
QY 361 TACTGGAACAGCAGCGCGAGATCTGTGAGCGAACCGGGCGAGTGGACACCGCGTGC 420
Db |||||||
QY 420 TACTGGAACAGCAGCGCGAGATCTGTGAGCGAACCGGGCGAGTGGACACCGGTGTC 479
Db |||||||
QY 421 AGACACAATCTACGAGGGCGGAGACACGACCTCTCTCGGGCGCTTGAACAGCCCAAT 480
Db |||||||
QY 480 AGACACAATCTACGAGGGCGGAGACCCACACTCTCTCGGGCGCTTGAACAGCCCAAT 539
Db |||||||
QY 481 GTGCGCATCTCCCTGTCCAGGACAGAGCCCTCAACACCAACAACAATCTGTGTCTGTCG 540
Db |||||||
QY 540 GTGCGCATCTCCCTGTCCAGGACAGAGCCCTCAACACCAACAACAATCTGTGTCTGTC 599
Db |||||||
QY 541 GTGACAGATTTCTACCCAGCAGATCAAGTGCCTGTTTCCAGGATGGCCAGGAGGAG 600
Db |||||||
QY 600 GTGACAGATTTCTACCCAGCAGATCAAGTGCCTGTTTCCAGGATGGCCAGGAGGAG 659
Db |||||||
QY 601 ACAGTGGGGGTCTCATCCACAGCTTATTAGGAATGGGGAATGGACCTTCCAGGTCTCTG 660
Db |||||||
QY 660 ACAGTGGGGGTCTCATCCACAGCTTATTAGGAATGGGGAATGGACCTTCCAGGTCTCTG 719
Db |||||||
QY 661 GTCATGCTGGAGATGACCCCTCATCCAGGAGAGGTCTACACTGCGCATGTGGAGCATCCC 720
Db |||||||
QY 720 GTCATGCTGGAGATGACCCCTCATCCAGGAGAGGTCTACACTGCTGTCACTGGAGCATCCC 779
Db |||||||
QY 721 AGCCTGGAAGAGCCCATCACTGTGAGTGGAGGACAGTCCGAGTCTGCCCGAGCAAC 780
Db |||||||

Db 780 AGCCTGAAGAGCCCATCACTGTGTGAGTGGAGGCGACAGTCTGAGTCTGCTGGAGCAAG 839
RESULT 4
AR033964
LOCUS AR033964 1382 bp DNA linear PAT 29-SEP-1999
DEFINITION Sequence 123 from patent US 5869270.
ACCESSION AR033964
VERSION AR033964.1 GI:5949569
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE Unclassified.
1 (bases 1 to 1382)
AUTHORS Rhode, P.R., Jiao, J.-A., Burkhardt, M. and Wong, H.C.
TITLE Single chain MHC complexes and uses thereof
JOURNAL Patent: US 5869270-A 123 09-FEB-1999;
FEATURES Location/Qualifiers
source 1..1382
/organism="unknown"
/mol_type="unassigned DNA"
ORIGIN
Query Match 66.2%; Score 607.8; DB 2; Length 1382;
Best Local Similarity 89.6%; Pred. No. 1.7e-165;
Matches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;
QY 1 ATGGCTCTGCAGATCCCGAGCCCTCCTCTCAGCTGCTGTGTGCTGTGTGTGCTG 60
Db |||||||
QY 6 ATGGCTCTGCAGATCCCGAGCCCTCCTCTCAGCTGCTGTGTGCTGTGTGTGCTG 65
Db |||||||
QY 61 AGCAGCCCGGACTGAGGGCGGAAATCCATCTGCTTCTCGCGCTCGCTGGAGCACCCG 120
Db |||||||
QY 66 AGCAGCCCAAGGAC-----CTTAAGTATCTCTCAGGCTGTTTCC 104
Db |||||||
QY 121 ATCGTGTGCTCGCGAGCTGGAGCGAGGTGGGGCTCACTAGTGCCTCGGAGGCTCTGGA 180
Db |||||||
QY 105 GCTGCTCAGCTGAAATCAACGAAGCTGCTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 164
Db |||||||
QY 181 GTGTGAGGCTCCGAAAGGCATTTCTGTGTCAGTTCAGGGCGAGTGTACTACCAAC 240
Db |||||||
QY 165 GGGGGAATCTCCGAAAGGCATTTCTGTGTCAGTTCAGGGCGAGTGTACTACCAAC 224
Db |||||||
QY 241 GGGAGCGACGCATACGGCTCTGTGACAGATACATCTACAACCGGAGGAGTACGTGCGC 300
Db |||||||
QY 225 GGGAGCGACGCATACGGCTCTGTGACAGATACATCTACAACCGGAGGAGTACGTGCGC 284
Db |||||||
QY 301 TAGCAGCGGAGCTGTGGCGAGTACCGCGCGGTGACCGAGCTGGGGCGGCAGACGCCGAG 360
Db |||||||
QY 285 TAGCAGCGAGCTGTGGCGAGTACCGCGCGGTGACCGAGCTGGGGCGGCAGACGCCGAG 344
Db |||||||
QY 361 TACTGGAACAGCAGCGCGAGATCTGTGAGCGAACCGGGCGAGTGGACACCGCGTGC 420
Db |||||||
QY 345 TACTGGAACAGCAGCGCGAGATCTGTGAGCGAACCGGGCGAGTGGACACCGCGTGC 404
Db |||||||
QY 421 AGACACAATCTACGAGGGCGGAGACACGACCTCTCTCGGGCGCTTGAACAGCCCAAT 480
Db |||||||
QY 405 AGACACAATCTACGAGGGCGGAGACACGACCTCTCTCTCGGGCGCTTGAACAGCCCAAT 464
Db |||||||
QY 481 GTGCGCATCTCCCTGTCCAGGACAGAGCCCTCAACACCAACAACAATCTGTGTCTGTCG 540
Db |||||||
QY 465 GTGCGCATCTCCCTGTCCAGGACAGAGCCCTCAACACCAACAACAATCTGTGTCTGTCG 524
Db |||||||
QY 541 GTGACAGATTTCTACCCAGCAGATCAAGTGCCTGTTTCCAGGATGGCCAGGAGGAG 600
Db |||||||
QY 525 GTGACAGATTTCTACCCAGCAGATCAAGTGCCTGTTTCCAGGATGGCCAGGAGGAG 584
Db |||||||
QY 601 ACAGTGGGGGTCTCATCCACAGCTTATTAGGAATGGGGAATGGACCTTCCAGGTCTCTG 660
Db |||||||
QY 585 ACAGTGGGGGTCTCATCCACAGCTTATTAGGAATGGGGAATGGACCTTCCAGGTCTCTG 644
Db |||||||
QY 661 GTCATGCTGGAGATGACCCCTCATCCAGGAGAGGTCTACACTGCGCATGTGGAGCATCCC 720
Db |||||||

Db	645	GTCAATGCTGGAGATGACCCCTCATCAGGAGAGAGTCTACACCTGCCATGTGGAGCATCCC	704
Qy	721	AGCCTGAAGAGCCCCCATCACTGTGGAGTGA	751
Db	705	AGCCTGAAGAGCCCCCATCACTGTGGAGTGA	735
RESULT 5			
ARI175097			
LOCUS	ARI175097	1382 bp	DNA linear PAT 17-DEC-2001
DEFINITION	Sequence 123 from patent US 6309645.		
ACCESSION	ARI175097		
VERSION	ARI175097.1	GI:17916396	
KEYWORDS	Unknown.		
SOURCE	Unknown.		
ORGANISM	Unknown.		
REFERENCE	1. (bases 1 to 1382)		
AUTHORS	Rhode,P.R., Jiao,J.-A., Burkhardt,M. and Wong,H.C.		
TITLE	MHC molecules and uses thereof		
JOURNAL	Patent: US 6309645-A 123 30-OCT-2001;		
FEATURES	Location/Qualifiers		
source	1..1382		
	/organism="unknown"		
	/mol_type="unassigned DNA"		
ORIGIN			
	Query Match	66.2%; Score 607.8; DB 2; Length 1382;	
	Best Local Similarity	89.6%; Pred. No. 1.7e-165;	
	Matches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;		
Qy	1	ATGGCTCTGCAGATCCCGAGCCTCCTCTCTCAGCTGCTGTGTGGTGTCTGATGGTGTG	60
Db	6	ATGGCTCTGCAGATCCCGAGCCTCCTCTCAGCTGCTGTGTGGTGTCTGATGGTGTG	65
Qy	61	AGCAGCCCCGGGACTGAGGGCGGAAACTCCATCTGTTCTGCGCGTGTGGAGACCCG	120
Db	66	AGCAGCCCAAGGAC-----CTTAAGTATCTCTCAGGCTGTTTCAC	104
Qy	121	ATCGTGTGTGTCGGCAGCTGGGACGGAGTGGGGGCTCACTAGTGTCCCCGAGGCTCTGGA	180
Db	105	GCTGCTCACGCTGAAATCAACGAAGCTGTGCTGTAGCGGAGGGGCGGAAGCGCGGA	164
Qy	181	GGTGGAGGCTCCGAAAGGCATTTCTGTGTCCAGTTCAAGGCGGAGTGTCTACTACACCAAC	240
Db	165	GGGGGAACCTCCGAAAGGCATTTCTGTGTCCAGTTCAAGGCGGAGTGTCTACTACACCAAC	224
Qy	241	GGGACGAGCGCATACGGCTCGTGACCAGATACATCTACAAACGGGAGGAGTACGTGGCG	300
Db	225	GGGACGAGCGCATACGGCTCGTGACCAGATACATCTACAAACGGGAGGAGTACGTGGCG	284
Qy	301	TACGACAGCAGCTGGGGGAGTACCGCGCGGTGACCGAGCTGGGGGGCCGACAGCCGAG	360
Db	285	TACGACAGCAGCTGGGGGAGTACCGCGCGGTGACCGAGCTGGGGGGCCGACAGCCGAG	344
Qy	361	TACTGGAAACGACCGGAGATCCTTGAGCGAAACGCGGGGCGGAGGTGGACACGCGGTGC	420
Db	345	TACTGGAAACGACCGGAGATCCTTGAGCGAAACGCGGGGCGGAGGTGGACACGCGGTGC	404
Qy	421	AGACACAACCTACGAGGGGCGGAGACGAGCACTTCCCTGTGGCGGCGGTGGAACAGCCCAAT	480
Db	405	AGACACAACCTACGAGGGGCGGAGACGAGCACTTCCCTGTGGCGGCGGTGGAACAGCCCAAT	464
Qy	481	GTGCCCATCTCCCTGTTCAGGACAGAGGCCCTCAACACCAACACACTCTGTGTTCTGTTCG	540
Db	465	GTGCCCATCTCCCTGTTCAGGACAGAGGCCCTCAACACCAACACTCTGTGTTCTGTTCG	524
Qy	541	GTGACAGATTTCTACCCAGCCCAAGATCAAAAGTGCCTGTTTACGAAATGGCCAGAGAG	600
Db	525	GTGACAGATTTCTACCCAGCCCAAGATCAAAAGTGCCTGTTTACGAAATGGCCAGAGAG	584
Qy	601	ACAGTGGGGGTCTCATCCACACAGCTTTATTAGGAATGGGGACTTGGACCTTCCAGGTCTTG	660

Db	585	ACAGTGGGGTCTCATCCACACAGCTTATTAGGNATGGGAGCTGGAGCTTCCAGGCTCTG	644
Qy	661	GTCAATGCTGGAGATGACCCCTCATCAGGAGAGAGGTCTACACCTGCCATGTGGAGCATCCC	720
Db	645	GTCAATGCTGGAGATGACCCCTCATCAGGAGAGAGGTCTACACCTGCCATGTGGAGCATCCC	704
Qy	721	AGCCTGAAGAGCCCCCATCACTGTGGAGTGA	751
Db	705	AGCCTGAAGAGCCCCCATCACTGTGGAGTGA	735
RESULT 6			
CS079301	CS079301	1382 bp	DNA
LOCUS	Sequence 123 from Patent EP1526141.		linear
DEFINITION			
ACCESSION	CS079301		
VERSION	CS079301.1	GI:63093743	
KEYWORDS			
SOURCE	unidentified		
ORGANISM	unidentified		
	unclassified sequences.		
REFERENCE	1		
AUTHORS	Rhode, P.R., Jiao, J.A., Burkhardt, M. and Wong, H.C.		
TITLE	MHC complexes and uses thereof		
JOURNAL	Patent: EP 1526141-A 123 27-APR-2005;		
	Altor Bioscience Corporation (US)		
FEATURES	Location/Qualifiers		
source	1. .1382		
	/organism="unidentified"		
	/mol_type="unassigned DNA"		
	/db_xref="taxon:32644"		
ORIGIN			
	Query Match	66.2%;	Score 607.8; DB 2; Length 1382;
	Best Local Similarity	89.6%;	Pred. No. 1.7e-165;
	Matches 673;	Conservative 0;	Mismatches 57; Indels 21; Gaps 1;
Qy	1	ATGGCTCTGCAGATCCCAGCGCTCCTCTCAGCTGCTGTGTGGTCTGTGATGGTCTG	60
Db	6	ATGGCTCTGCAGATCCCAGCGCTCCTCTCAGCTGCTGTGTGGTCTGTGATGGTCTG	65
Qy	61	AGCAGCCCCGGGACTGAGGGCGGAACCTCCATCTGCTTCTCGCGCTCGCTGGAGCACCCG	120
Db	66	AGCAGCCCCAGGAC-----CCTTAGTATCTCTCAGGCTGTTTCA	104
Qy	121	ATCGTGTGTCCGCGAGCTGGGACGGAGTGGGGGCTCATAGTGTCCCGAGGCTCTGGA	180
Db	105	GCTGCTCAGCTGAAATCAACGAAGCTGGTGGTCTAGCGAGGGGCGGAAGCGGCGGA	164
Qy	181	GGTGGAGGCTCCGAAGGCAATTCGTGGTCCAGTTCGAAGCGGAGTCTACTACACCAAC	240
Db	165	GGGGGAAATCCGAAGAGCAATTCGTGGTCCAGTTCGAAGGCGAGTGTCTACTACACCAAC	224
Qy	241	GGGACGACGCGCATACCGGCTCGTGACCAAGATACATCTACAAACCGGAGGAGTACGTGGCG	300
Db	225	GGGACGACGCGCATACCGGCTCGTGACCAAGATACATCTACAAACCGGAGGAGTACGTGGCG	284
Qy	301	TACGACAGCAGCTGTGGCGAGTACCGCGCGGTGACCGAGCTGGGGCGGCCAGACCGCGAG	360
Db	285	TACGACAGCAGCTGGCGGAGTACCGGCGCGGTGACCGAGCTGGGGCGGCCAGACCGCGAG	344
Qy	361	TACTGGAAACGACGCGGAGATCTCTGGAGCGAACCGGGCCGAGGTGGACACGCGCTGC	420
Db	345	TACTGGAAACGACGCGGAGATCTCTGGAGCGAACCGGGCCGAGGTGGACACGCGCTGC	404
Qy	421	AGACACAATCTACGAGGGCGCGAGACAGCACCTCTCCCTGGCGGCGCTTGAAACAGCCCCAAT	480
Db	405	AGACACAATCTACGAGGGCGCGAGACAGCACCTCTCCCTGGCGGCGCTTGAAACAGCCCCAAT	464
Qy	481	GTGCCCATCTCTGTGTCCAGGACAGAGGCCCTCAACCAACCAACACTCTGTGCTGTGTCG	540
Db	465	GTGCCATCTCTGTGTCCAGGACAGAGGCCCTCAACCAACCAACACTCTGTGCTGTGTCG	524

```
QY 541 GTGACAGATTCTACCCAGCCCAAGATCAAAAGTGGCTGGTTTCAGGAATGCCAGGAGGAG 600
Db 525 GTGACAGATTCTACCCAGCCCAAGATCAAAAGTGGCTGGTTTCAGGAATGCCAGGAGGAG 584
QY 601 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGGACCTTTCCAGGTCCCTG 660
Db 585 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGGACCTTTCCAGGTCCCTG 644
QY 661 GTCATGCTGAGATGACCCCTCATCAGGGAGAGGTCTTACACCTGCCATGTGGAGCATCCC 720
Db 645 GTCATGCTGAGATGACCCCTCATCAGGGAGAGGTCTTACACCTGCCATGTGGAGCATCCC 704
QY 721 AGCCTGAAGAGCCCATCACTGTGGAGTGA 751
Db 705 AGCCTGAAGAGCCCATCACTGTGGAGTGA 735

RESULT 7
AX032545
LOCUS AX032545 1382 bp DNA linear PAT 20-SEP-2000
DEFINITION Sequence 123 from Patent EP0997477.
ACCESSION AX032545
VERSION AX032545.1 GI:10279486
KEYWORDS
SOURCE unidentified
ORGANISM unclassified sequences.
REFERENCE 1
AUTHORS Chavaillaz, P. A., Edwards, A. C., Grammer, S., Jiao, J. A., Rhode, P. R.,
Weidanz, J. A. and Wong, H. C.
TITLE Mhc complexes and uses thereof
JOURNAL Patent: EP 0997477-A 123 03-MAY-2000;
SUNOL MOLECULAR CORP (US)
FEATURES
source
1. .1382
/organism="unidentified"
/mol_type="unassigned DNA"
/db_xref="taxon:32644"

ORIGIN
Query Match 66.2%; Score 607.8; DB 2; Length 1382;
Best Local Similarity 89.6%; Pred. No. 1.7e-165;
Matches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;

QY 1 ATGGCTCTGCAGATCCCAGCCTCTCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTGTGTG 60
Db 6 ATGGCTCTGCAGATCCCAGCCTCTCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTGTGTGTG 65
QY 61 AGCAGCCCGGACTGAGGGCGGAACCTCCATCTGCTTCTCGCGCTCGCTGGAGCACCGG 120
Db 66 AGCAGCCCAAGGAC-----CTTAAGTATCTCTCAGGCTGTTCAC 104
QY 121 ATCGTGGTGTTCGGCAGCTGGGACGGAGTGGGGGCTCACTAGTGCCTCCGAGGCTCTGA 180
Db 105 GCTGTCTCAGCTGAAATCAACGAAGCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTG 164
QY 181 GGTGGAGGCTCCGAAAGGCAATTTCTGTGTCCAGTTTCAAGGGCGAGTGTCTACTACACCAAC 240
Db 165 GGGGAAACTCCGAAAGGCAATTTCTGTGTCCAGTTTCAAGGGCGAGTGTCTACTACACCAAC 224
QY 241 GGGAGCAGCGCATACGGCTCTGTACACAGATACATCTACAACCGGGAGGAGTACGTGGCG 300
Db 225 GGGAGCAGCGCATACGGCTCTGTACACAGATACATCTACAACCGGGAGGAGTACGTGGCG 284
QY 301 TACGACAGCGAGTGGGGAGTACCGCGGGTACCGAGCTGGGGCGGCACACCGCGAG 360
Db 285 TACGACAGCGAGTGGGGAGTACCGCGGGTACCGAGCTGGGGCGGCACACCGCGAG 344
QY 361 TACTGGAAACAGCCAGCGAGATCTTGGAGCGAAACGCGGCGGAGTGGACACGCGGTGC 420
Db 345 TACTGGAAACAGCCAGCGAGATCTTGGAGCGAAACGCGGCGGAGTGGACACGCGGTGC 404
QY 421 AGACACAATACAGGGGGCGGAGACACAGACCTCTCTCGCGCGGCTTGAACAGCCCAAT 480
```

```
Db 405 AGACACAATACAGGGGGCGGAGACAGACCTCTCCCTGGCGGGCTTGAACAGCCCAAT 464
QY 481 GTGCCATCTCCCTGTGTCAGGACAGAGGCCCTCAACCCACCACACACTCTGCTGTGTCG 540
Db 465 GTGCCATCTCCCTGTGTCAGGACAGAGGCCCTCAACCCACCACACACTCTGCTGTGTCG 524
QY 541 GTGACAGATTCTTACCCAGCCCAAGATCAAAAGTGGCTGGTTTCAGGAATGCCAGGAGGAG 600
Db 525 GTGACAGATTCTTACCCAGCCCAAGATCAAAAGTGGCTGGTTTCAGGAATGCCAGGAGGAG 584
QY 601 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGGACCTTTCCAGGTCCCTG 660
Db 585 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGGACCTTTCCAGGTCCCTG 644
QY 661 GTCATGCTGAGATGACCCCTCATCAGGGAGAGGTCTTACACCTGCCATGTGGAGCATCCC 720
Db 645 GTCATGCTGAGATGACCCCTCATCAGGGAGAGGTCTTACACCTGCCATGTGGAGCATCCC 704
QY 721 AGCCTGAAGAGCCCATCACTGTGGAGTGA 751
Db 705 AGCCTGAAGAGCCCATCACTGTGGAGTGA 735

RESULT 8
AX033962
LOCUS AX033962 1385 bp DNA linear PAT 29-SEP-1999
DEFINITION Sequence 121 from patent US 5869270.
ACCESSION AR033962
VERSION AR033962.1 GI:5949567
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE 1 (bases 1 to 1385)
AUTHORS Rhode, P. R., Jiao, J. A., Burkhardt, M. and Wong, H. C.
TITLE Single chain MHC complexes and uses thereof
JOURNAL Patent: US 5869270-A 121 09-FEB-1999;
FEATURES
Location/Qualifiers
source
1. .1385
/organism="unknown"
/mol_type="unassigned DNA"

ORIGIN
Query Match 66.2%; Score 607.8; DB 2; Length 1385;
Best Local Similarity 89.6%; Pred. No. 1.7e-165;
Matches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;

QY 1 ATGGCTCTGCAGATCCCAGCCTCTCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTGTG 60
Db 6 ATGGCTCTGCAGATCCCAGCCTCTCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTGTGTG 65
QY 61 AGCAGCCCGGACTGAGGGCGGAACCTCCATCTGCTTCTCGCGCTCGCTGGAGCACCGG 120
Db 66 AGCAGCCCAAGGAC-----CTTAAGTATCTCTCAGGCTGTTCAC 104
QY 121 ATCGTGGTGTTCGGCAGCTGGGACGGAGTGGGGGCTCACTAGTGCCTCCGAGGCTCTGA 180
Db 105 GCTGTCTCAGCTGAAATCAACGAAGCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTG 164
QY 181 GGTGGAGGCTCCGAAAGGCAATTTCTGTGTCCAGTTTCAAGGGCGAGTGTCTACTACACCAAC 240
Db 165 GGGGAAACTCCGAAAGGCAATTTCTGTGTCCAGTTTCAAGGGCGAGTGTCTACTACACCAAC 224
QY 241 GGGAGCAGCGCATACGGCTCTGTACACAGATACATCTACAACCGGGAGGAGTACGTGGCG 300
Db 225 GGGAGCAGCGCATACGGCTCTGTACACAGATACATCTACAACCGGGAGGAGTACGTGGCG 284
QY 301 TACGACAGCGAGTGGGGAGTACCGCGGGTACCGAGCTGGGGCGGCACACCGCGAG 360
Db 285 TACGACAGCGAGTGGGGAGTACCGCGGGTACCGAGCTGGGGCGGCACACCGCGAG 344
QY 361 TACTGGAAACAGCCAGCGAGATCTTGGAGCGAAACGCGGCGGAGTGGACACGCGGTGC 420
```


Qy	241	GGGACGACGCGCATACGGCTCGTGACCAGATACATCTACAACCGGAGGAGTACGTGGCG	300
Db	225	GGGACGACGCGCATACGGCTCGTGACCAGATACATCTACAACCGGAGGAGTACGTGGCG	284
Qy	301	TACGACAGCGACGCTGGGGCGAGTACCGCGCGGTGACCGAGCTGGGCGCGGCACAGCCCGAG	360
Db	285	TACGACAGCGACGCTGGGGCGAGTACCGCGCGGTGACCGAGCTGGGCGCGGCACAGCCCGAG	344
Qy	361	TACTGGAAACAGCAGCCCGGAGATCTCTGGAGCGAAACGCGGGCGCGAGGTGGACACGCGGTGC	420
Db	345	TACTGGAAACAGCAGCCCGGAGATCTCTGGAGCGAAACGCGGGCGCGAGGTGGACACGCGGTGC	404
Qy	421	AGACACAACTACGAGGGGCGGAGACACGACCTCCCTGCGGCGGCTTTGAAACAGGCCCAAT	480
Db	405	AGACACAACTACGAGGGGCGGAGACACGACCTCCCTGCGGCGGCTTTGAAACAGGCCCAAT	464
Qy	481	GTGCGCATCTCCCTGTCTCAGGACAGAGGCGCTCAACACCAACAACACTCTGGTCTGTTTCG	540
Db	465	GTGCGCATCTCCCTGTCTCAGGACAGAGGCGCTCAACACCAACAACACTCTGGTCTGTTTCG	524
Qy	541	GTGACAGATTTCTACCCAGCCAAAGATCAAAGTGGCGCTGGTTACGGAATGGCCAGGAGAG	600
Db	525	GTGACAGATTTCTACCCAGCCAAAGATCAAAGTGGCGCTGGTTACGGAATGGCCAGGAGAG	584
Qy	601	ACAGTGGGGTCTCATCACACAGCTTATTAGGAATGGGACTGGACCTTCCAGGTCTCTG	660
Db	585	ACAGTGGGGTCTCATCACACAGCTTATTAGGAATGGGGACTGGACCTTCCAGGTCTCTG	644
Qy	661	GTCATGTGTGGAGATGACCCCTCATCAGGGAGAGGTCTACCTGTCATGTGGAGCATCCC	720
Db	645	GTCATGTGTGGAGATGACCCCTCATCAGGGAGAGGTCTACCTGTCATGTGGAGCATCCC	704
Qy	721	AGCCTGAAGAGCCCCCATCACTGTGGAGTGA	751
Db	705	AGCCTGAAGAGCCCCCATCACTGTGGAGTGA	735

```

RESULT 11
AX032543
LOCUS      1385 bp      DNA
DEFINITION Sequence 121 from Patent EP0997477.
ACCESSION  AX032543
VERSION     AX032543.1 GI:10279484
KEYWORDS
SOURCE
ORGANISM   unidentified
            unidentified
            unclassified sequences.
REFERENCE  1
AUTHORS    Chavallaz,P.A., Edwards,A.C., Grammer,S., Jiao,J.A., Rhode,P.R.,
            Weidanz,J.A. and Wong,H.C.
TITLE       Mhc complexes and uses thereof
            Patent: Ep 0997477-A 121 03-MAY-2000;
            SUNOL MOLECULAR CORP (US)
JOURNAL
FEATURES
SOURCE      Location/Qualifiers
            1..1385
            /organism="unidentified"
            /mol_type="unassigned DNA"
            /db_xref="taxon:32644"
ORIGIN

```

Query Match	66.2%	Score	607.8;	DB 2;	Length	1385;
Best Local Similarity	89.6%	Pred. NO.	1.7e-165;			
Matches	673;	Conservative	0;	Mismatches	57;	Indels
					21;	Gaps
					1;	

Qy	1	ATGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGCGTGGTGGTCTGATGTCGTC	60
Db	6	ATGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGCGTGGTGGTCTGATGTCGTC	65
Qy	61	AGCAGCCCCGGGATGAGGGCGGAACTCCATCTCTCTTCGCCGTCGCTGAGAGCACCGC	120
Db	66	AGCAGCCCCAAGGAC-----CTTAAAGTATCTCTCAGGCTGTTTCAC	104

QY	121	ATCTGTGTGTC	CGCAGCTGGGAC	CGGAGGTGGGGGCTCACTAGTGTGCCCCGAGGCTCTGGGA	180
Db	105	GCTGCTC	ACGCTGAAATCAACGAA	AGCTGCGTCTAGCGGAGGGGCGGAAAGCGGGCGGA	164
QY	181	GGTGGAGGCT	CCGAAAGGCA	TTTCGTGTGCCAGTTCAAGGCGGAGTGCTACTACACCAAC	240
Db	165	GGGGGNA	ACTCCGAAAGGCATTTCTGTGTCCAGTTCAAGGCGGAGTGCTACTACACCAAC	224	
QY	241	GGGACG	CAGCGCATACGGCTCGTGAC	CCAGATACATCTACAACCGGGGAGGAGTACGTGCGC	300
Db	225	GGGACG	CAGCGCATACGGCTCGTGAC	CAGATACATCTACAACCGGGGAGGAGTACGTGCGC	284
QY	301	TACCAC	AGCAGCTGGGCGAGTACCGCGCGGTGAC	CGAGCTGGGGCGGCCAGACGCCGAG	360
Db	285	TACCAC	AGCAGCTGGGCGAGTACCGCGCGGTGAC	CGAGCTGGGGCGGCCAGACGCCGAG	344
QY	361	TACTTGG	AAACAGCCAGCCGCGAGATCTCTGGAGCGCAACCGGGCCGAGGTGGGACACGGGGTGC	420	
Db	345	TACTTGG	AAACAGCCAGCCGCGAGATCTCTGGAGCGCAACCGGGCCGAGGTGGGACACGGGGTGC	404	
QY	421	AGACACA	ACTACGAGGGGGCGGAGAC	CAGACCTCTCTGCGGGCGGCTTGAACAGCCCAAT	480
Db	405	AGACACA	ACTACGAGGGGGCGGAGAC	CAGACCTCTCTGCGGGCGGCTTGAACAGCCCAAT	464
QY	481	GTGCCCATCTCCCTGTCCAGGAC	CAGAGGCCCTCAAC	CCACCACACACTCTGTGCTGTGTTCG	540
Db	465	GTGCCCATCTCCCTGTCCAGGAC	CAGAGGCCCTCAAC	CCACCACACACTCTGTGCTGTGTTCG	524
QY	541	GTGACAGATTTCTACCCAGC	CAAGATCAAA	GTGCGTGTTCAGGAAATGCCCAGGAGGAG	600
Db	525	GTGACAGATTTCTACCCAGC	CAAGATCAAA	GTGCGTGTTCAGGAAATGCCCAGGAGGAG	584
QY	601	ACAGTGGGGTCTCATC	CAACAGCTATTATAGAA	TGGGGACGTGGACCTTCCAGGTCCTG	660
Db	585	ACAGTGGGGTCTCATC	CAACAGCTATTATAGAA	TGGGGACGTGGACCTTCCAGGTCCTG	644
QY	661	GTCA	TGCTGGAGATGACCCCTCAT	CAGGAGAGGTTACACCTGCCATGTGGAGCATCCC	720
Db	645	GTCA	TGCTGGAGATGACCCCTCAT	CAGGAGAGGTTACACCTGCCATGTGGAGCATCCC	704
QY	721	AGCCTGA	AGAGCCCCCATCACTGTGGAG	TGGA	751
Db	705	AGCCTGA	AGAGCCCCCATCACTGTGGAG	TGGA	735

```

RESULT 12
AR033963
LOCUS      1508 bp      DNA      linear
DEFINITION Sequence 122 from patent US 5869270.
ACCESSION  AR033963
VERSION     AR033963.1 GI:5949568
KEYWORDS   .
SOURCE      Unknown.
ORGANISM    Unclassified.
REFERENCE   1 (bases 1 to 1508)
AUTHORS    Rhode, P.R.; Jiao, J.-A., Burkhardt, M. and Wong, H. C.
TITLE       Single chain MHC complexes and uses thereof
JOURNAL     Patent: US 5869270-A 122 09-FEB-1999;
            Location/Qualifiers
FEATURES    1..1508
            /organism="unknown"
            /mol_type="unassigned DNA"
ORIGIN

```

	Query Match	66.2%	Score 607.8;	DB 2;	Length 1508;
	Best Local Similarity	89.6%;	Pred. No. 1.8e-165;		
	Matches 673;	Conservative 0;	Mismatches 57;	Indels 21;	Gaps 1;
Qy	1	ATGGCTCTG	CAGATCCCCAGCCTCTCCCTCTCAGCTGCTGCTGCTGCTGCTGCTGCTG	60	
Db	6	ATGGCTCTG	CAGATCCCCAGCCTCTCCCTCTCAGCTGCTGCTGCTGCTGCTGCTGCTG	65	


```

Query Match      66.2%; Score 607.8; DB 2; Length 1508;
Best Local Similarity 89.6%; Pred. No. 1.8e-165;
Matches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;

QY 1 ATGGCTCTGAGATCCCGAGCTCTCTCTAGCTGCTGTGGTGGTGTGATGGTCTG 60
Db 6 ATGGCTCTGAGATCCCGAGCTCTCTCTAGCTGCTGTGGTGGTGTGATGGTCTG 65
QY 61 AGAGCCCGGAGTGAAGGCGGAATCTCATCTGCTTCTGCGCGTCTGAGACACCG 120
Db 66 AGAGCCCAAGGAC-----CTTAAGTATCTCTCAGGCTGTTCAC 104
QY 121 ATCGTGTGTCGCGAGCTGGGACGAGGTGGGGGCTCACTAGTGCCTCCAGGCTCTGGA 180
Db 105 GCTGCTCAGCTGAATCAACGAAGCTGCTGCTAGCGAGGGGCGGAAGCGCGGA 164
QY 181 GGTGGAGGCTCCGAAGGCAATTCGTGTCCAGTTCGAAGGCGAGTCTACTACACCAAC 240
Db 165 GGGGGAATCTCCGAAGGCAATTCGTGTCCAGTTCGAAGGCGAGTCTACTACACCAAC 224
QY 241 GGGACGAGCGATACGGCTCGTGACAGATACATCTACAAACCGGAGGAGTACGTGCGC 300
Db 225 GGGACGAGCGATACGGCTCGTGACAGATACATCTACAAACCGGAGGAGTACGTGCGC 284
QY 301 TAGCAGCAGCGATGCGGCGAGTACCGCGGCTGACCGAGCTGGGGCGGCGAGCGCGAG 360
Db 285 TAGCAGCAGCGATGCGGCGAGTACCGCGGCTGACCGAGCTGGGGCGGCGAGCGCGAG 344
QY 361 TACTGGAACAGCAGCGCGAGATCTCTGGAGCGGAACCGGGCGGAGTGGACCGGCTGC 420
Db 345 TACTGGAACAGCAGCGCGAGATCTCTGGAGCGGAACCGGGCGGAGTGGACCGGCTGC 404
QY 421 AGACACAACTACGAGGGCGGAGACGAGACCTCTCCCTCGCGCGGCTTGAACAGCCCAAT 480
Db 405 AGACACAACTACGAGGGCGGAGACGAGACCTCTCCCTCGCGCGGCTTGAACAGCCCAAT 464
QY 481 GTGCGCATCTCCCTGTTCAGGACAGAGGCCCTCAACCAACCACTCTGTGTCTGTTCG 540
Db 465 GTGCGCATCTCCCTGTTCAGGACAGAGGCCCTCAACCAACCACTCTGTGTCTGTTCG 524
QY 541 GTGACAGATTTCTACCCAGCCAGATCAAGTGGCTGTTCAAGGATGGCCAGGAGGAG 600
Db 525 GTGACAGATTTCTACCCAGCCAGATCAAGTGGCTGTTCAAGGATGGCCAGGAGGAG 584
QY 601 ACAGTGGGGTCTCATCCACAGACTTATTAGGAATGGGGAATGGACCTTCCAGGTCCTG 660
Db 585 ACAGTGGGGTCTCATCCACAGACTTATTAGGAATGGGGAATGGACCTTCCAGGTCCTG 644
QY 661 GTCATGTGGAGATGACCCCTCATCAGGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 720
Db 645 GTCATGTGGAGATGACCCCTCATCAGGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
QY 721 AGCCTGAAGAGCCCATCACTGTGGAGTGA 751
Db 705 AGCCTGAAGAGCCCATCACTGTGGAGTGA 735

```

```

RESULT 15
LOCUS      CS079300
DEFINITION Sequence 122 from Patent EP1526141.
ACCESSION CS079300
VERSION    CS079300.1 GI:63093742
KEYWORDS   .
SOURCE      unidentified
            unidentified
ORGANISM    unclassified sequences.
REFERENCE   1
AUTHORS     Rhode, P.R., Jiao, J.A., Burkhardt, M. and Wong, H.C.
TITLE       MHC complexes and uses thereof
JOURNAL     Patent: EP 1526141-A 122 27-APR-2005;
            Altor BioScience Corporation (US)
            Location/Qualifiers

```

Search completed: June 30, 2006, 00:52:42
Job time : 5753 secs

THIS PAGE BLANK (USPTO)

GenCore version 5.1.9
Copyright (c) 1993 - 2006 Bioceleration Ltd.

OM nucleic - nucleic search, using sw model

Run on: June 29, 2006, 23:09:40 ; Search time 625 Seconds
(without alignments)
10240.839 Million cell updates/sec

Title: US-10-048-116B-7
Perfect score: 918
Sequence: 1 atggctctgcagatccccag.....agcatcatcatcatcatcat 918

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 5244920 seqs, 3486124231 residues

Total number of hits satisfying chosen parameters: 10489840

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : N Geneseq 8: *
1: Geneseqn1980s: *
2: Geneseqn1990s: *
3: Geneseqn2000s: *
4: Geneseqn2001as: *
5: Geneseqn2001bs: *
6: Geneseqn2002as: *
7: Geneseqn2002bs: *
8: Geneseqn2003as: *
9: Geneseqn2003bs: *
10: Geneseqn2003cs: *
11: Geneseqn2003ds: *
12: Geneseqn2004as: *
13: Geneseqn2004bs: *
14: Geneseqn2005s: *
15: Geneseqn2006s: *

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	918	100.0	921	AAE55099	Aaf55099 DNA encod
2	696.2	75.8	893	AAT04262	Aat04262 Hybrid IA
3	665.2	72.5	945	ADQ31225	Adq31225 I-Ab(beta
4	634	69.1	1013	AAT04269	Aat04269 Hybrid IA
5	628.6	68.5	915	ADQ31228	Adq31228 I-Ab(beta
6	607.8	66.2	1382	AAT86989	Aat86989 SCE1 sing
7	607.8	66.2	1382	ACA60744	Acac60744 Mouse MHC
8	607.8	66.2	1385	AAT86987	Aat86987 SSC1 sing
9	607.8	66.2	1385	ACA60742	Acac60742 Mouse MHC
10	607.8	66.2	1508	AAT86988	Aat86988 SCT1 sing
11	607.8	66.2	1508	AAx89069	Aax89069 Single ch
12	607.8	66.2	1508	ACA60743	Acac60743 Mouse MHC
13	606.2	66.0	1382	AAT17588	Aat17588 Vector SC
14	606.2	66.0	1385	AAT17586	Aat17586 Vector SS
15	606.2	66.0	1508	AAT17587	Aat17587 Vector SC
16	598.6	65.2	4724	AAV12068	Aav12068 Murine IA
17	561.8	61.2	798	ADJ75986	Adj75986 Marker ge
18	561.8	61.2	798	ADJ26090	Adx26090 Novel cel

19	549.8	59.9	1085	4	ABI99040	Abi99040 Murine pC
20	542	59.0	702	2	AAQ03170	Aaq03170 Sequence
21	542	59.0	702	2	AAT06286	Aat06286 I-Ab-beta
22	542	59.0	702	2	AAQ56920	Aaq56920 Mouse I-A
23	535.6	58.3	702	2	AAQ35055	Aaq35055 IAB beta
24	525.4	57.2	1698	4	ABI99038	Abi99038 Murine pC
25	502.6	54.7	1243	6	ABN84048	Abn84048 Single ch
26	499.4	54.4	1662	4	ABI99039	Abi99039 Murine pC
27	497.2	54.2	1686	4	ABI99031	Abi99031 MBP 1-14
28	497.2	54.2	1701	4	ABI99028	Abi99028 IAS MBP 1
29	497.2	54.2	2059	4	ABI99032	Abi99032 MBP 1-14
30	497.2	54.2	2346	4	ABI99027	Abi99027 IAS MBP 1
31	486	54.0	1680	4	ABI99021	Abi99021 I-As MBP.
32	496	54.0	1707	4	ABI99030	Abi99030 IAS MBP 9
33	496	54.0	2053	4	ABI99029	Abi99029 IAS MBP 9
34	496	54.0	2343	4	ABI99033	Abi99033 MBP 90-10
35	433.6	47.2	562	6	ABK63510	Abk63510 Rat seque
36	433.6	47.2	562	10	ADB57995	Adb57995 Toxicity-
37	433.6	47.2	562	10	ABT411775	Abt411775 Toxicity
38	433.6	47.2	562	11	ADM21868	Adm21868 Rat hepat
39	433.6	47.2	562	13	ADV40851	Adv40851 Rat cardi
40	433.6	47.2	562	14	ADX25826	Adx25826 Novel cel
41	414.8	45.2	1869	13	ADQ38634	Adq38634 Human SNP
42	414.8	45.2	1892	13	ADQ38637	Adq38637 Human SNP
43	410.8	44.7	1171	6	ABK84087	Abk84087 Human cDN
44	410.8	44.7	1199	8	ABX63009	Abx63009 Human cDN
45	407.6	44.4	1192	10	AAE63150	Aae63150 Human maj

ALIGNMENTS

RESULT 1
AAE55099 standard; DNA; 921 BP.
ID AAF55099 standard; DNA; 921 BP.
XX
AC AAF55099;
XX

DT 15-MAY-2001 (first entry)

XX DNA encoding a fusion protein comprising a beta chain of MHC.

XX Recombinant protein; alpha chain; beta chain; MHC; immunoglobulin;
KW major histocompatibility complex; Fc region; antigen; T lymphocyte;
KW immunostimulant; vaccine; infection; tumour; ss.

OS Synthetic.

XX Key Location/Qualifiers
FT CDS 1..921
FT /*tag= a

XX WO200109194-A1.

XX 08-FEB-2001.

XX 28-JUL-2000; 2000WO-FR002193.

XX 29-JUL-1999; 99FR-00009862.

XX (CNRS) CNRS CENT NAT RECH SCI.

XX Glaichenhaus N, Malherbe L;

XX WPI; 2001-182944/18.

XX P-PSDB; AAB67481.

XX New soluble recombinant protein, useful e.g. as immunostimulant,
PT comprises dimeric major histocompatibility complex molecule fused to
immunoglobulin Fc region.

XX Example 1; Page 34-35; 43pp; French.

CC The specification describes soluble recombinant proteins that comprise at
CC least a dimer formed from the alpha and beta-chains of MHC (major
CC histocompatibility complex) Class I and II molecules in which at least
CC one chain has, attached to its C-terminus, at least part of the Fc region
CC of an immunoglobulin. The recombinant proteins, when linked to an
CC antigenic peptide, are used to count and/or purify antigen-reactive T
CC lymphocytes and to characterize their phenotype, e.g. in preclinical
CC evaluation of vaccines. They are also used as immunostimulants,
CC particularly for vaccine development (against infections and tumours), to
CC count and determine phenotype of autoreactive T cells in subjects with,
CC or at risk of developing, autoimmune diseases, e.g. for staging or
CC evaluating treatments, and (to purify and/or enrich Ag-reactive T cells
CC from cell cultures or patient samples, for use in subsequent curative or
CC preventative cellular therapy. The present sequence encodes a recombinant
CC protein of the invention, comprising a beta chain of MHC molecules
XX

SQ Sequence 921 BP; 214 A; 265 C; 286 G; 156 T; 0 U; 0 Other;

Query Match 100.0%; Score 918; DB 5; Length 921;
Best Local Similarity 100.0%; Pred. No. 7.3e-203;
Matches 918; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGTGCTG 60
Db 1 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGTGCTG 60
Qy 61 AGCAGCCCGGAGCTGAGGGGGAACCTCATCTCTCTGCTGCTGCTGAGCACC 120
Db 61 AGCAGCCCGGAGCTGAGGGGGAACCTCATCTCTCTGCTGCTGCTGAGCACC 120
Qy 121 ATCTGTGTGTCGGCAGCTGGGAGCTGGGGCTCACTAGTGCCTCCGAGGCTCTGGA 180
Db 121 ATCTGTGTGTCGGCAGCTGGGAGCTGGGGCTCACTAGTGCCTCCGAGGCTCTGGA 180
Qy 181 GGTGAGGCTCCGAAGGCATTTCTGTGTCAGTTCAAGGGCGAGTGTACTACACCAAC 240
Db 181 GGTGAGGCTCCGAAGGCATTTCTGTGTCAGTTCAAGGGCGAGTGTACTACACCAAC 240
Qy 241 GGGAGCGAGCGATACGGCTGTGACCAAGATACATCTACACCGGGAGGAGTACGTGGC 300
Db 241 GGGAGCGAGCGATACGGCTGTGACCAAGATACATCTACACCGGGAGGAGTACGTGGC 300
Qy 301 TACGACGCGAGCTGGGCGAGTACCGCGGTGACCGAGCTGGGCGGCCAGACGCCGAG 360
Db 301 TACGACGCGAGCTGGGCGAGTACCGCGGTGACCGAGCTGGGCGGCCAGACGCCGAG 360
Qy 361 TACTGGAAACAGCCAGCGGAGATCTGGAGCGAAGCGGGCGGAGTGGACACGCGGTGC 420
Db 361 TACTGGAAACAGCCAGCGGAGATCTGGAGCGAAGCGGGCGGAGTGGACACGCGGTGC 420
Qy 421 AGACACACTAGGAGGCGGAGACGACGACCTCTCCCTGCGGCGGCTTGAACAGCCCAAT 480
Db 421 AGACACACTAGGAGGCGGAGACGACGACCTCTCCCTGCGGCGGCTTGAACAGCCCAAT 480
Qy 481 GTGCGCATCTCCCTGTCAGGACAGAGCGCTCAACACCAACACACTCTGTCTGTTCG 540
Db 481 GTGCGCATCTCCCTGTCAGGACAGAGCGCTCAACACCAACACACTCTGTCTGTTCG 540
Qy 541 GTGACAGATTTTACCCAGCCCAAGATCAAAAGTGGCTGTTTCAAGAAATGGCCAGAGGAG 600
Db 541 GTGACAGATTTTACCCAGCCCAAGATCAAAAGTGGCTGTTTCAAGAAATGGCCAGAGGAG 600
Qy 601 ACAGTGGGGGTCTCATCCACACAGCTTATAGGAATGGGACTGGACCTTCAGGTCCTG 660
Db 601 ACAGTGGGGGTCTCATCCACACAGCTTATAGGAATGGGACTGGACCTTCAGGTCCTG 660
Qy 661 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACTGTCATGTGGAGCATCCC 720
Db 661 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACTGTCATGTGGAGCATCCC 720
Qy 721 AGCCTGAAGAGCCCCCATCACTGTGAGTGGAGGGCACAGTCCGAGTCTGCCGAGCAAG 780
Db 721 AGCCTGAAGAGCCCCCATCACTGTGAGTGGAGGGCACAGTCCGAGTCTGCCGAGCAAG 780

Qy 781 GGAGGTGAGGATCCACTACAGTCCCATCAGCTCAGTTGAAAAAGAAATTGCAAGCACTG 840
Db 781 GGAGGTGAGGATCCACTACAGTCCCATCAGCTCAGTTGAAAAAGAAATTGCAAGCACTG 840
Qy 841 AAGAAAAAGAACGCTCAGCTGAAGTGGAAACTTCAAGCCCTCAAGAGAAACTCGCCCCAG 900
Db 841 AAGAAAAAGAACGCTCAGCTGAAGTGGAAACTTCAAGCCCTCAAGAGAAACTCGCCCCAG 900
Qy 901 CATCATCATCATCATCAT 918
Db 901 CATCATCATCATCATCAT 918
RESULT 2
AAT04262
ID AAT04262 standard; DNA; 893 BP.
XX
AC AAT04262;
XX
DT 16-APR-1996 (first entry)
XX
DE Hybrid IA beta chain gene.
XX
KW Polymerase chain reaction; PCR; primer; amplify;
KW major histocompatibility complex; MHC; T-cell receptor; TCR;
KW autoimmune disease; immunodeficiency disease; immune response;
XX immunoproliferation disease; graft-host rejection; therapy; ss.
OS Synthetic.
XX
FH Key Location/Qualifiers
FT primer_bind 1..16
FT /tag= a
FT /note= "probable primer binding site (primer #233)"
FT primer_bind complement(45..74)
FT /tag= b
FT /note= "binding site for primer #261 (see AAT04260)"
FT CDS 61..828
FT /tag= c
FT /product= "hybrid IA beta chain"
FT sig_peptide 61..141
FT /tag= d
FT /note= "leader region"
FT primer_bind complement(119..172)
FT /tag= e
FT /note= "binding site for primer #331 (see AAT04261)"
FT primer_bind complement(158..212)
FT /tag= f
FT /note= "primer #332 binding site"
FT primer_bind complement(199..250)
FT /tag= g
FT /note= "primer #333 (see AAT04263) binding site"
FT misc_feature 371..389
FT /tag= h
FT /note= "probable primer binding site (primer #270)"
FT mat_peptide 511..825
FT /tag= i
FT /product= "IA beta chain beta 2 region"
FT primer_bind 521..550
FT /tag= j
FT /note= "probable primer binding site (primer #271)"
FT primer_bind 532..554
FT /tag= k
FT /note= "probable primer binding site (primer #272)"
FT primer_bind 808..836
FT /tag= l
FT /note= "probable primer binding site (primer #259)"
FT primer_bind 877..893
FT /tag= m
FT /note= "probable primer binding site (primer #232)"
XX
PN W09523814-A1.

CC acid sequence comprising one or more deletions, substitutions or
CC additions. The molecule of the invention may be useful for detecting an
CC antigen-specific CD4+ T-cell by flow cytometry and for presenting a
CC microorganism-derived mucous membrane invasive protein as an antigen. The
CC method of the invention enables efficient detection of antigen-specific
CC activation of CD4+ T-cells in the mucous membrane. The current sequence
CC is that of the class II major histocompatibility complex-related I-
CC Ab(alpha)-Cholera toxin B subunit (CTB)-leucine zipper (LZ)-BirA fusion
CC cDNA of the invention.
XX
SQ Sequence 945 BP; 230 A; 256 C; 294 G; 165 T; 0 U; 0 Other;

Query Match 72.5%; Score 665.2; DB 12; Length 945;
Best Local Similarity 86.6%; Pred. No. 3e-144;
Matches 759; Conservative 0; Mismatches 108; Indels 9; Gaps 2;
QY 43 GTGGTCTGATGGTCTGAGCAGCCCGGGACTGAGGGCGGAAATCCATCTGCTTCTCG 102
DB 49 GTGACACTGATGGTCTGAGCTCCCACTGGCTTGGCTGGAGACTCTCGGTGGGAAC 108
QY 103 CGGTCTGAGACACCCGATGCTGTGTCGCGCAGCTGGGACGGAGTGGGGGCTCACTA 162
DB 109 AATAAGACCGCGCAGCGCATCGCGCCATCAGCATGGCGAAACGGAGTGGTGGGTCG 168
QY 163 GTGCCCCGAGGCTCTGGAGGTGGAGGCTCCGAAAGGCATTTCGTGGTCCAGTTCAGGGC 222
DB 169 GGAGGGGAAG---TGGAGGTGGAGGGTCTGAAAGGCATTTCGTGTACAGTTCATGGGC 225
QY 223 GAGTCTCTACTACCAACAGGGACGCGGCGCATACCGCTCGTGACCAGATACATCTACAA 282
DB 226 GAGTCTACTTACCACAGGGACGCGCGCATACGATATGTGACCAGATACATCTACAA 285
QY 283 CGGAGGAGTACGTGGCTTACAGACGACGAGTGGGCGGATACCGCGCGGTGACCGAGTGT 342
DB 286 CGGAGGAGTACGTGGCTTACAGACGACGAGTGGGCGGACCGCGCGGTGACCGAGTGT 345
QY 343 GGGCGGCGCAGCGCGAGTCTGGAACAGCCAGCGAGATCTTGGAGCGAACCGGGCC 402
DB 346 GGGCGGCGCAGCGCGAGTCTGGAACAGCCAGCGAGATCTTGGAGCGAACCGGGCC 405
QY 403 GAGGTGGACACGCGCTGCAGACACAACTACGAGGGGCGGAGACCGACACCTCCCTGCGG 462
DB 406 GAGCTGGACACGCTGCAGACACAACTACGAGGGGCGGAGACCCACACCTCCCTGCGG 465
QY 463 CGGCTTGAACAGCCCAATGTGCCATCTCCCTGTCCAGACAGAGGCCCTCAACACCAC 522
DB 466 CGGCTTGAACAGCCCAATGTCCATCTCCCTGTCCAGACAGAGGCCCTCAACACCAC 525
QY 523 AACCTCTGGTCTGTTCCGTGACAGATTTTACCCAGCCAGATCAAAAGTGGCTGTTTC 582
DB 526 AACCTCTGGTCTGTTCCGTGACAGATTTTACCCAGCCAGATCAAAAGTGGCTGTTTC 585
QY 583 AGGAAATGGCCAGGAGACAGTGGGGGTCTCATCCACACAGCTTTATTAGGAATGGGAC 642
DB 586 CGGAATGGCCAGGAGACAGTGGGGGTCTCATCCACACAGCTTTATTAGGAATGGGAC 645
QY 643 TGGACCTTCCAGGTCTGTGATGTGTGAGATGACCCCTCATCAGGAGAGGTCTACACC 702
DB 646 TGGACCTTCCAGGTCTGTGATGTGTGAGATGACCCCTCATCAGGAGAGGTCTACACC 705
QY 703 TGCCATGTGGAGCATCCAGCTGAAGAGCCCATCACTGTGGAGTGGAGGSCACAGTCC 762
DB 706 TGTACGTGGAGCATCCAGCTGAAGAGCCCATCACTGTGGAGTGGAGGSCACAGTGTG 765
QY 763 GAGTCTGCGCGGAGCAAGGAGGTGGAGGATCCACTACAGTCTCCATCAGCTCAGTTGAAA 822
DB 766 TCAGCAGACC-----TGGTTCGCGCGGATCCACTACAGTCTCCATCAGTCTCAGTTGAAA 819
QY 823 AAGAAATTCAGGACTGAGAGAAAGAACGCTCAGCTGAAGTGAAGAACTTCAAGCCCTC 882
DB 820 AAGAAATTCAGGACTGAGAGAAAGAACGCTCAGCTGAAGTGAAGAACTTCAAGCCCTC 879
QY 883 AAGAAGAAACTCGCCGAGCATCATCATCATCATCATCATCATCATCATCATCATCATCAT 918

DB 880 AAGAAGAAACTCGCCGAGCTGCATCATCATCATCATCATCATCATCATCATCATCATCAT 915
RESULT 4
AAT04269
ID AAT04269 standard; DNA; 1013 BP.
XX
AC AAT04269;
XX
DT 16-APR-1996 (first entry)
XX
DE Hybrid IA beta chain gene.
XX
KW Major histocompatibility complex; MHC; T-cell receptor; TCR;
KW autoimmune disease; immunodeficiency disease; immune response;
KW immunoproliferation disease; graft-host rejection; therapy; B cell;
KW M12.C3; pM12-IAB-Ea; ss.
XX
OS Synthetic.
XX
FH Key Location/Qualifiers
FT primer_bind 1..18
FT /tag= a
FT /note= "probable primer binding site (primer #76)"
FT primer_bind complement(40..74)
FT /tag= b
FT /note= "binding site for primer #362 (see AAT04270)"
FT CDS 63..959
FT /tag= c
FT /product= "hybrid IA beta chain"
FT sig_peptide 63..143
FT /tag= d
FT /note= "leader region"
FT primer_bind complement(140..191)
FT /tag= e
FT /note= "binding site for primer #363 (see AAT04271)"
FT primer_bind complement(177..226)
FT /tag= f
FT /note= "primer #364 binding site"
FT primer_bind complement(212..266)
FT /tag= g
FT /note= "primer #365 (see AAT04272) binding site"
FT primer_bind 385..403
FT /tag= h
FT /note= "probable primer binding site (primer #270)"
FT mat_peptide 531..959
FT /tag= i
FT /product= "IA beta chain beta 2 region"
FT primer_bind 535..564
FT /tag= j
FT /note= "probable primer binding site (primer #271)"
FT primer_bind 544..568
FT /tag= k
FT /note= "probable primer binding site (primer #272)"
FT primer_bind 823..850
FT /tag= l
FT /note= "probable primer binding site (primer #259)"
FT primer_bind 942..976
FT /tag= m
FT /note= "probable primer binding site (primer #366)"
FT primer_bind 1000..1013
FT /tag= n
FT /note= "probable primer binding site (primer #59)"
XX
XX WO9523814-A1.
XX
XX 08-SEP-1995.
XX
XX 03-MAR-1995; 95WO-US002689.
XX
XX 04-MAR-1994; 94US-00207481.
XX

(NAJE-) NAT JEWISH CENT IMMUNOLOGY & RESPIRATORY.

Kappler JW, Marrack P;

WPI; 1995-320543/41.

P-PSDB; AAR82538.

Peptide-MHC complex comprising antigenic peptide, linker and MHC segment - useful as reagents for the treatment of diseases including auto-immune diseases, immuno-stimulatory diseases or graft-host rejection.

Example 2; Page 65; 94pp; English.

This sequence represents a hybrid IA beta chain gene. This sequence contains a fragment of the IE alpha chain (residues 56-73), as well as a linker and cleavage site. This sequence was transfected into a B cell line (M12.C3) using plasmid pM12-TAB-Ea. It was found that the encoded sequence was expressed in these cells. Complexes such as this may be used to regulate an immune response. The complexes are capable of being recognised by a TCR alone or in combination with additional MHC proteins. These complexes are useful for therapeutic purposes and experimental purposes. They can also be used as reagents for the treatment of diseases including autoimmune diseases, immunodeficiency diseases, immunoproliferation diseases, and graft-host rejection

Sequence 1013 BP; 220 A; 272 C; 327 G; 192 T; 0 U; 2 Other;

Query Match 69.1%; Score 634; DB 2; Length 1013;
Best Local Similarity 89.1%; Pred. No. 5.1e-137;
Matches 695; Conservative 1; Mismatches 81; Indels 3; Gaps 1;
QY 1 ATGGCTGTCAGATCCAGCTCTCTCTCTCAGCTGCTGGTGTGTGATGTCG 60
DB 63 ATGGCTGTCAGATCCAGCTCTCTCTCTCAGCTGCTGGTGTGTGATGTCG 122
QY 61 AGCAGCCCGGAGCTGAGCGGGAATCCATCTGCTTCCCTCGCTGAGCACC 120
DB 123 AGCAGCCCGGAGCTGAGCGGGAATCCATCTGCTTCCCTCGCTGAGCACC 182
QY 121 ATGCTGGTGTCCGCGAGCTGGAGCGAGGTGGGGGCTCACTAGTCCCGGAGCTCGGA 180
DB 183 GCCAATCTGCTGTGCAGAGGCTGGAGTGTGGATC---CGGTGGAGGGGAGTGA 239
QY 181 GGTGAGGCTCGAAAGGCAATTCGTGTGTCAGTTCAAGGGCGAGTGTACTACACCAAC 240
DB 240 GGTGAGGCTCGAAAGGCAATTCGTGTGTCAGTTCAAGGGCGAGTGTACTACACCAAC 299
QY 241 GGGAGCGAGCGCATACGGCTCGTGACAGATACATCTACACCGGAGGAGTACGTGGC 300
DB 300 GGGAGCGAGCGCATACGGCTCGTGACAGATACATCTACACCGGAGGAGTACGTGGC 359
QY 301 TACGACGAGCGTGGGCGAGTACCGCGGCTGACCGAGCTGGGCGGCGAGACCGCGAG 360
DB 360 TACGACGAGCGTGGGCGAGTACCGCGGCTGACCGAGCTGGGCGGCGAGACCGCGAG 419
QY 361 TACTGGAACAGCGCGAGATCTTGAGCGAAGCGGGCGAGAGTGGAGACACGCGTGC 420
DB 420 TACTGGAACAGCGCGAGATCTTGAGCGAAGCGGGCGAGAGTGGAGACACGCGTGC 479
QY 421 AGACAACTACGAGGGCGGAGACAGCACCTCCCTGGCGGCTTGAACAGCCCAAT 480
DB 480 AGACAACTACGAGGGCGGAGACAGCACCTCCCTGGCGGCTTGAACAGCCCAAT 539
QY 481 GTGCGCATCTCCCTGTCAGGACAGAGCGCCCTCAACACCAACACATCTGTGTGTTCG 540
DB 540 GTGCGCATCTCCCTGTCAGGACAGAGCGCCCTCAACACCAACACATCTGTGTGTTCG 599
QY 541 GTGACAGATTTTACCCAGCCCAAGATCAAGTGCCTGTTGAGAAATGGCCAGGAG 600
DB 600 GTGACAGATTTTACCCAGCCCAAGATCAAGTGCCTGTTGAGAAATGGCCAGGAG 659
QY 601 ACAGTGGGGTCTATCCACAGCTTATTAGGATGGGACTGGACCTTCCAGTCTCTG 660

DB 660 ACGTGGGGCTCTCATCCACAGCTTATTAGAAATGGGACTGGACCTTCCAGTCTCG 719
QY 661 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGCTTACACCTGCCATGTGGAGCATCCC 720
DB 720 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGCTTACACCTGTGAGAGCATCCC 779
QY 721 AGCCTGAAGAGAGCCCATCTCTGTGAGTGGAGGACACAGTCCGAGTCTCCCGGACAAG 780
DB 780 AGCCTGAAGAGAGCCCATCTCTGTGAGTGGAGGACACAGTCTGAGTCTGCTGGAGCAAG 839

RESULT 5

ADQ31228

ID ADQ31228 standard; cDNA; 915 BP.

XX AC ADQ31228;

DT 07-OCT-2004 (first entry)

XX DE I-Ab(beta)-E. coli heat-labile toxin B subunit-LZ-BirA fusion cDNA.

XX class II major histocompatibility complex; MHC; CD4+ T-cell detection;

KW flow cytometry; mucous membrane invasive antigen;

KW I-Ab(beta)-heat-labile toxin B subunit-leucine zipper-BirA fusion; LTB;

XX ss; gene.

OS Escherichia coli.

XX Unidentified.

XX FH Key Location/Qualifiers

FT CDS 1..915

FT /*tag= a

FT /product= "I-Ab(beta)-Escherichia coli heat-labile toxin"

XX B subunit (LTB)-leucine zipper (LZ)-BirA fusion protein"

PN JP2004196789-A.

XX PD 15-JUL-2004.

XX PF 03-DEC-2003; 2003JP-00404367.

XX PR 03-DEC-2002; 2002JP-00351818.

XX PA (SENT-) SENTAN KAKAKU GIJUTSU INCUBATION CENT KK.

XX WPI; 2004-546819/53.

XX P-PSDB; ADQ31227.

XX Peptide-Class II major histocompatibility complex (MHC) composite, useful for detecting antigen specific CD4+ T-cell, comprises antigen peptide containing epitope of mucous membrane invasive protein, and extracellular region of MHC.

XX Example 3; SEQ ID NO 13; 30pp; Japanese.

XX The invention relates to a novel class II major histocompatibility complex (MHC) antigenic peptide composite comprising a peptide containing the T-cell antigenic determinant of a mucous membrane invasive protein and the extracellular region of a class II MHC molecule or at least part of the extracellular region of the class II MHC molecule having an amino acid sequence comprising one or more deletions, substitutions or additions. The molecule of the invention may be useful for detecting an antigen-specific CD4+ T-cell by flow cytometry and for presenting a microorganism-derived mucous membrane invasive protein as an antigen. The method of the invention enables efficient detection of antigen-specific activation of CD4+ T-cells in the mucous membrane. The current sequence is that of the class II major histocompatibility complex-related I-Ab(alpha)-Escherichia coli heat-labile toxin B subunit (LTB)-leucine zipper (LZ)-BirA fusion cDNA of the invention.

XX SQ Sequence 915 BP; 228 A; 242 C; 271 G; 174 T; 0 U; 0 Other;

Query Match

68.5%; Score 628.6; DB 12; Length 915;

QY	601	ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTTGGACCTTCAGGTCCTG	660
Db	585	ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTTGGACCTTCAGGTCCTG	644
QY	661	GTTCATGCTGGAGATGACCCCTCATCAGGAGAGGCTTACACTGCCATGTGAGCATCCC	720
Db	645	GTTCATGCTGGAGATGACCCCTCATCAGGAGAGGCTTACACTGCCATGTGAGCATCCC	704
QY	721	AGCCTGAAGAGCCCCCATCACTGTGGAGTGA	751
Db	705	AGCCTGAAGAGCCCCCATCACTGTGGAGTGA	735

RESULT 7

ACA60744
ID ACA60744 standard; DNA: 1382 BP.

ACA60744;

DT 16-JUN-2003 (first entry)

DE Mouse MHC I-Ad/Ova 323-339 synthetic gene SCEL.

KW MHC; major histocompatibility complex; gene therapy; fusion complex;
KW peptide-binding groove; T cell modulation; class II MHC; vaccine;
KW autoimmune disorder; multiple sclerosis; rheumatoid arthritis;
KW insulin-dependent diabetes mellitus; myasthenia gravis; immunogen;
KW chronic allergy; mouse; ds; I-Ad; gene.

OS Mus sp.

OS	Mass sp.	Synthetic.
OS	Mass sp.	Synthetic.

US2002198144-A1.

26-DEC-2002.

06-JUL-2001: 2001US-00900379.

XX 29-JUL-1994: 94US-00283302

FK 29-JUL-1994; 94US-0028330Z.
PR 01-FEB-1995; 95US-00382454.

PR 17-JAN-1997; 97US-00776084.

PA (DADE-) DADE INT INC.

PI Wong HC. Rhode PR. Weidanz JA. Grammer S. Edwards AC.

PI Wong HC, Kuoque PK, Wei Chavallaz P, Jiao JJJ:

DR WPI; 2003-341126/32.

DR P-PSDB; ABU72108.

PT Novel major histocompatibility complex fusion complex having presenting
PT peptide covalently linked to MHC molecule containing peptide-binding
PT groove, used for suppressing immune response in multiple sclerosis,
PT allergies.

PS Example 17; Fig 29; 126pp; English.

The invention relates to a major histocompatibility complex (MHC) fusion complex (I) comprising an MHC molecule that contains a peptide-binding groove, and a presenting peptide covalently (e.g. an antigenic peptide) linked to the MHC molecule, where (I) is capable of modulating the activity of a T cell. Also included are a DNA construct coding for the complex, where the MHC molecule is a class II MHC (e.g. mouse I-Ad or I-As, or human HLA-DR1 (human leukocyte antigen-DR1)), a multivalent MHC fusion complex comprising two or more linked complexes, identifying a peptide that can modulate the activity of T cells (involving introducing into host cells cloning vectors that each contain the fusion complex DNA, culturing the host cells under conditions suitable for expression of the MHC fusion complex, and selecting host cells that express MHC fusion complex that modulate the activity of T cells), a single recombinant expression vector comprising DNA that codes for the alpha and beta chains of the fusion complex MHC protein, a single recombinant expression vector comprising DNA that codes for a T cell costimulatory factor and the alpha

```
Db      645  GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
Qy      721  AGCTGAAGACCCCATCACTGTGGAGTGA 751
Db      705  AGCCTGAAGAGCCCATCACTGTGGAGTGA 735

RESULT 8
ID      AAT86987 standard; DNA; 1385 BP.
XX
AC      AAT86987;
XX
DT      27-MAR-1998 (first entry)
XX
DE      SSI single chain gene.
XX
KW      Construction; major histocompatibility complex; MHC; fusion complex;
KW      SSI single chain gene; 88.
XX
OS      Synthetic.
XX
FH      Key Location/Qualifiers
FT      CDS 6..1385
FT      /*tag= a
XX
PN      WO9728191-A1.
XX
PD      07-AUG-1997.
XX
PF      30-JAN-1997; 97WO-US001617.
XX
PR      31-JAN-1996; 96US-00596387.
XX
PA      (DADE-) DADE INT INC.
XX
PI      Rhode PR, Jiao J, Burkhardt M, Wong HC;
XX
DR      WPI; 1997-402555/37.
XX
P-PSDB; AAW29212.
XX
Single chain major histocompatibility complex comprising linked alpha and
PT beta chains - useful for suppressing an immune response to an auto:immune
PT disease, e.g. multiple sclerosis, rheumatoid arthritis, diabetes
PT mellitus, etc.
XX
PS      Example 17; Page 135-137; 217pp; English.
XX
CC      The present sequence was used in the construction of major
CC      histocompatibility complex (MHC) fusion complexes
XX
SQ      Sequence 1385 BP; 316 A; 383 C; 399 G; 287 T; 0 U; 0 Other;

Query Match 66.2%; Score 607.8; DB 2; Length 1385;
Best Local Similarity 89.6%; Pred No. 6.5e-131;
Matches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;

Qy      1  ATGGCTCTGCAGATCCCCAGAGCTCTCTCTCAGTGTGTGGTGTCTGATGTGCTG 60
Db      6  ATGGCTCTGCAGATCCCCAGAGCTCTCTCTCAGTGTGTGTGGTGTCTGATGTGCTG 65
Qy      61  AGCAGCCCGGAGCTGAGGGGGGAACTCCATCTCTCTCGCCGCTGCGTGGAGCACCG 120
Db      66  AGCAGCCCAAGGAC-----CTTAAGTATCTCTCAGGCTGTTTAC 104
Qy      121  ATCGTGGTGTCCGGCAGCTGGAGCGAGTGGGGGCTCACTAGTCCCGGAGGCTCTGGA 180
Db      105  GCTGCTCAGCTGAAATCAACGAGCTGCTGTGTAGCGGAGGGGGCGGAGCGCGGA 164
Qy      181  GGTGGAGGCTCCGAAAGGCAATTCGTGTTCAGTTTCAAGGGGCGAGTGTCTATACACCAAC 240
Db      165  GGGGGGAAATCCGAAAGGCAATTCGTGTTCAGTTTCAAGGGGCGAGTGTCTATACACCAAC 224
```

```
Qy      241  GGGAGCGAGCGCATACGGCTCGTGACAGATACATCTACAAACGGGAGGAGTACGTGCGC 300
Db      225  GGGAGCGAGCGCATACGGCTCGTGACAGATACATCTACAAACGGGAGGAGTACGTGCGC 284
Qy      301  TAGCAGACGACGTGGGCGAGTACCGCGCGGTGACCGAGCTGGGGCGGCCAGAGCCGAG 360
Db      285  TAGCAGACGACGTGGGCGAGTACCGCGCGGTGACCGAGCTGGGGCGGCCAGAGCCGAG 344
Qy      361  TACTGGAACAGCCAGCCGAGATCTCTGAGAGGAACGGGGCGGAGGTGGACACGGCGTGC 420
Db      345  TACTGGAACAGCCAGCCGAGATCTCTGAGAGGAACGGGGCGGAGGTGGACACGGCGTGC 404
Qy      421  AGACACAACCTACGAGGGGCGGAGACAGCACCTCCCTCGCGCGGCTTGAACAGGCCAAT 480
Db      405  AGACACAACCTACGAGGGGCGGAGACAGCACCTCCCTCGCGCGGCTTGAACAGGCCAAT 464
Qy      481  GTGCCCATCTCCCTGTCCAGGACAGAGGCCCTCAACCAACACACACTCTCGTCTGTTTCG 540
Db      465  GTGCCCATCTCCCTGTCCAGGACAGAGGCCCTCAACCAACACACACTCTCGTCTGTTTCG 524
Qy      541  GTGACAGATTCTTACCCAGCCCAAGATCAAAAGTGGCTGTTTCAGGAAATGGCCAGGAGGAG 600
Db      525  GTGACAGATTCTTACCCAGCCCAAGATCAAAAGTGGCTGTTTCAGGAAATGGCCAGGAGGAG 584
Qy      601  ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGAGCTGGACCTCCAGGTCCTG 660
Db      585  ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGAGCTGGACCTCCAGGTCCTG 644
Qy      661  GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 720
Db      645  GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
Qy      721  AGCCTGAAGAGCCCATCACTGTGGAGTGA 751
Db      705  AGCCTGAAGAGCCCATCACTGTGGAGTGA 735

RESULT 9
ID      ACA60742 standard; DNA; 1385 BP.
XX
AC      ACA60742;
XX
DT      16-JUN-2003 (first entry)
XX
DE      Mouse MHC I-Ad/Ova 323-339 synthetic gene SSI.
XX
KW      MHC; major histocompatibility complex; gene therapy; fusion complex;
KW      peptide-binding groove; T cell modulation; class II MHC; vaccine;
KW      autoimmune disorder; multiple sclerosis; rheumatoid arthritis;
KW      insulin-dependent diabetes mellitus; myasthenia gravis; immunogen;
KW      chronic allergy; mouse; ds; I-Ad; gene.
XX
OS      Mus sp.
OS      Synthetic.
XX
PN      US2002198144-A1.
XX
PD      26-DEC-2002.
XX
PF      06-JUL-2001; 2001US-00900379.
XX
PR      29-JUL-1994; 94US-00283302.
PR      01-FEB-1995; 95US-00382454.
PR      17-JAN-1997; 97US-00776084.
XX
PA      (DADE-) DADE INT INC.
XX
PI      Wong HC, Rhode PR, Weidanz JA, Grammer S, Edwards AC;
PI      Chavallaz P, Jiao JJ;
XX
DR      WPI; 2003-341126/32.
DR      P-PSDB; ABU72106.
```

XX Novel major histocompatibility complex fusion complex having presenting
PT peptide covalently linked to MHC molecule containing peptide-binding
PT groove, used for suppressing immune response in multiple sclerosis,
PT allergies.
XX
PS Example 17; Fig 27; 126pp; English.
XX
XX The invention relates to a major histocompatibility complex (MHC) fusion
CC complex (I) comprising an MHC molecule that contains a peptide-binding
CC groove, and a presenting peptide covalently (e.g. an antigenic peptide)
CC linked to the MHC molecule, where (I) is capable of modulating the
CC activity of a T cell. Also included are a DNA construct coding for the
CC complex, where the MHC molecule is a class II MHC (e.g. mouse I-Ad or I-
CC As, or human HLA-DR1 (human leukocyte antigen-DR1)), a multivalent MHC
CC fusion complex comprising two or more linked complexes, identifying a
CC peptide that can modulate the activity of T cells (involving introducing
CC into host cells cloning vectors that each contain the fusion complex DNA,
CC culturing the host cells under conditions suitable for expression of the
CC MHC fusion complex, and selecting host cells that express MHC fusion
CC complex that modulate the activity of T cells), a single recombinant
CC expression vector comprising DNA that codes for the alpha and beta chains
CC of the fusion complex MHC protein, a single recombinant expression vector
CC comprising DNA that codes for a T cell costimulatory factor and the alpha
CC and beta chains of the MHC fusion complex. The DNA constructs can contain
CC heterologous leader peptide sequences and Kozak sequence for efficient
CC expression of the fusion complex. Also included are inducing an immune
CC response in a mammal (including vaccinating a mammal against a targeted
CC disorder, by administering DNA sequence comprising a fusion complex, or
CC DNA sequence coding for a fusion complex which is a single chain fusion
CC molecule) and suppressing an immune response in a mammal by administering
CC to the mammal a DNA sequence comprising an expression vector, encoding a
CC full length MHC molecule that contains a transmembrane domain, and a
CC presenting peptide that is a T cell receptor (TCR) antagonist or partial
CC agonist and is covalently linked to the MHC protein, or DNA sequence
CC coding for the fusion complex which is a single chain fusion molecule.
CC The methods are useful for identifying a peptide that can modulate the
CC activity of T cells, inducing an immune response in a mammal (including
CC vaccinating a mammal against a targeted disorder) and for suppressing an
CC immune response in a mammal. The disorders include an autoimmune disorder
CC such as multiple sclerosis, insulin-dependent diabetes mellitus,
CC rheumatoid arthritis, myasthenia gravis or chronic allergies. The present
CC sequence encodes a mouse MHC class II I-Ad fusion complex of the
XX invention
XX
SQ Sequence 1385 BP; 316 A; 383 C; 399 G; 287 T; 0 U; 0 Other;
Query Match 66.2%; Score 607.8; DB 8; Length 1385;
Best Local Similarity 89.6%; Pred. No. 6.5e-131;
Matches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;
QY 1 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGTGTG 60
DB 6 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGTGTG 65
QY 61 AGCAGCCCGGGACGTAGGGGGGAAATCCATCTCTCTCGCTCTCGAGACCCCG 120
DB 66 AGCAGCCCAAGGAC-----CTTAAGTATCTCTCAGGCTGTTCAC 104
QY 121 ATCGTGTGTCTCGGAGCTGGGAGGTGGGGCTCACTAGTCCCGGAGCTCTGGA 180
DB 105 GCTGTCTACGCTGAATCAACGAAGTGTGTGTGTAGCGAGGGGGCGGAGCGGGA 164
QY 181 GGTGGAGGCTCCGAAGGCATTTCTGTGTTCAGTTCAAGGGCGAGTGTACTACACCAAC 240
DB 165 GGGGGAACTCCGAAGGCATTTCTGTGTTCAGTTCAAGGGCGAGTGTACTACACCAAC 224
QY 241 GGGAGCGAGCGATACGGCTCTGTACACAGATACATCTCAACCCGGAGGAGTACGTGCGC 300
DB 225 GGGAGCGAGCGATACGGCTCTGTACACAGATACATCTCAACCCGGAGGAGTACGTGCGC 284
QY 301 TACGACAGGAGCTGGGAGTACCGCGGGGTGACCGAGTGGGGCGCCAGACGCCAG 360

DB 285 TAGCAGACGACGTCGTGGCGGAGTACCCGCGGTGTACCCGAGTGGGGCGGCAGACGCCGAG 344
QY 361 TACTGGAACAGCAGCAGCCGAGATCTCTGGAGCGAAACCGGGCCGAGGTGGACACCGGCTGC 420
DB 345 TACTGGAACAGCAGCAGCCGAGATCTCTGGAGCGAAACCGGGCCGAGGTGGACACCGGCTGC 404
QY 421 AGACACAATACGAGGGGGCGGAGACCCAGACCTCTCTCGGGCGGTGGAACAGCCCAAT 480
DB 405 AGACACAATACGAGGGGGCGGAGACCCAGACCTCTCTCGGGCGGTGGAACAGCCCAAT 464
QY 481 GTGCGCATCTCTCTCTGAGGACAGAGGCGCTCAACACCAACACACACTCTGTGTCTGTCG 540
DB 465 GTGCGCATCTCTCTCTGAGGACAGAGGCGCTCAACACCAACACACTCTGTGTCTGTCG 524
QY 541 GTGACAGATTTCTACCCAGCCCAAGATCAAAAGTGCCTGTCTAGGAAATGGCCAGGAGGAG 600
DB 525 GTGACAGATTTCTACCCAGCCCAAGATCAAAAGTGCCTGTCTAGGAAATGGCCAGGAGGAG 584
QY 601 ACAGTGGGGGTCTCTATCCACACAGCTTTATTAGGAATGGGAGCTGGACCTTCCAGGTCTCTG 660
DB 585 ACAGTGGGGGTCTCTATCCACACAGCTTTATTAGGAATGGGAGCTGGACCTTCCAGGTCTCTG 644
QY 661 GTCTGCTGGAGATGACCCCTCATCAGGAGAGGCTTACACCTGCCATCTGGAGCATCCC 720
DB 645 GTCTGCTGGAGATGACCCCTCATCAGGAGAGGCTTACACCTGCCATCTGGAGCATCCC 704
QY 721 AGCCTGAAGAGAGCCCATCACTGTGAGTGGA 751
DB 705 AGCCTGAAGAGAGCCCATCACTGTGAGTGGA 735
RESULT 10
AAT86988
ID AAT86988 standard; DNA; 1508 BP.
XX AC AAT86988;
XX 27-MAR-1998 (first entry)
XX SCT1 single chain gene.
XX Construction; major histocompatibility complex; MHC; fusion complex;
XX SCT1 single chain gene; ss.
XX Synthetic.
XX
XX Key Location/Qualifiers
XX CDS 6..1508
XX FT /*tag= a
XX
XX WO9728191-A1.
XX 07-AUG-1997.
XX 30-JAN-1997; 97WO-US001617.
XX 31-JAN-1996; 96US-00596387.
XX (DADE-) DADE INT INC.
XX Rhode PR, Jiao J, Burkhardt M, Wong HC;
XX WPI; 1997-402555/37.
XX P-PSDB; AAW29213.
XX Single chain major histocompatibility complex comprising linked alpha and
XX beta chains - useful for suppressing an immune response to an auto-immune
XX disease, e.g. multiple sclerosis, rheumatoid arthritis, diabetes
XX mellitus, etc.
XX Example 17; Page 137-139; 217pp; English.
XX The present sequence was used in the construction of major
XX CC

CC	histocompatibility complex (MHC) fusion complexes	
XX		
SQ	Sequence 1508 BP; 337 A; 413 C; 441 G; 317 T; 0 U; 0 Other;	
Query Match 66.2%; Score 607.8; DB 2; Length 1508;		
Best Local Similarity 89.6%; Pred. No. 6.7e-131;		
Matches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;		
Qy	1 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGGTCTG 60	
Db	6 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGGTCTG 65	
Qy	61 AGCAGCCCGGAGCTAGGGCGGAACTCCATCTGCTTCTCGCGTCTGCTGAGCACCG 120	
Db	66 AGCAGCCCAAGAC-----CTTAAGTATCTCTCAGGCTGTTTCTAC 104	
Qy	121 ATCGTGTGTCCGGAGCTGGAGGCTGGGGCTCACTAGTGCCTCCGAGGCTCTGGA 180	
Db	105 GCTGCTCAGCTGAAATCAACGAGCTGGTCTGCTAGCGAGGGGGCGAAGCGCGGA 164	
Qy	181 GGTGAGGCTCGAAAGGCATTTTCGTGGTCAAGTTCAGGGCGAGTGTCTATACACCAAC 240	
Db	165 GGGGAAACTCCGAAAGGCATTTTCGTGTCAGTTCAGGGCGAGTGTCTATACACCAAC 224	
Qy	241 GGGACGAGCGCATACGGCTCGTACCAGATACATCTACACCCGGGAGGAGTACGTGGCG 300	
Db	225 GGGACGAGCGCATACGGCTCGTACCAGATACATCTACAAACCGGGAGGAGTACGTGGCG 284	
Qy	301 TACGACGAGCGAGTGGCGAGTACCGCGGTGACCGAGTGGGGCGGCCAGACGCCGAG 360	
Db	285 TACGACGAGCGAGTGGCGAGTACCGCGGTGACCGAGTGGGGCGGCCAGACGCCGAG 344	
Qy	361 TACTGGACACGACCGGAGATCTGAGCGAAGCGGGCGGAGGTGGACACGCGCTGC 420	
Db	345 TACTGGAAACAGCCGCGGAGATCTGAGCGAAGCGGGCGGAGGTGGACACGCGCTGC 404	
Qy	421 AGACAACTACGAGGGGCGGAGACACGACCTCTCTCGCGCGCTTGAACAGCCCAAT 480	
Db	405 AGACAACTACGAGGGGCGGAGACACGACCTCTCTCGCGCGCTTGAACAGCCCAAT 464	
Qy	481 GTGCGCATCTCCCTGTCCAGGACAGAGCCCTCAACCACTCTCTGCTGTGTCG 540	
Db	465 GTGCGCATCTCCCTGTCCAGGACAGAGCCCTCAACCACTCTCTGCTGTGTCG 524	
Qy	541 GTGACAGATTTTACCCAGCCAGATCAAGTGGCTGGTTCAGGAATGGCCAGGAGAG 600	
Db	525 GTGACAGATTTTACCCAGCCAGATCAAGTGGCTGGTTCAGGAATGGCCAGGAGAG 584	
Qy	601 ACAGTGGGGGTCTCATCCACAGCTTATTAGGAATGGGACTGGACCTTCCAGTCTCTG 660	
Db	585 ACAGTGGGGGTCTCATCCACAGCTTATTAGGAATGGGACTGGACCTTCCAGTCTCTG 644	
Qy	661 GTCATGTGGAGATGACCCCTCATCAGGGAGAGTCTACCTGCGCATGTGGAGATCCC 720	
Db	645 GTCATGTGGAGATGACCCCTCATCAGGGAGAGTCTACCTGCGCATGTGGAGATCCC 704	
Qy	721 AGCCTGAGAGCCCATCACTGTGAGTGA 751	
Db	705 AGCCTGAGAGCCCATCACTGTGAGTGA 735	
RESULT 11		
AAX89069		
ID	AAX89069 standard; DNA; 1508 BP.	
XX		
AC	AAX89069;	
XX		
DT	14-SEP-1999 (first entry)	
XX		
DE	Single chain IAd/OVA 323-229 MHC fusion protein encoding DNA.	
XX		
KW	Major histocompatibility complex; MHC; single chain MHC; sc-MHC; Ig;	
KW	peptide binding groove; immunoglobulin; T cell receptor; immune response;	

KW	immune-related disorder; antigenic peptide; fusion protein; ss.	
XX	Synthetic.	
XX	WO9921572-A1.	
PN	06-MAY-1999.	
PD		
XX		
PF	13-OCT-1998; 98WO-US021520.	
XX		
PR	29-OCT-1997; 97US-00960190.	
PR		
XX	(SUNO-) SUNOL MOLECULAR CORP.	
PA		
XX	Rhode PR, Acevedo J, Burkhardt M, Jiao J, Wong HC;	
PI	WPI; 1999-418411/35.	
XX	P-PSDB; AAY27111.	
DR		
XX	Single chain major histocompatibility complex class I complexes.	
PT		
XX	Example 1; Fig 1; 148pp; English.	
FS		
XX	The invention relates to new single chain major histocompatibility	
CC	complex (sc-MHC) class II complexes that comprise a peptide binding	
CC	groove, and a modified class II beta 2 chain or covalently linked	
CC	immunoglobulin (Ig) light chain constant (C1) region. The MHC complexes	
CC	are useful for detection and analysis of peptide ligands, pathogenic T-	
CC	cells, for functional, cellular and molecular assays. They can be used to	
CC	identify and isolate T cell receptor and/or MHC agonists and antagonists.	
CC	They can be used in vivo to compete with pathogenic antigen presenting	
CC	cells involved in immune-related disorders. They can also be used to	
CC	raise antibodies and to screen immune cells. It is also use in a method	
CC	of suppressing an immune response in mammals. The sc-MHC complexes	
CC	comprising modified class II beta 2 chains and/or Ig-C1 regions are	
CC	soluble and provide enhanced yield. These MHC complexes also can contain	
CC	single antigenic peptides readily isolated from expressing cells in	
CC	significant quantities. The polyspecific MHC complexes also provide a	
CC	means to detect cells expressing multiple target structures with a single	
CC	complex. The present sequence represents a DNA encoding a single chain	
CC	IAd/OVA 323-229 MHC fusion protein	
XX		
SQ	Sequence 1508 BP; 337 A; 413 C; 441 G; 317 T; 0 U; 0 Other;	
Query Match 66.2%; Score 607.8; DB 2; Length 1508;		
Best Local Similarity 89.6%; Pred. No. 6.7e-131;		
Matches 673; Conservative 0; Mismatches 57; Indels 21; Gaps 1;		
Qy	1 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGGTCTG 60	
Db	6 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGGTCTG 65	
Qy	61 AGCAGCCCGGAGCTAGGGCGGAACTCCATCTGCTTCTCGCGTCTGCTGAGCACCG 120	
Db	66 AGCAGCCCAAGAC-----CTTAAGTATCTCTCAGGCTGTTTCTAC 104	
Qy	121 ATCGTGTGTCCGGAGCTGGAGGCTGGGGCTCACTAGTGCCTCCGAGGCTCTGGA 180	
Db	105 GCTGCTCAGCTGAAATCAACGAGCTGGTCTGCTAGCGAGGGGGCGAAGCGCGGA 164	
Qy	181 GGTGAGGCTTCGAAAGGCATTTTCGTGGTCAAGTTCAGGGCGAGTGTCTATACACCAAC 240	
Db	165 GGGGAAACTCCGAAAGGCATTTTCGTGTCAGTTCAGGGCGAGTGTCTATACACCAAC 224	
Qy	241 GGGACGAGCGCATACGGCTCGTACCAGATACATCTACACCCGGGAGGAGTACGTGGCG 300	
Db	225 GGGACGAGCGCATACGGCTCGTACCAGATACATCTACAAACCGGGAGGAGTACGTGGCG 284	
Qy	301 TACGACGAGCGAGTGGCGAGTACCGCGGTGACCGAGTGGGGCGGCCAGACGCCGAG 360	
Db	285 TACGACGAGCGAGTGGCGAGTACCGCGGTGACCGAGTGGGGCGGCCAGACGCCGAG 344	
Qy	361 TACTGGACACGACCGGAGATCTGAGCGAAGCGGGCGGAGGTGGACACGCGCTGC 420	

THIS PAGE BLANK (USPTO)

GenCore version 5.1.9
Copyright (c) 1993 - 2006 Bioceleration Ltd.

OM protein - nucleic search, using frame_plus_p2n model

Run on: June 30, 2006, 01:28:47 ; Search time 6493.66 Seconds
(without alignments)
4520.078 Million cell updates/sec

Title: US-10-048-116B-6
Perfect score: 1620
Sequence: 1 MALQIPSLLSAAVVLVWL.....LKWKLQALKKLAQHRRHHH 306

Scoring table: BLOSUM62

Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

Searched: 6366136 seqs, 31973710525 residues

Total number of hits satisfying chosen parameters: 12732272

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Command line parameters:

-MODEL=frame+ p2n.model -DBV=xlh
-Q=/abs/ABSSWEB.spool/US10048116/runat.29062006.093311.10139/app_query.fasta_1
-DB=GenEmbl -QFMT=fastap -SUFFIX=p2n.rge -MINMATCH=0.1 -LOOPCL=0 -LOOPEXT=0
-UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
-DOALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFMT=pcio -NORM=ext -HEADSIZE=500 -MINLEN=0 -MAXLEN=2000000000 -HOST=abes07
-USER=US10048116 @CGN_1_1_7274 @runat.29062006.093311.10139 -NCPU=6 -ICPU=3
-NO MMAP -NEG SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG -DEV TIMEOUT=120
-WARN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6 -FGAPEXT=7
-YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database :

GenEmbl.*
1: gb_env.*
2: gb_pat.*
3: gb_ph.*
4: gb_pl.*
5: gb_pr.*
6: gb_ro.*
7: gb_sts.*
8: gb_sy.*
9: gb_un.*
10: gb_vi.*
11: gb_ov.*
12: gb_htg.*
13: gb_in.*
14: gb_om.*
15: gb_ba.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	1620	100.0	921	2	AX081281
2	1255.5	77.5	893	2	AR047947 Sequence
3	1161.5	71.7	4724	2	AR199666 Sequence

4	1154	71.2	1013	2	AR047957	AR047957 Sequence
5	1145	70.7	1382	2	AR033964	AR033964 Sequence
6	1145	70.7	1382	2	AR175097	AR175097 Sequence
7	1145	70.7	1382	2	CS079301	CS079301 Sequence
8	1145	70.7	1382	2	AX032545	AX032545 Sequence
9	1145	70.7	1385	2	AR033962	AR033962 Sequence
10	1145	70.7	1385	2	AR175095	AR175095 Sequence
11	1145	70.7	1385	2	CS079299	CS079299 Sequence
12	1145	70.7	1385	2	AX032543	AX032543 Sequence
13	1145	70.7	1508	2	AR033963	AR033963 Sequence
14	1145	70.7	1508	2	AR152030	AR152030 Sequence
15	1145	70.7	1508	2	AR175096	AR175096 Sequence
16	1145	70.7	1508	2	CS079300	CS079300 Sequence
17	1145	70.7	1508	2	AX032544	AX032544 Sequence
18	1136	70.1	1508	2	BD138632	BD138632 Soluble M
19	1131.5	69.8	1251	6	BC010322	BC010322 Mus muscu
20	1102.5	68.1	798	6	MUSMHIABQ	M13537 Mouse MHC c
21	1096.5	67.7	798	2	COQ77552	COQ77552 Sequence
22	1054.5	65.1	888	6	MUSMHAENO	M15848 Mouse MHC c
23	1054.5	65.1	1204	6	BC008168	BC008168 Mus muscu
24	1050.5	64.8	792	6	AY452202	AY452202 Mus muscu
25	1042.5	64.4	777	6	AF065913	AF065913 Mus muscu
26	1042.5	64.4	792	6	AF293060	AF293060 Mus muscu
27	1042.5	64.4	792	6	MUSMHIH2	M66213 Mouse MHC c
28	1042.5	64.4	1162	6	BC057998	BC057998 Mus muscu
29	1041.5	64.3	792	6	MUSMHIAB5	M13540 Mouse MHC c
30	1036.5	64.0	792	6	AF119251	AF119251 Mus muscu
31	1036.5	64.0	792	6	AF119252	AF119252 Mus muscu
32	1033.5	63.8	750	6	AF065912	AF065912 Mus muscu
33	1030.5	63.6	1078	6	AP233061	AP233061 Mus muscu
34	1028.5	63.5	792	6	MUSMHIABK	M13538 Mouse MHC c
35	1016.5	62.7	792	6	MUSMHIABU	M13539 Mouse MHC c
36	998.5	61.6	1070	6	AF015280	AF015280 Mouse MHC c
37	993.5	61.3	760	6	MUSMHIABF	M13541 Mouse MHC c
38	979.5	60.5	702	2	AR106257	AR106257 Sequence
39	979.5	60.5	702	2	AR229609	AR229609 Sequence
40	979.5	60.5	702	2	AR363024	AR363024 Sequence
41	972	60.0	575	6	AY303785	AY303785 Mus muscu
42	972	60.0	578	6	AY303784	AY303784 Mus muscu
43	972	60.0	1243	2	AX490802	AX490802 Sequence
44	964.5	59.5	792	6	AY626181	AY626181 Rattus no
45	964.5	59.5	792	6	AY626184	AY626184 Rattus no

ALIGNMENTS

RESULT 1
AX081281
LOCUS AX081281 921 bp DNA linear PAT 27-FEB-2001
DEFINITION Sequence 2 from Patent WO0109194.
ACCESSION AX081281
VERSION AX081281.1 GI:13170131
KEYWORDS
SOURCE synthetic construct
ORGANISM synthetic construct
REFERENCE 1
AUTHORS Glaichenhaus,N. and Malherbe,L.
TITLE Recombinant proteins and molecular complexes derived therefrom, analogous to molecules involved in immune responses
JOURNAL Patent: WO 0109194-A 2 08-FEB-2001;
CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE (CNRS) (FR)
FEATURES
Location/Qualifiers
source
1..921
/organism="synthetic construct"
/mol_type="unassigned DNA"
/db_xref="taxon:32630"
/note="Ligation de fragments d'ADNc"
1..921
/note="unnamed protein product"
/codon_start=1
/transl_table=11
/protein_id="CAC33123.1"

Db 174 GGTGACCTGGCCACACATTCTGTCGACAAAGCGCTGGAGGTGGTGGATCCGGTGA----- 227
Qy 56 ProArgGlySerGlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlu 75
Db 228 ---GGGGGAAGTGGAGGTGGAGGGTCTGAAGGCATTTCGTATACAGTTTCATGGCGCAG 284
Qy 76 CystTyTyThrAsnGlyThrGlnArgIleArgLeuValThrArgTyTrileTyTrAsnArg 95
Db 285 TGCTACTTCCACCACGCGGACGCGCATACATATGTGACACAGATACATCTACAAACCG 344
Qy 96 GluGluTyValArgTyAspSerAspValGlyGlyGlyGlyGlyGlyGlyGlyGlyGly 115
Db 345 GAGGAGTACGTGCTGCTACACAGCAGCGTGGCGAGCAGCGCGGTGACCGAGCTGGG 404
Qy 116 ArgProAspAlaGluTyTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGlu 135
Db 405 CGCGCAGACGCGGAGTCTGGAACAGCGCGGAGATCCTGGAGCGAACCGCGCGCAG 464
Qy 136 ValAspThrAlaCysArgHisAsnTyTrpGluGlyProGluThrSerThrSerLeuArgArg 155
Db 465 GTGGACACGGTGTGCAGACACAACTACGAGGGCGCGAGACCCACACCTCCCTGGCGCG 524
Qy 156 LeuGluGlnProAsnValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisAsn 175
Db 525 CTGGAACAGCCCAATGTGCTATCTCCCTGTCTCAGGACAGAGCGCCCTCAACCCACCAAC 584
Qy 176 ThrLeuValCysSerValThrAspPheTyProAlaTyIleLeuValArgTrpPheArg 195
Db 585 ACTTGTGCTGCTCAGTGACAGATTCTACCCAGCCAAAGATCAAAAGTGGCTGGTTCGG 644
Qy 196 AsnGlyGlnGluGluThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrp 215
Db 645 AATGCCACAGGAGGAGCGGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGG 704
Qy 216 ThrPheGlnValLeuValMetLeuGluMetThrProHisGlnGlyGlyValTyThrCys 235
Db 705 ACCTTCCAGGCTCTGCTATGCTGAGATGACCCCTCGCGGGGAGAGGTCTACACCTGT 764
Qy 236 HisValGluHisProSerLeuValSerProIleThrValGluTrpArgAlaGlnSerGlu 255
Db 765 CACGTGGAGCATCCCGAGCTGAAGAGCCCATCACTGTGGAGTGGAGGCGACGTCGTAG 824
Qy 256 SerAlaArgSerLys-----GlyGlyGlyGly 264
Db 825 TCTGCTCGACGACAGATGTTGAGCGGCATCGGGGC 860

RESULT 5
AR033964
LOCUS AR033964 1382 bp DNA linear PAT 29-SEP-1999
DEFINITION Sequence 123 from patent US 5869270.
ACCESSION AR033964
VERSION AR033964.1 GI:5949569
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.

REFERENCE 1 (bases 1 to 1382)
AUTHORS Rhode,P.R., Jiao,J.-A., Burkhardt,M. and Wong,H.C.
TITLE Single chain MHC complexes and uses thereof
JOURNAL Patent: US 5869270-A 123 09-FEB-1999;
FEATURES
source location/Qualifiers
1. 1382
/organism="unknown"
/mol_type="unassigned DNA"

ORIGIN

Alignment Scores:
Pred. No.: 1.91e-110 Length: 1382
Score: 1145.00 Matches: 227
Percent Similarity: 87.2% Conservative: 4
Best Local Similarity: 85.7% Mismatches: 24
Query Match: 70.7% Indels: 10
DB: 2 Gaps: 3

US-10-048-116B-6 (1-306) x AR033964 (1-1382)
Qy 1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu 20
Db 6 ATGGCTCTGCAGATCCCCAGGCTCTCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTGT 65
Qy 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db 66 AGCAGCCCAAGACCTTAAGTATCTCTCAGGCTGTTCACGCTGTTCACGCTGAA----- 119
Qy 41 IleValValSerGlySerTrpAspGlyGlyGlyGlyGlyGlyGlyGlyGlyGlyGly 60
Db 120 ATCAACGAAGCTGGTCTGCTAGCGAGGGGGCGGAAC-----GGCGGA 164
Qy 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysTyTrpThrAsn 80
Db 165 GGGGAAACTCCGAAGGCATTTCGTGTCAGTTCAAGGGCGAGTGTCTACTACACCAAC 224
Qy 81 GlyThrGlnArgIleArgLeuValThrArgTyTrileTyTrAsnArgGluGluTyValArg 100
Db 225 GGGACGACGCGCATACGCTCGTACCAGATACATCTACAAACCGGAGGAGTGTGTGGC 284
Qy 101 TyrAspSerAspValGlyGlyTyArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
Db 285 TACGACAGCGAGTGGCGAGTACCGCGGTGACCGAGCTGGGCGCGCAGACCGCGCAG 344
Qy 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
Db 345 TACTTGGAAACACCCAGCGGAGATCTTGAGCGAAACCGCGGCGGAGGTGGACACGCGTGC 404
Qy 141 ArgHisAsnTyTrpGluGlyProGluThrSerThrSerLeuArgArgGluGlnProAsn 160
Db 405 AGACACAACTACGAGGGCGCGAGACCCAGACCTCCCTGCGCGGCTTGAACAGCCCAAT 464
Qy 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
Db 465 GTCGCCATCTCCCTGCTCCAGGACAGAGCGCTCAACCCACACACACTCTGGTCTGTTCG 524
Qy 181 ValThrAspPheTyProAlaIleLysValArgTrpPheArgAsnGlyGlnGluGlu 200
Db 525 GTGACAGATTCTACCCAGCCCAAGATCAAAAGTGGCGTGTTCAGGAATGGCAGGAGGAG 584
Qy 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu 220
Db 585 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGAGTGGACCTTCAGGTCCTG 644
Qy 221 ValMetLeuGluMetThrProHisGlnGlyGlyValTyThrCysHisValGluHisPro 240
Db 645 GTCATGTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
Qy 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db 705 AGCCTGAAGAGCCCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
Qy 261 GlyGlyGlyGlySer 265
Db 756 GCGCGTGGTGGTTCC 770

RESULT 6

AR175097

LOCUS

DEFINITION

ACCESSION

VERSION

KEYWORDS

SOURCE

ORGANISM

REFERENCE

AUTHORS

TITLE

JOURNAL

AR175097 1382 bp DNA linear PAT 17-DEC-2001
Sequence 123 from patent US 6309645.

AR175097

AR175097

AR175097.1

GI:17916396

Unknown.

Unclassified.

1 (bases 1 to 1382)

Rhode,P.R., Jiao,J.-A., Burkhardt,M. and Wong,H.C.

MHC molecules and uses thereof

Patent: US 6309645-A 123 30-OCT-2001;


```

Db      585 ACATGGGGGTCTCTCCACACAGCTTTATTAGGAATGGGGACTGGACCTCCAGGTCCTG 644
Qy      221 ValMetLeuGluMetThrProHisGlnGlyValuValTyThrCysHisValGluHisPro 240
Db      645 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGCTCTACCTGCGCATGTGGAGCATCCC 704
Qy      241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db      705 AGCGTGAAGAGCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755

Qy      261 GlyGlyGlyGlySer 265
Db      756 GCGCGTGGTGGTTC 770

RESULT 8
AX032545
LOCUS      AX032545               1382 bp      DNA      linear      PAT 20-SEP-2000
DEFINITION Sequence 123 from Patent EP0997477.
ACCESSION  AX032545
VERSION     AX032545.1  GI:10279486
KEYWORDS   .
SOURCE      unidentified
            unclassified
            unclassified sequences.
REFERENCE   1
            Chavallaz, P.A., Edwards, A.C., Grammer, S., Jiao, J.A., Rhode, P.R.,
            Weidanz, J.A. and Wong, H.C.
            Mhc complexes and uses thereof
            Patent: EP 0997477-A 123 03-MAY-2000;
            SUNOL MOLECULAR CORP (US)
FEATURES   Location/Qualifiers
            source
            1..1382
            /organism="unidentified"
            /mol_type="unassigned DNA"
            /db_xref="taxon:32644"

ORIGIN
Alignment Scores:
Pred. No.:      1,91e-110      Length:      1382
Score:          1145.00      Matches:      227
Percent Similarity: 87.2%      Conservative: 4
Best Local Similarity: 85.7%      Mismatches: 24
Query Match:    70.7%      Indels:      10
DB:             2      Gaps:      3

US-10-048-116B-6 (1-306) x AX032545 (1-1382)

Qy      1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu 20
Db      6 ATGGCTCTGCAGATCCCGAGCCTCCTCTCAGCTGCTGTGGTGGTCTGATGGTGTG 65
Qy      21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db      66 AGCAGCCCAAGACCTTAAAGTATCTCAGGCTGTTCACGCTGCTCAGCTGAA----- 119
Qy      41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
Db      120 ATCAACGAAGCTGCTGCTAGCGAGGGGGCGGAAGC-----GGCGGA 164
Qy      61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysTyThrThrAsn 80
Db      165 GGGGAAACTCCGAAGGCAATTCGTGGTCCAGTTCAAGGGCGAGTCTACTACACCAAC 224
Qy      81 GlyThrGlnArgIleArgLeuValThrArgTyrlleTyAsnArgGluGluTyValArg 100
Db      225 GGGACGACGCGATACCGCTCGTGACACAGATACATCTACAACCGGGAGGATGATCGTGGC 284
Qy      101 TyrAspSerAspValGlyGlyTyArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
Db      285 TACGACGCGAGCTGGGGAGTACCGCGGTGACCGAGCTGGGGCGCCAGACGCCGAG 344
Qy      121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140

```

```

Db      345 TACTGGAACAGCAGCCGCGAGATCCTGGAGCGAACCGGGCGAGGTGGACACGGCGTGC 404
Qy      141 ArgHisAsnTyrlleGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
Db      405 AGACACAACCTACGAGGGCCGAGACCGACCTCCCTCGCGCGGCTTGAACAGGCCAAT 464
Qy      161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
Db      465 GTCGGCATCTCCCTGCTCCAGGACAGAGGCCCTCAACACCAACACACTCTGCTGTGTCG 524
Qy      181 ValThrAspPheTyrlleProAlaLysIleLysValArgTrpPheArgAsnGlyGlnGlu 200
Db      525 GTGACAGATTCTACCCAGCAAGATCAAGTGCCTGCTTTCAGGAATGCCAGGAGGAG 584
Qy      201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpPheGlnValLeu 220
Db      585 ACAGTGGGGGTCTCATCCACAGCTTATTAGGAATGGGAGCTGGACCTTCCAGGTCTCG 644
Qy      221 ValMetLeuGluMetThrProHisGlnGlyValuValTyThrCysHisValGluHisPro 240
Db      645 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGCTCTACCTGCGCATGTGGAGCATCCC 704
Qy      241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db      705 AGCCTGAAGAGCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
Qy      261 GlyGlyGlyGlySer 265
Db      756 GCGCGTGGTGGTTC 770

RESULT 9
AX033962
LOCUS      AX033962               1385 bp      DNA      linear      PAT 29-SEP-1999
DEFINITION Sequence 121 from patent US 5869270.
ACCESSION  AX033962
VERSION     AX033962.1  GI:5949567
KEYWORDS   .
SOURCE      Unknown.
            Unclassified.
REFERENCE   1 (bases 1 to 1385)
            Rhode, P.R., Jiao, J.-A., Burkhardt, M. and Wong, H.C.
            Single chain MHC complexes and uses thereof
            Patent: US 5869270-A 121 09-FEB-1999;
            JOURNAL
            Location/Qualifiers
            source
            1..1385
            /organism="unknown"
            /mol_type="unassigned DNA"

ORIGIN
Alignment Scores:
Pred. No.:      1,91e-110      Length:      1385
Score:          1145.00      Matches:      227
Percent Similarity: 87.2%      Conservative: 4
Best Local Similarity: 85.7%      Mismatches: 24
Query Match:    70.7%      Indels:      10
DB:             2      Gaps:      3

US-10-048-116B-6 (1-306) x AR033962 (1-1385)

Qy      1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu 20
Db      6 ATGGCTCTGCAGATCCCGAGCCTCCTCTCAGCTGCTGTGGTGGTCTGATGGTGTG 65
Qy      21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db      66 AGCAGCCCAAGACCTTAAAGTATCTCAGGCTGTTCACGCTGCTCAGCTGAA----- 119
Qy      41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
Db      120 ATCAACGAAGCTGCTGCTAGCGAGGGGGCGGAAGC-----GGCGGA 164
Qy      61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysTyThrThrAsn 80

```



```

165 GGGGAACTCCGAAGGCAATTCGTGTCAGTTCAAGGCGAGTGTCTACTACCAAC 224
81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
225 GGGACGCGAGCATACCGCTCGTGACAGATACATCTACAACCGGAGGAGTACGTGGC 284
101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
285 TACACAGCAGCAGTGGCGAGTACCGCGCGTGACCGAGTGGGCGCGCCAGACGCGTGC 344
121 TyrTrpAsnSerGlnProGluThrArgAlaValThrArgGluGluGlnProAsn 140
345 TACTGGAAACAGCCGCGAGTACCGCGCGTGACCGAGTGGGCGCGCCAGACGCGTGC 404
141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
405 AGACACAACCTACGAGGGCGGAGACGACCTCCCTGCGCGGCTTGAACAGCCCAAT 464
161 ValAlaIleSerLeuSerArgThrGluAlaValThrArgGluGluGlnProAsn 180
465 GTCCCATCTCCCTGTCAGGACGAGGCGCTCAACACCAACCAACACTCTGTGTCTGTCG 524
181 ValThrAspPheTyrProAlaValThrArgAlaValThrArgGluGluGlnProAsn 200
525 GTGACAGATTTCTACCGCAAGATCAAAAGTGCCTGCTGAGGAAATGCCAGGAGGAG 584
201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpPheGlnValLeu 220
756 GCGCGTGGTGGTTCC 770

RESULT 10
AR175095
LOCUS
DEFINITION
ACCESSION
VERSION
KEYWORDS
SOURCE
ORGANISM
REFERENCE
AUTHORS
TITLE
JOURNAL
FEATURES
source
1. .1385
/mol_type="unassigned DNA"

ORIGIN
Alignment Scores:
Pred. No.: 1,91e-110 Length: 1385
Score: 1145.00 Matches: 227
Percent Similarity: 87.2% Conservative: 4
Best Local Similarity: 85.7% Mismatches: 24
Query Match: 70.7% Indels: 10
DB: 2 Gaps: 3

US-10-048-116B-6 (1-306) x AR175095 (1-1385)

```

```

Qy 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValLeuMetValLeu 20
Db 6 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGGTGGTCTGATGGTGTG 65
Qy 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db 66 AGCAGCCCAAGGACCTTAAAGTATCTCTCAGGCTGTTCACGCTGTCTACGCTGAA----- 119
Qy 41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
Db 120 ATCAACGAAGCTGGTGTGTGTAGCGAGGGGCGGAAGC-----GGCGGA 164
Qy 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrTyrThrAsn 80
Db 165 GGGGGAACCTCCGAAGGCAATTTCTGTGTCAGTTCAAGGGCGAGTCTACTACCAAC 224
Qy 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
Db 225 GGGACGCGAGCATACCGCTCGTGACAGATACATCTACAACCGGAGGAGTACGTGGC 284
Qy 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
Db 285 TACGACAGCAGCTGGCGAGTACCGCGCGTGACCGAGTGGGCGCGCCAGACGCGTGC 344
Qy 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
Db 345 TACTGGAACAGCCGAGGAGTCTCTGGAGCAACCGCGGCGGCTTGAACAGCCCAAT 404
Qy 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
Db 405 AGACACAACCTACGAGGGCGGAGACGACCTCCCTGCGCGGCTTGAACAGCCCAAT 464
Qy 161 ValAlaIleSerLeuSerArgThrGluAlaValThrArgGluGluGlnProAsn 180
Db 465 GTCCCATCTCCCTGTCAGGACGAGGCGCTCAACACCAACCAACACTCTGTGTCTGTCG 524
Qy 181 ValThrAspPheTyrProAlaValThrArgAlaValThrArgGluGluGlnProAsn 200
Db 525 GTGACAGATTTCTACCGCAAGATCAAAAGTGCCTGCTGAGGAAATGCCAGGAGGAG 584
Qy 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpPheGlnValLeu 220
Db 585 ACAGTGGGGGTCTCTACCCACACAGCTTATTAGGAATGGGAGACTGGACCTTCCAGGTCCTG 644
Qy 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
Db 645 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGCTCTACCTGCCATGTGGAGCATCCC 704
Qy 241 SerLeuLysSerProIleThrValGluTyrTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db 705 AGCCTGAAGAGGCCCATCACTGTGGAGTGG-----ACTAGTGTGGCGGTGGCAGC 755
Qy 261 GlyGlyGlyGlySer 265
Db 756 GCGCGTGGTGGTTCC 770

RESULT 11
CS079299
LOCUS
DEFINITION
ACCESSION
VERSION
KEYWORDS
SOURCE
ORGANISM
REFERENCE
AUTHORS
TITLE
JOURNAL
FEATURES
source
1. .1385
/mol_type="unassigned DNA"

ORIGIN
Alignment Scores:
Pred. No.: 1385 bp DNA linear PAT 06-MAY-2005
Score: 121 from Patent EPI526141.
Percent Similarity: 87.2% Conservative: 4
Best Local Similarity: 85.7% Mismatches: 24
Query Match: 70.7% Indels: 10
DB: 2 Gaps: 3

US-10-048-116B-6 (1-306) x AR175095 (1-1385)

```

/organism="unidentified"
/mol_type="unassigned DNA"
/db_xref="taxon:32644"

ORIGIN

Alignment Scores:

Pred. No.: 1,91e-110 Length: 1385
Score: 1145.00 Matches: 227
Percent Similarity: 87.2% Conservative: 4
Best Local Similarity: 85.7% Mismatches: 24
Query Match: 70.7% Indels: 10
DB: 2 Gaps: 3

US-10-048-116B-6 (1-306) x CS079299 (1-1385)

```
Qy 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
Db 6 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTG 65
Qy 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db 66 AGCAGCCCAAGACCTTAAGTATCTCTCAGGCTGTTACGCTGCTCAGCTGAA----- 119
Qy 41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
Db 120 ATCAACGAAGCTGGTGGTGTAGCGGAGGGGGCGGAAGC-----GGCGGA 164
Qy 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrThrAsn 80
Db 165 GGGGGAACCTCCGAAAGGACATTCGTGTGTCCAGTTCAGAGGGCGAGTGTACTACACCAAC 224
Qy 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
Db 225 GGGACGCGAGCTGGCGGAGTACCGCGGTGACCGAGTGGGGCGGCCAGCGCGAG 284
Qy 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
Db 285 TACGACAGCGACCTGGCGGAGTACCGCGGTGACCGAGTGGGGCGGCCAGCGCGAG 344
Qy 121 TyrTrpAsnSerGlnProGluLeuGluArgThrArgAlaGluValAspThrAlaCys 140
Db 345 TACTGGAAACGACCGCGGAGATCTGGAGCGAACCGCGGCGGAGGTGGACACCGCGGTGC 404
Qy 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
Db 405 AGACACAACCTACGAGGCGCGAGACCGCCCTCAACACCAACCAACACCTCTGGTCTGTTCG 464
Qy 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
Db 465 GTCGCCATCTCCCTGCCAGACAGAGCGCCCTCAACACCAACCAACACCTCTGGTCTGTTCG 524
Qy 181 ValThrAspPheTyrProAlaIleLysValArgTrpPheArgAsnGlyGlnGluGlu 200
Db 525 GTGACAGATTTCTACCCAGCAAGATCAAGATGGCGCTGGTTTCAGGAATGGCCAGAGGAG 584
Qy 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu 220
Db 585 ACAGTGGGGGTCTCATCCACAGCTTATAGGAATGGGGACTGGACCTTCAGGTCCTG 644
Qy 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
Db 645 GTCATCTGGAGATGACCCCTCATCAGGAGAGGTCTACCTGCGCATGTGGAGCATCCC 704
Qy 241 SerLeuValSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db 705 AGCCTGAAGAGCCCCCATCACTGTGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
Qy 261 GlyGlyGlyGlySer 265
Db 756 GCGGTGGTGGTTC 770
```

RESULT 12
AX032543

```
LOCUS AX032543 1385 bp DNA linear PAT 20-SEP-2000
DEFINITION Sequence 121 from Patent EP0997477.
ACCESSION AX032543
VERSION AX032543.1 GI:10279484
KEYWORDS .
SOURCE unidentified
ORGANISM unidentified
REFERENCE 1 unclassified sequences.
AUTHORS Chavallaz,P.A., Edwards,A.C., Grammer,S., Jiao,J.A., Rhode,P.R.,
TITLE Weidanz,J.A. and Wong,H.C.
JOURNAL Mhc complexes and uses thereof
PATENT: EP 0997477-A 121 03-MAY-2000;
SUNOL MOLECULAR CORP (US)
FEATURES
source Location/Qualifiers
1..1385
/organism="unidentified"
/mol_type="unassigned DNA"
/db_xref="taxon:32644"
ORIGIN
Alignment Scores:
Pred. No.: 1,91e-110 Length: 1385
Score: 1145.00 Matches: 227
Percent Similarity: 87.2% Conservative: 4
Best Local Similarity: 85.7% Mismatches: 24
Query Match: 70.7% Indels: 10
DB: 2 Gaps: 3
US-10-048-116B-6 (1-306) x AX032543 (1-1385)
Qy 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
Db 6 ATGGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTG 65
Qy 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db 66 AGCAGCCCAAGACCTTAAGTATCTCTCAGGCTGTTACGCTGCTCAGCTGAA----- 119
Qy 41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
Db 120 ATCAACGAAGCTGGTGGTGTAGCGGAGGGGGCGGAAGC-----GGCGGA 164
Qy 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrThrAsn 80
Db 165 GGGGGAACCTCCGAAAGGACATTCGTGTGTCCAGTTCAGAGGGCGAGTGTACTACACCAAC 224
Qy 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
Db 225 GGGACGCGAGCTGGCGGAGTACCGCGGTGACCGAGTGGGGCGGCCAGCGCGAG 284
Qy 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
Db 285 TACGACAGCGACCTGGCGGAGTACCGCGGTGACCGAGTGGGGCGGCCAGCGCGAG 344
Qy 121 TyrTrpAsnSerGlnProGluLeuGluArgThrArgAlaGluValAspThrAlaCys 140
Db 345 TACTGGAAACGACCGCGGAGATCTGGAGCGAACCGCGGCGGAGGTGGACACCGCGGTGC 404
Qy 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
Db 405 AGACACAACCTACGAGGCGCGAGACCGCCCTCAACACCAACCAACACCTCTGGTCTGTTCG 464
Qy 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
Db 465 GTCGCCATCTCCCTGCCAGACAGAGCGCCCTCAACACCAACCAACACCTCTGGTCTGTTCG 524
Qy 181 ValThrAspPheTyrProAlaIleLysValArgTrpPheArgAsnGlyGlnGluGlu 200
Db 525 GTGACAGATTTCTACCCAGCAAGATCAAGATGGCGCTGGTTTCAGGAATGGCCAGAGGAG 584
Qy 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu 220
```

```
Db 585 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGGACCTTCCAGGTCTG 644
Qy 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
Db 645 GTCATGTGTGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
Qy 241 SerLeuLysSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerLys 260
Db 705 AGCTGAGAGCCCCCATCTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
Qy 261 GlyGlyGlyGlySer 265
Db 756 GCGCGTGGTGGTTCC 770

RESULT 13
AR033963
LOCUS AR033963 1508 bp DNA linear PAT 29-SEP-1999
DEFINITION Sequence 122 from patent US 5869270.
ACCESSION AR033963
VERSION AR033963.1 GI:5949568
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE 1 (bases 1 to 1508)
AUTHORS Rhode,P.R., Jiao,J.-A., Burkhardt,M. and Wong,H.C.
TITLE Single chain MHC complexes and uses thereof
JOURNAL Patent: US 5869270-A 122 09-FEB-1999;
FEATURES
LOCATION/Qualifiers
source 1..1508.
/organism="unknown"
/mol_type="unassigned DNA"

ORIGIN
Alignment Scores: 2.13e-110 Length: 1508
Pred. No.: 1145.00 Matches: 227
Score: 87.2% Conservative: 4
Percent Similarity: 85.7% Mismatches: 24
Best Local Similarity: 70.7% Indels: 10
Query Match: 2 Gaps: 3
DB:

US-10-048-116B-6 (1-306) x AR033963 (1-1508)

Qy 1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu 20
Db 6 ATGGCTCTGCAGATCCCGAGCTCCCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTGTGTG 65
Qy 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTTCACGCTGCTCACGCTGAA----- 119
Qy 41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
Db 120 ATCAACGAAGCTGCTGCTAGCGAGGGGGGGAGC-----GCGGA 164
Qy 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrThrAsn 80
Db 165 GGGGGAACCTCCGAAAGGCAATTCGTGTGTCCAGTTCAGGGCGAGTGTCTACACCAAC 224
Qy 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
Db 225 GGGACGACGGCATACGGCTCGTGCACCATATCTACACCGGGAGGAGTACGTGCGC 284
Qy 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyValArgProAspAlaGlu 120
Db 285 TACGACAGCGAGCTGGCGGAGTACCGCGGGTGACCGAGCTGGGGCGGCAGCGCCGAG 344
Qy 121 TyrTrpAsnSerGlnProGluLeuLeuGluArgThrArgAlaGluValAspThrAlaCys 140
Db 345 TACTGGAAACGACGCGGAGATCTCTGGAGCGAAGCGGGCGAGGTGGACCGCGTGC 404
Qy 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgLeuGluGlnProAsn 160
```

```
Db 405 AGACACAACCTACGAGGGGCGGAGACAGCACCTCCCTGCGCGGCTTGAACAGCCCAAT 464
Qy 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
Db 465 GTGCCATCTCCCTGTCTCAGGACAGAGCCCTCAACCCACCAACACTCTGTGTCTGTTCG 524
Qy 181 ValThrAspPheTyrProAlaLysIleLysValArgTrpPheArgAsnGlyGlnGluGlu 200
Db 525 GTGACAGATTCTTACCCAGCCCAAGATCAAAAGTGGCTGGTTTCAGGAATGGCAGGAGAG 584
Qy 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu 220
Db 585 ACAGTGGGGTCTCATCCACAGCTTATTAGGAATGGGACTGGACCTTCCAGGTCTG 644
Qy 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
Db 645 GTCATGTGTGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
Qy 241 SerLeuLysSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerLys 260
Db 705 AGCCTGAAGAGCCCCCATCTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
Qy 261 GlyGlyGlyGlySer 265
Db 756 GCGCGTGGTGGTTCC 770

RESULT 14
AR152030
LOCUS AR152030 1508 bp DNA linear PAT 08-AUG-2001
DEFINITION Sequence 24 from patent US 6232445.
ACCESSION AR152030
VERSION AR152030.1 GI:15118080
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE 1 (bases 1 to 1508)
AUTHORS Rhode,P.R., Acevedo,J., Burkhardt,M., Jiao,J.-a. and Wong,H.C.
TITLE Soluble MHC complexes and methods of use thereof
JOURNAL Patent: US 6232445-A 24 15-MAY-2001;
FEATURES
LOCATION/Qualifiers
source 1..1508
/organism="unknown"
/mol_type="unassigned DNA"

ORIGIN
Alignment Scores: 2.13e-110 Length: 1508
Pred. No.: 1145.00 Matches: 227
Score: 87.2% Conservative: 4
Percent Similarity: 85.7% Mismatches: 24
Best Local Similarity: 70.7% Indels: 10
Query Match: 2 Gaps: 3
DB:

US-10-048-116B-6 (1-306) x AR152030 (1-1508)

Qy 1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu 20
Db 6 ATGGCTCTGCAGATCCCGAGCTCCCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTGTGTG 65
Qy 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTTCACGCTGCTCACGCTGAA----- 119
Qy 41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
Db 120 ATCAACGAAGCTGCTGCTAGCGAGGGGGGGAGC-----GCGGA 164
Qy 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrThrAsn 80
Db 165 GGGGGAACCTCCGAAAGGCAATTCGTGTGTCCAGTTCAGGGCGAGTGTCTACACCAAC 224
```

QY 81 GlyThrGlnArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
 |||||
 DB 225 GGGAGCGCAGCGATACGGCTCGTGACCATACATCTACACCGGAGGAGTACGTGGC 284
 QY 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
 |||||
 DB 285 TACGACAGCGACGTGGCGAGTACCGCGGTGACCGAGCTGGGCGGCCACGCCGAG 344
 QY 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
 |||||
 DB 345 TACTCGAACAGCAGCCGAGATCCTGGAGCGAACCGCGCGGAGGTGGACACGCCGTGC 404
 QY 141 ArgHisAsnTyrGluGlyProGluThrSerLeuArgArgLeuGluGlnProAsn 160
 |||||
 DB 405 AGACACACTACGAGGGCGGAGACACGACCTCTCCGCGCGCTTGAACAGGCCCAAT 464
 QY 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
 |||||
 DB 465 GTCCGCATCTCCCTGTCAGGACAGAGGCCCTCAACACCAACACACTCTGGTCTGTTCG 524
 QY 181 ValThrAspPheTyrProAlaIleValIleValArgTyrPheArgAsnGlyGlnGlu 200
 |||||
 DB 525 GTGACAGATTTCTACCCAGCAGAGGCCCTCAAGTGCCTGTTTCAGAAATGGCCAGGAG 584
 QY 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrPheGlnValLeu 220
 |||||
 DB 585 ACAGTGGGGTCTCATCCACAGCTTATTAGGAATGGGACTGGACCTTCAGGTCTCTG 644
 QY 221 ValMetLeuGluMetThrProHisGlnGlyValTyrThrCysHisValGluHisPro 240
 |||||
 DB 645 GTCATGCTGGAGATACCCCTCATCAGGAGAGGCTACACCTGCATGTGGAGCATCCC 704
 QY 241 SerLeuLysSerProIleThrValGlnTyrArgAlaGlnSerGluSerAlaArgSerLys 260
 |||||
 DB 705 AGCCTGAAGAGCCCCCATCACTGTGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
 QY 261 GlyGlyGlyGlySer 265
 |||||
 DB 756 GCGCGTGGTGTTC 770

RESULT 15
 AR175096
 LOCUS AR175096 1508 bp DNA linear PAT 17-DEC-2001
 DEFINITION Sequence 122 from patent US 6309645.
 ACCESSION AR175096
 VERSION AR175096.1 GI:17916395
 KEYWORDS
 SOURCE Unknown.
 ORGANISM Unknown.
 Unclassified.

REFERENCE 1 (bases 1 to 1508)
 AUTHORS Rhode,P.R., Jiao,J.-A., Burkhardt,M. and Wong,H.C.
 TITLE MHC molecules and uses thereof
 JOURNAL Patent: US 6309645-A 122 30-OCT-2001;
 FEATURES
 1. Location/Qualifiers
 1. 1508
 /organism="unknown"
 /mol_type="unassigned DNA"

ORIGIN

Alignment Scores:
 Pred. No.: 2,13e-110 Length: 1508
 Score: 1145.00 Matches: 227
 Percent Similarity: 87.2% Conservative: 4
 Best Local Similarity: 85.7% Mismatches: 24
 Query Match: 70.7% Indels: 10
 DB: 2 Gaps: 3

US-10-048-116B-6 (1-306) x AR175096 (1-1508)

QY 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValLeuMetValLeu 20
 |||||
 DB 6 ATGGCTCTGCAGATCCCCAGCGCTCCTCTCAGCTGTGTGGTGTCTGATGTGTCTG 65

QY 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerSerLeuGluHisPro 40
 |||||
 DB 66 AGCAGCCCAAGAGACTTAAGTATCTCTCAGGCTGTTCACGCTGCTCACGCTGAA----- 119
 QY 41 IleValValSerGlySerTrpAspGlyGlyGlyGlySerLeuValProArgGlySerGly 60
 |||||
 DB 120 ATCAACGAGCTGCTGCTAGCGAGGGGGCGGAGC-----GGCGGA 164
 QY 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyCysTyrTyrThrAsn 80
 |||||
 DB 165 GGGGAAACTCCGAAAGGCATTTCTGTCAGATTCAAGGGCGAGTGTCTACTACCAAC 224
 QY 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
 |||||
 DB 225 GGGAGCAGCGCATACGGCTCGTACCAGATACATCTAACCCGGAGGAGTACGTGGC 284
 QY 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
 |||||
 DB 285 TACGACAGCGACGTGGCGAGTACCGCGCGGTGACCGAGCTGGGCGGCCACGCCGAG 344
 QY 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
 |||||
 DB 345 TACTGGAACAGCCAGCCGAGATCCTGGAGCGAACCGCGCGGAGGTGGACACCGCGTGC 404
 QY 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
 |||||
 DB 405 AGACACACTACGAGGGCGGAGACCGACCTCCCTCGCGCGCTTGAACAGGCCCAAT 464
 QY 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
 |||||
 DB 465 GTCCGCATCTCCCTGTCAGGACAGAGGCCCTCAACACCAACACACTCTGGTCTGTTCG 524
 QY 181 ValThrAspPheTyrProAlaIleValIleValArgTyrPheArgAsnGlyGlnGlu 200
 |||||
 DB 525 GTGACAGATTTCTACCCAGCAGATCAAGTGCCTGCTGGCGGCTTGAACAGCGGAG 584
 QY 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrPheGlnValLeu 220
 |||||
 DB 585 ACAGTGGGGTCTCATCCACAGCTTATTAGGAATGGGACTGGACCTTCAGGTCTCTG 644
 QY 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
 |||||
 DB 645 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGCTACACCTGCATGTGGAGCATCCC 704
 QY 241 SerLeuLysSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerLys 260
 |||||
 DB 705 AGCCTGAAGAGCCCCCATCACTGTGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
 QY 261 GlyGlyGlyGlySer 265
 |||||
 DB 756 GCGCGTGGTGTTC 770

Search completed: June 30, 2006, 05:17:54
 Job time : 6500.66 secs

GenCore version 5.1.9
Copyright (c) 1993 - 2006 Bioceleration Ltd.

OM protein - nucleic search, using frame_plus_p2n model
Run on: June 30, 2006, 01:23:04 ; Search time 532.723 Seconds
(without alignments)
6007.369 Million cell updates/sec

Title: US-10-048-116B-6
Perfect score: 1620
Sequence: 1 MALQPSLLLSAAVVVLMVL.....LWKQLQALKKKLQAQHHHHH 306

Scoring table: BLOSUM62
Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

Searched: 5244920 seqs, 3486124231 residues

Total number of hits satisfying chosen parameters: 10489840

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Command line parameters:

-MODEL=frame+ p2n.model -DEV=xlp
-Q=/abes/ABSSWEB spool/US10048116/runat_29062006_093309_10102/app_query.fasta_1
-DB=N Geneseq -QFMT=fastap -SUFFIX=p2n.rng -MINMATCH=0.1 -LOOPL=0 -LOOPEXT=0
-UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
-DOALIGN=200 -NORM_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFMT=ptc -NORM_ext -HEAPSIZ=500 -MINLEN=0 -MAXLEN=200000000 -HOST=abes05p
-USER=US10048116 @CGN_1_1423 @runat_29062006_093309_10102 -NCPU=6 -ICPU=3
-NO MMAP -NEG SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG -DEV TIMEOUT=120
-WARN TIMEOUT=30 -THREADS=1 -GAPOP=10 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6 -FGAPEXT=7
-YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database : N_Geneseq_8.*

- 1: Geneseqn1980s.*
- 2: Geneseqn1990s.*
- 3: Geneseqn2000s.*
- 4: Geneseqn2001as.*
- 5: Geneseqn2001bs.*
- 6: Geneseqn2002as.*
- 7: Geneseqn2002bs.*
- 8: Geneseqn2003as.*
- 9: Geneseqn2003bs.*
- 10: Geneseqn2003cs.*
- 11: Geneseqn2003ds.*
- 12: Geneseqn2004as.*
- 13: Geneseqn2004bs.*
- 14: Geneseqn2005s.*
- 15: Geneseqn2006s.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	ID	Description
1	1620	100.0	921	5 AAF55099	Aaf55099 DNA encod
2	1255.5	77.5	893	2 AAT04262	Aat04262 Hybrid IA
3	1235	76.2	945	12 ADQ31225	Adq31225 I-Ab(beta

ALIGNMENTS

RESULT 1

AAF55099
ID AAF55099 standard; DNA; 921 BP.

XX AAF55099;

XX 15-MAY-2001 (first entry)

XX DNA encoding a fusion protein comprising a beta chain of MHC.

XX Recombinant protein; alpha chain; beta chain; MHC; immunoglobulin;

XX major histocompatibility complex; FC region; antigen; T lymphocyte;

XX immunostimulant; vaccine; infection; tumour; ss.

XX Synthetic.

XX Key Location/Qualifiers

XX CDS 1..921

XX /*tag= a

XX WO200109194-A1.

XX 08-FEB-2001.

XX 28-JUL-2000; 2000WO-FR002193.

XX 29-JUL-1999; 99FR-00009862.

Adq31228 I-Ab(beta
Aav12068 Murine IA
Aat04269 Hybrid IA
Aat17588 Vector SC
Aat86989 SCEL sing
Aca60744 Mouse MHC
Aat17586 Vector SS
Aat86987 SSCI sing
Aca60742 Mouse MHC
Aat17587 Vector SC
Aat86988 SCTL sing
Aax89069 Single ch
Aca60743 Mouse MHC
Adj75986 Marker ge
Adx26090 Novel cel
Abi99040 Murine pc
Abi99038 Murine pc
Abi99039 Murine pc
Aaq03170 Sequence
Aat06286 I-Ab-beta
Aaq56920 Mouse I-A
Abn84048 Single ch
Aaq35055 IAB beta
Abi99031 MBP 1-14
Abi99028 IAS MBP 1
Abi99032 MBP 1-14
Abi99027 IAS MBP 1
Abi99030 IAS MBP 9
Abi99021 I-Aa MBP.
Abi99029 IAS MBP 9
Abi99033 MBP 90-10
Aat60705 cDNA enco
Aat60700 cDNA enco
Aec64482 DRB1-biot
Aad63150 Human maj
Aad62751 Human maj
Adp88246 Lung canc
Adr24869 Breast ca
Ado40822 DNA encod
Abk63510 Rat seque
Adb57995 Toxicity-
Abt41775 Toxicity

4 1219 75.2 915 12 ADQ31228
5 1161.5 71.7 4724 2 AAV12068
6 1151 71.0 1013 2 AAT04269
7 1145 70.7 1382 2 AAT17588
8 1145 70.7 1382 2 AAT86989
9 1145 70.7 1382 8 ACA60744
10 1145 70.7 1385 2 AAT17586
11 1145 70.7 1385 2 AAT86987
12 1145 70.7 1385 8 ACA60742
13 1145 70.7 1508 2 AAT17587
14 1145 70.7 1508 2 AAT86988
15 1145 70.7 1508 2 AAX89069
16 1145 70.7 1508 8 ACA60743
17 1096.5 67.7 798 12 ADJ75986
18 1096.5 67.7 798 14 ADX26090
19 1093 67.5 1085 4 ABI99040
20 1049.5 64.8 1698 4 ABI99038
21 1044.5 64.5 1662 4 ABI99039
22 979.5 60.5 702 2 AAO03170
23 979.5 60.5 702 2 AAT06286
24 979.5 60.5 702 2 AAO56920
25 972 60.0 1243 6 ABN84048
26 963.5 59.5 702 2 AAO35055
27 957 59.1 1686 4 ABI99031
28 957 59.1 1701 4 ABI99028
29 957 59.1 2059 4 ABI99032
30 957 59.1 2346 4 ABI99027
31 952 58.8 1707 4 ABI99030
32 949 58.6 1680 4 ABI99021
33 949 58.6 2053 4 ABI99029
34 949 58.6 2343 4 ABI99033
35 871 53.8 1344 2 AAT60705
36 854.5 52.7 1323 2 AAT60700
37 844.5 52.1 861 14 AEC64482
38 839.5 51.8 1192 10 AAD63150
39 839.5 51.8 1192 10 AAD62751
40 839.5 51.8 1192 11 ADP88246
41 839.5 51.8 1192 13 ADR24869
42 833.5 51.5 941 12 ADO40822
43 829 51.2 562 6 ABK63510
44 829 51.2 562 10 ADB57995
45 829 51.2 562 10 ABT41775

CC antigen presenting molecules with one or more accessory molecules. The
 CC matrices are used to activate naive CD4+ T cells and to shift the ongoing
 CC activation state into a preferred differentiated population of Th1 or Th2
 CC cells. Applications include the treatment of autoimmune disease, e.g.
 CC diabetes, multiple sclerosis, autoimmune thyroiditis, systemic lupus
 CC erythematosus, myasthenia gravis, Crohn's disease and inflammatory bowel
 CC disease, or an allergy, e.g. asthma and contact sensitivity
 XX
 SQ Sequence 4724 BP; 1196 A; 1194 C; 1200 G; 1134 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.: 1.85e-99 Length: 4724
 Score: 1161.50 Matches: 228
 Percent Similarity: 85.8% Conservative: 1
 Best Local Similarity: 85.4% Mismatches: 1
 Query Match: 71.7% Indels: 37
 DB: Gaps: 2

US-10-048-116B-6 (1-306) x AAV12068 (1-4724)

QY 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValMetValLeu 20
 DB 451 ATGGCTCTGCAGATCCCCAGCTCTCTCTCAGCTGCTGCTGCTGCTGCTGCTG 510
 QY 21 SerSerProGlyThrGluGlyGlyAenSerIleCysPheSerProSerLeuGluHisPro 40
 DB 511 AGCAGCCAGGACTGAGGCGGAAAC----- 537
 QY 41 IleValValSerGlySerTrpAepGlyGlyGlySerLeuValProArgGlySerGly 60
 DB 537 ----- 537
 QY 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrThrAen 80
 DB 538 -----TCCGAAGGCATTTCGTGGTCCAGTTCGAAGGCGGAGTGTACTACACCAAC 588
 QY 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
 DB 589 GGGAGCGAGCGCATACGGCTCGTACCAGATACATCTACACCGGGAGGAGTACGTGGCG 648
 QY 101 TyrAepSerAepValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
 DB 649 TACGACGCGAGCTGGCGGAGTACCGCGGTGACCGAGCTGGGCGCGCCAGACCGCAG 708
 QY 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
 DB 709 TACTGGAAACGCCCGGAGATCTGGAGCGAACCGGCGCGAGTGGACACGCGGTGC 769
 QY 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
 DB 769 AGACACAACTACGAGGGCGGAGACCGACGACCTCCCTGGCGGCTTGAACAGCCCAAT 828
 QY 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAenHisAsnThrLeuValCysSer 180
 DB 829 ATCGCCATCTCCCTGCCAGGACAGAGCGCTCAACACCAACCAACACTCTGCTGTTCG 888
 QY 181 ValThrAepPheTyrProAlaLysIleLysValArgTyrPheArgAsnGlyGlnGluGlu 200
 DB 889 GTGACAGATTTCTACCGACCAAGATCAAGTGCCTGTTTCAAGAAATGGCCAGGAGAG 948
 QY 201 ThrValGlyValSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu 220
 DB 949 ACAGTGGGGTCTCATCCACAGCTTATAGGAATGGGACTGGACCTTCCAGGTCTCTG 1008
 QY 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
 DB 1009 GTCATGCTGGAGATACCCCTCATCAGGAGAGGCTTACACCTGCATGTGGAGCATCCC 1068
 QY 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
 DB 1069 AGCCTGAAGACCCCATCCTGTGGAGTGGAGGCGACAGTCCGAGTCTGCCCGGAGCAAG 1128
 QY 261 -----GlyGlyGlyGly 264

DB 1129 ATGTTGAGCGGATCGGGGC 1149
 RESULT 6
 AAT04269
 ID AAT04269 standard; DNA; 1013 BP.
 XX
 AC AAT04269;
 XX
 DT 16-APR-1996 (first entry)
 XX
 DE Hybrid IA beta chain gene.
 KW Major histocompatibility complex; MHC; T-cell receptor; TCR;
 KW autoimmune disease; immunodeficiency disease; immune response;
 KW immunoproliferation disease; graft-host rejection; therapy; B cell;
 KW M12.C3; pM12-IAB-Ea; ss.
 XX
 OS Synthetic.
 XX
 FH Key Location/Qualifiers
 FT primer_bind 1..18
 FT /tag= a
 FT /note= "probable primer binding site (primer #76)"
 FT primer_bind complement(40..74)
 FT /tag= b
 FT /note= "binding site for primer #362 (see AAT04270)"
 FT CDS 63..959
 FT /tag= c
 FT /product= "hybrid IA beta chain"
 FT sig_peptide 63..143
 FT /tag= d
 FT /note= "leader region"
 FT primer_bind complement(140..191)
 FT /tag= e
 FT /note= "binding site for primer #363 (see AAT04271)"
 FT primer_bind complement(177..226)
 FT /tag= f
 FT /note= "primer #364 binding site"
 FT primer_bind complement(212..266)
 FT /tag= g
 FT /note= "primer #365 (see AAT04272) binding site"
 FT primer_bind 385..403
 FT /tag= h
 FT /note= "probable primer binding site (primer #270)"
 FT mat_peptide 531..959
 FT /tag= i
 FT /product= "IA beta chain beta 2 region"
 FT primer_bind 535..564
 FT /tag= j
 FT /note= "probable primer binding site (primer #271)"
 FT primer_bind 544..568
 FT /tag= k
 FT /note= "probable primer binding site (primer #272)"
 FT primer_bind 823..850
 FT /tag= l
 FT /note= "probable primer binding site (primer #259)"
 FT primer_bind 942..976
 FT /tag= m
 FT /note= "probable primer binding site (primer #366)"
 FT primer_bind 1000..1013
 FT /tag= n
 FT /note= "probable primer binding site (primer #59)"
 XX
 PN W09523814-Al.
 XX
 PD 08-SEP-1995.
 XX
 PF 03-MAR-1995; 95WO-US002689.
 XX
 PR 04-MAR-1994; 94US-00207481.
 XX
 PA (NAJE-) NAT JEWISH CENT IMMUNOLOGY & RESPIRATORY.

XX Kappler JW, Marrack P;
 XX WPI; 1995-320543/41.
 DR P-PSDB; AAR82538.
 XX
 PT Peptide-MHC complex comprising antigenic peptide, linker and MHC segment
 PT - useful as reagents for the treatment of diseases including auto-immune
 PT diseases, immuno-stimulatory diseases or graft-host rejection.
 XX
 PS Example 2; Page 65; 94pp; English.

XX This sequence represents a hybrid IA beta chain gene. This sequence
 CC contains a fragment of the IE alpha chain (residues 56-73), as well as a
 CC linker and cleavage site. This sequence was transfected into a B cell
 CC line (M12.C3) using plasmid pM12-IAb-Ea. It was found that the encoded
 CC sequence was expressed in these cells. Complexes such as this may be used
 CC to regulate an immune response. The complexes are capable of being
 CC recognised by a TCR alone or in combination with additional MHC proteins.
 CC These complexes are useful for therapeutic purposes and experimental
 CC purposes. They can also be used as reagents for the treatment of diseases
 CC including autoimmune diseases, immunodeficiency diseases,
 CC immunoproliferation diseases, and graft-host rejection

XX Sequence 1013 BP; 220 A; 272 C; 327 G; 192 T; 0 U; 2 Other;

Alignment Scores:

Pred. No.: 2,31e-99 Length: 1013
 Score: 1151.00 Matches: 230
 Percent Similarity: 86.8% Conservative: 6
 Best Local Similarity: 84.6% Mismatches: 22
 Query Match: 71.0% Indels: 14
 DB: 2 Gaps: 4

US-10-048-116B-6 (1-306) x AAT04269 (1-1013)

QY 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
 Db 63 ATGGCTCTGCAGATCCCGAGCCCTCTCTCGGCTGCTGTGGTGTGCTATGGTGTG 122
 QY 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
 Db 123 AGCAGCCCGGACTGAGGGCGAGACTCC-----GAACCTAGCTTTGAGGCTCAG 173
 QY 41 -----lleValValSerGlySerTrpAspGlyGlyGlySerLeuVal 55
 Db 174 GGTGCACCTGGCCCAACATTCGTGCGACAGGCTGGAGGTGGTGGTCCGCTGGA----- 227
 QY 56 ProArgGlySerGlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlu 75
 Db 228 ---GGGGGAAGTGGAGGTGGAGGCTCTGAAGGCATTTCTGTACCAGTTTCATGGCGCAG 284
 QY 76 CysTyrTyrThrAsnGlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArg 95
 Db 285 TGCTACTTCACCCAGCGGACGCGAGCGCAGCAGTATGTGACCCAGATACATCTACACCCGG 344
 QY 96 GluGluTyrValArgTyrAspSerAspValGlyGlyTyrArgAlaValThrGluLeuGly 115
 Db 345 GAGGAGTACGTGCGCTACGACAGCGAGCGTGGGGCGACCGCGCGGTGACCGAGCTGGGG 404
 QY 116 ArgProAspAlaGluTyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGlu 135
 Db 405 CGGCCAGACCGCCGAGTACTGGAAACAGCCAGCCGAGATCTCTGGAGGAAACCGCGCGCAG 464
 QY 136 ValAspThrAlaCysArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArg 155
 Db 465 GTGGACACCGGTGTCAGACACAACTACAGGGGCCCGAGACCCACACCTCCCTGCGCGCGG 524
 QY 156 LeuGluGlnProAsnValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisAsn 175
 Db 525 CTTGAACAGCCCAATGTGTCATCTCCCTGTCCAGGACAGAGGCCCTCAACCCACACAC 584
 QY 176 ThrLeuValCysSerValThrAspPheTyrProAlaLysIleLysValArgTrpPheArg 195

Db 585 ACTCTGCTGCTCAGTGACAGATTCTACCCAGCCAGATCAAAAGTCGCTGCTTCGG 644
 QY 196 AsnGlyGlnGluGluThrValGlyValSerSerThrGlnLeuIleAtqAsnGlyAspTrp 215
 Db 645 AATGCCAGGAGGAGACGGTGGGCTCTCATCCACAGCTTATTAGGAATGGGACTGG 704
 QY 216 ThrPheGlnValLeuValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCys 235
 Db 705 ACCTTCAGGTCTCTGCTCATGCTGGAGATGACCCCTCGGGCGGAGAGGTCTAYACCTGT 764
 QY 236 HisValGluHisProSerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGlu 255
 Db 765 CAGCTGGAGCATCCAGCCTGAAGAGCCCATCATCTGGAGTGGAGGCGACAGTCTGAG 824
 QY 256 SerAlaArgSerLys-----GlyGlyGlyGly 264
 Db 825 TCTGCTGGAGCAGATGTTGAGCGGCATCGGGGC 860
 RESULT 7
 AAT17588
 ID AAT17588 standard; DNA; 1382 BP.
 XX
 AC AAT17588;
 XX
 DT 26-SEP-1996 (first entry)
 XX
 DE Vector SCE1-derived single chain gene encoding MHC fusion complex.
 XX
 KW MHC; major histocompatibility complex; PCR; polymerase chain reaction;
 KW T cell activity modulator; antagonist; immune disorder; allergy;
 KW multiple sclerosis; insulin-dependent diabetes mellitus;
 KW rheumatoid arthritis; myasthenia gravis; ds.
 XX
 OS Synthetic.
 XX
 FH Key Location/Qualifiers
 FT CDS 6..1382
 FT /tag= a
 FT sig_peptide 6..86
 FT /tag= b
 FT /label= I-Ad beta chain leader
 FT /note= "murine MHC class II I-Ad gene beta chain leader
 FT sequence"
 FT misc_feature 87..137
 FT /tag= c
 FT /label= OVA 323-339
 FT /note= "chicken ovalbumin residues 323-339"
 FT misc_feature 138..167
 FT /tag= d
 FT /note= "10 residue linker peptide"
 FT misc_feature 168..452
 FT /tag= e
 FT /label= I-Ad beta1
 FT /note= "murine MHC class II I-Ad gene beta-1 domain"
 FT misc_feature 453..734
 FT /tag= f
 FT /label= I-Ad beta2
 FT /note= "murine MHC class II I-Ad gene beta-2 domain"
 FT misc_feature 735..806
 FT /tag= g
 FT /note= "24 residue peptide linker"
 FT misc_feature 807..1067
 FT /tag= h
 FT /label= I-Ad alpha1
 FT /note= "murine MHC class II I-Ad gene alpha-2 domain"
 FT misc_feature 1068..1352
 FT /tag= i
 FT /label= I-Ad alpha2
 FT /note= "murine MHC class II I-Ad gene alpha-2 domain"
 FT misc_feature 1353..1379
 FT /tag= j
 FT /note= "EE tag"

XX WO9604314-A1.
 XX 15-FEB-1996.
 XX 31-JUL-1995; 95WO-US009816.
 XX 29-JUL-1994; 94US-00283302.
 XX 01-FEB-1995; 95US-00382454.
 XX (DADE-) DADE INT INC.
 XX Wong HC, Rhode PR, Weidanz JA, Grammer S, Edwards AC;
 XX Chavallaz P, Jiao J;
 XX WPI: 1996-129343/13.
 XX P-PSDB; AAR98907.
 XX
 XX Major histocompatibility complex fusion complex for modulating T cell
 XX activity - used in the treatment of immune disorders, e.g. multiple
 XX sclerosis, IDDM and rheumatoid arthritis.
 XX
 XX Example 17; Fig 29; 210pp; English.
 XX
 XX AAT17588 encodes a murine MHC fusion complex capable of modulating T cell
 XX activity encoded by the vector SCE1. The MHC fusion complex comprises at
 XX least one MHC molecule containing a peptide-binding groove and a
 XX presenting peptide covalently linked to the MHC molecule and opt. a
 XX transmembrane domain. DNA encoding a MHC fusion complex may be cloned
 XX into a host cell to express the complex. The transformed cells may then
 XX be used to identify peptides that modulate, pref. antagonise, T cell
 XX activity. DNA encoding a MHC fusion complex or a single chain fusion
 XX molecule may be used to vaccinate a mammal against a targeted disorder.
 XX The fusion complexes may be used to suppress an immune response in an
 XX animal suffering from an immune disorder e.g. multiple sclerosis, insulin
 XX dependent diabetes mellitus, rheumatoid arthritis, myasthenia gravis or
 XX chronic allergies. The complexes may also be used in the treatment of
 XX livestock and pets such as cats and dogs. The MHC fusion complexes can be
 XX produced such that they contain a single antigenic peptide including one
 XX of known structure, additionally a wide range of peptides can be
 XX presented for T cell interaction
 XX
 XX Sequence 1382 BP; 320 A; 374 C; 404 G; 284 T; 0 U; 0 Other;
 XX
 XX Alignment Scores:
 XX Align. No.: 1.3e-98 Length: 1382
 XX Score: 1145.00 Matches: 227
 XX Percent Similarity: 87.2% Conservative: 4
 XX Best Local Similarity: 85.7% Mismatches: 24
 XX Query Match: 70.7% Indels: 10
 XX DB: 2 Gaps: 3
 XX
 XX US-10-048-116B-6 (1-306) x AAT17588 (1-1382)
 XX
 XX 1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu 20
 XX 6 ATGCTCTGCAGATCCCGAGCTCTCTCTCAGCTGCTGTGTGTGTGTGTGTGTGTGTGT 65
 XX
 XX 21 SerSerProGlyThrGluGlyGlyAanSerIleCysPheSerProSerLeuGluHisPro 40
 XX 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTCACGCTGTCTCAGCTGAA----- 119
 XX
 XX 41 IleValValSerGlySerTipAspGlyGlyGlySerLeuValProArgGlySerGly 60
 XX 120 ATCAACGAGCTGGT 164
 XX
 XX 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysTyrTyrThrAsn 80
 XX 165 GGGGAAACTCCGAAAGGCATTTCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 224
 XX
 XX 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAanArgGluGluTyrValArg 100
 XX 225 GGGACGCGAGCATACCGCTCTGTACCCAGATACATCTTAAACCGGGAGGAGTACGTGTGCG 284

QY 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProhepAlaGlu 120
 DB 285 TACGACAGCGAGCTGGCGGAGTACCGCGGGTACCGGAGCTCGGGCGGCACACGCCGAG 344
 QY 121 TyrTrpAanSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
 DB 345 TACTGGACAGCCAGCGGAGATCTTGAGCGAAGCGGGCCGAGGTGGACACGGGCTGC 404
 QY 141 ArgHisAanTyrGluGlyProGluThrSerLeuArgArgLeuGluGlnProAan 160
 DB 405 AGACACAACCTACGAGGGCGGAGACACGACCTCTCCCTCGCGCGCTTGAACAGCCCAAT 464
 QY 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAanHisAanThrLeuValCysSer 180
 DB 465 GTCCGCATCTCCCTGTCCAGGACAGAGGCCCTCAACACCACCAACACTCTGGTCTGTTCG 524
 QY 181 ValThrAspPheTyrProAlaLysIleLysValArgTppPheArgAanGlnGluGlu 200
 DB 525 GTGACAGATTTCTACCCAGCCCAAGATCAAGTGGCTGTTCAGGAATGGCCAGGAGGAG 584
 QY 201 ThrValGlyValSerSerThrGlnLeuIleArgAanGlyAspTyrThrPheGlnValLeu 220
 DB 585 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGAGCTGGACCTTCCAGGTCTCG 644
 QY 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
 DB 645 GTCATCTGTGAGATGACCCCTCATCAGGAGAGGTCTACCTGCATGTGGAGCATCCC 704
 QY 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
 DB 705 AGCCTGAAGAGCCCATCATCTGTGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
 QY 261 GlyGlyGlyGlySer 265
 DB 756 GCGCGTGTGTGTTC 770
 XX
 XX RESULT 8
 XX ID AAT86989 standard; DNA; 1382 BP.
 XX AC AAT86989;
 XX XX 27-MAR-1998 (first entry)
 XX DE SCE1 single chain gene.
 XX KW Construction; major histocompatibility complex; MHC; fusion complex;
 XX XX SCE1 single chain gene; ss.
 XX OS Synthetic.
 XX FH Key Location/Qualifiers
 XX FT CDS 6..1382
 XX FT /*tag= a
 XX
 XX PN WO9728191-A1.
 XX PD 07-AUG-1997.
 XX XX 30-JAN-1997; 97WO-US001617.
 XX XX 31-JAN-1996; 96US-00596387.
 XX XX (DADE-) DADE INT INC.
 XX XX Rhode PR, Jiao J, Burkhardt M, Wong HC;
 XX XX WPI: 1997-402555/37.
 XX XX P-PSDB; AAW29214.
 XX XX Single chain major histocompatibility complex comprising linked alpha and
 XX beta chains - useful for suppressing an immune response to an auto:immune

PI Chavallaz P, Jiao J;
 XX WPI; 1996-129343/13.
 DR P-PSDB; AAR98905.

XX Major histocompatibility complex fusion complex for modulating T cell
 PT activity - used in the treatment of immune disorders, e.g. multiple
 PT sclerosis, IDDM and rheumatoid arthritis.

XX Example 17; Fig 27; 210pp; English.

XX AAT17586 encodes a murine MHC fusion complex capable of modulating T cell
 CC activity encoded by the vector SSC1. The MHC fusion complex comprises at
 CC least one MHC molecule containing a peptide-binding groove and a
 CC presenting peptide covalently linked to the MHC molecule and opt. a
 CC transmembrane domain. DNA encoding a MHC fusion complex may be cloned
 CC into a host cell to express the complex. The transformed cells may then
 CC be used to identify peptides that modulate, pref. antagonise, T cell
 CC activity. DNA encoding a MHC fusion complex or a single chain fusion
 CC molecule may be used to vaccinate a mammal against a targeted disorder.
 CC The fusion complexes may be used to suppress an immune response in an
 CC animal suffering from an immune disorder e.g. multiple sclerosis, insulin
 CC -dependent diabetes mellitus, rheumatoid arthritis, myasthenia gravis or
 CC chronic allergies. The complexes may also be used in the treatment of
 CC livestock and pets such as cats and dogs. The MHC fusion complexes can be
 CC produced such that they contain a single antigenic peptide including one
 CC of known structure, additionally a wide range of peptides can be
 CC presented for T cell interaction

XX Sequence 1385 BP; 316 A; 384 C; 398 G; 287 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.: 1.3e-98 Length: 1385
 Score: 1145.00 Matches: 227
 Percent Similarity: 87.2% Conservative: 4
 Best Local Similarity: 85.7% Mismatches: 24
 Query Match: 70.7% Indels: 10
 DB: 2 Gaps: 3

US-10-048-116B-6 (1-306) x AAT17586 (1-1385)

QY 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValLeuMetValLeu 20
 DB 6 ATGGCTCTGCAGATCCCCAGCCCTCTCTCAGCTCTGTGGTGGCTGATGGTGTG 65
 QY 21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
 DB 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTCAAGCTGCTCAGCTGAA----- 119
 QY 41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
 DB 120 ATCAACGAAGCTGCTGCTGTAGCGGAGGGGGGGAAGC-----GGCGGA 164
 QY 61 GlyGlyGlySerGluArgHisPheValValGlnPheIysGlyGluCysTyrTrpAsn 80
 DB 165 GGGGGAAATCCCGAAGGCATTTTCGTGGTCCAGTTCAGGGGCGAGTCTACTACACCAAC 224
 QY 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
 DB 225 GGGACCGCAGCGCATACGGCTCGTGACAGATACATCTACACCGGAGGAGTACGTGGC 284
 QY 101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
 DB 285 TACGACAGCGACGTGGCGAGTAGTCCGCGCGGTGACCGAGTCCGGGGCGGCAGCGCGAG 344
 QY 121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAlaAspThrAlaCys 140
 DB 345 TACTGGAACAGCCAGCGCGAGATTCCTGGAGCGAACCGCGGCCGAGGTGGACCGGGTGC 404
 QY 141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
 DB 405 AGACACACTACAGGGGGCGGAGACGACACCTCTCGCGCGGTGTTGACAGCCCAT 464

QY 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
 DB 465 GTCGCCATCTCCCTGTCCAGGACAGAGGCCCTCAACACCACCAACACACTCTGTGTCTGTCG 524
 QY 181 ValThrAspPheTyrProAlaLeuIleIysValArgTyrPheArgAsnGlyGlnGluGlu 200
 DB 525 GTGACAGATTCTTACCAGCCCAAGTCAAAGTGGCTGTTCAGGAATGGCCAGGAGGAG 584
 QY 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTyrPheGlnValLeu 220
 DB 585 ACAGTGGGGTCTCATCCACACACTTATTAGGAATGGGACTGGACCTTCCAGGTCTCTG 644
 QY 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
 DB 645 GTCATGTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
 QY 241 SerLeuIysSerProIleThrValGluTyrArgAlaGlnSerGluSerAlaArgSerIys 260
 DB 705 AGCTGAAGAGCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
 QY 261 GlyGlyGlyGlySer 265
 DB 756 GCGCGTGGTGGTTC 770
 RESULT 11
 AAT86987
 ID AAT86987 standard; DNA; 1385 BP.
 XX
 AC AAT86987;
 XX
 DT 27-MAR-1998 (first entry)
 XX
 DE SSC1 single chain gene.
 XX
 KW Construction; major histocompatibility complex; MHC; fusion complex;
 KW SSC1 single chain gene; ss.
 XX
 OS Synthetic.
 XX
 FH Key Location/Qualifiers
 FT CDS 6..1385
 FT /*tag= a
 XX
 PN WO9728191-A1.
 XX
 PD 07-AUG-1997.
 XX
 PF 30-JAN-1997; 97WO-US001617.
 XX
 PR 31-JAN-1996; 96US-00596387.
 XX
 PA (DADE-) DADE INT INC.
 XX
 PI Rhode PR, Jiao J, Burkhardt M, Wong HC;
 XX
 DR WPI; 1997-402555/37.
 DR P-PSDB; AAW29212.
 XX
 PT Single chain major histocompatibility complex comprising linked alpha and
 PT beta chains - useful for suppressing an immune response to an auto:immune
 PT disease, e.g. multiple sclerosis, rheumatoid arthritis, diabetes
 PT mellitus, etc.
 XX
 PS Example 17; Page 135-137; 217pp; English.
 XX
 CC The present sequence was used in the construction of major
 CC histocompatibility complex (MHC) fusion complexes
 XX
 SQ Sequence 1385 BP; 316 A; 383 C; 399 G; 287 T; 0 U; 0 Other;

Alignment Scores:
 Pred. No.: 1.3e-98 Length: 1385
 Score: 1145.00 Matches: 227

Alignment Scores:

Pred. No.:	1.3e-98	Length:	1385
Score:	1145.00	Matches:	227
Percent Similarity:	87.2%	Conservative:	4
Best Local Similarity:	85.7%	Mismatches:	24
Query Match:	70.7%	Indels:	10
DB:	8	Gaps:	3

US-10-048-116B-6 (1-306) x ACA60742 (1-1385)

Qy	1	MetAlaLeuGlnIleProSerLeuLeuSerAlaValValLeuMetValLeu	20
Db	6	ATGGGTCTGCAGATCCCAAGCTCTCTCTCAGCTGCTGTGGTGTCTGATGGTCTG	65
Qy	21	SerSerProGlyThrGluGlyGlyAasnSerIleCysPheSerProSerLeuGluHisPro	40
Db	66	ACAGCCCAAGACCTTAAAGTATCTCTCAGGCTGTTCAAGCTGCTCAGCTGAA-----	119
Qy	41	IleValValSerGlySerTrpAspGlyGlyGlyGlySerLeuValProArgGlySerGly	60
Db	120	ATCAACGAAGCTGGTCTGCTAGCGAGGGGCGGAAGC-----GGCGGA	164
Qy	61	GlyGlyGlySerGluArgHisPheValValGlnPheIysGlyGluCysTyrThrAsn	80
Db	165	GGGGGAAATCCGAAGAAGCATTTGGTGTCCAGTTCAAGGGCGAGTCTACTACACCAAC	224
Qy	81	GlyThrGlnAArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg	100
Db	225	GGGAGCGACGCATACGGCTCTGTACCAAGATACATCTACAACCGGGANGAGTACGTGCGC	284
Qy	101	TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu	120
Db	285	TACGACAGCACGCTGGGCGAGTACCGGCGGTACCAGCTGGGGGGCCAGACGCCGAG	344
Qy	121	TyrTrpAsnSerGlnProGluIleGluArgThrArgAlaGluValAspThrAlaCys	140
Db	345	TACTCGAAACAGCCAGCCGAGATCTGGAGCGAACCGGGCCGAGGTGGACACGGCTGC	404
Qy	141	ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn	160
Db	405	AGACACACTACGAGGGGCGGAGACCAACGACCTCTCTGGCGGGCTTGNACAGCCCAAT	464
Qy	161	ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisIleAsnThrLeuValCysSer	180
Db	465	GTGCGCATCTCCCTGTCCAGGACAGAGCGCCCTCAACCAACCAACACTCTGGTCTGTTCG	524
Qy	181	ValThrAspPheTyrProAlaIleIleIysValArgTrpPheArgAsnGlyGlnGluGlu	200
Db	525	GTGACAGATTCTTACCCAGCCACAGATCAAGTGGCTGGTTCAGGAATGCCAGAGAGAG	584
Qy	201	ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu	220
Db	585	ACAGTGGGGGTCTCATCCACACAGCTTATTAGGAATGGGACTGGACCTTCACAGGTCTTG	644
Qy	221	ValMetLeuGluMetThrProHisGlnGlyValTyrThrCysHisValGluHisPro	240
Db	645	GTCAATCTGGAGATGACCCCTCATCAGGGAGAGTCTACACCTGCCATGTGGAGCATCC	704
Qy	241	SerLeuIysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerIys	260
Db	705	AGCTGTAGAGCCCACTACCTGTGAGTGG-----ACTAGTGGTGGCGGTGGCAGC	755
Qy	261	GlyGlyGlyGlySer	265
Db	756	GGCGGTGGTGTTC	770

RESULT 13

AAT17587

ID AAT17587 standard; DNA; 1508 BP.

XX

AC AAT17587;

XX

DT 26-SEP-1996 (first entry)

[illegible]

Key	Location/Qualifiers
CDS	6..1508
sig_peptide	/*tag= a 6..86 /*tag= b /label= I-Ad_beta_chain_leader /note= "murine MHC class II I-Ad gene beta chain leader sequence"
misc_feature	87..137 /*tag= c /label= OVA_323-339 /note= "chicken ovalbumin residues 323-339"
misc_feature	138..167 /*tag= d /note= "10 residue linker peptide"
misc_feature	168..452 /*tag= e /label= I-Ad_beta1 /note= "murine MHC class II I-Ad gene beta-1 domain"
misc_feature	453..734 /*tag= f /label= I-Ad_beta2 /note= "murine MHC class II I-Ad gene beta-2 domain"
misc_feature	735..806 /*tag= g /note= "24 residue peptide linker"
misc_feature	807..1067 /*tag= h /label= I-Ad_alpha1 /note= "murine MHC class II I-Ad gene alpha-2 domain"
misc_feature	1068..1352 /*tag= i /label= I-Ad_alpha2 /note= "murine MHC class II I-Ad gene alpha-2 domain"
misc_feature	1353..1505 /*tag= j /label= I-Ad_alpha-TM /note= "murine MHC class II I-Ad gene alpha-transmembrane domain"

WO9604314-A1.

15-FEB-1996

31 - III - 1995.

31-JUL-1993; 9300-US009816.

29-JUL-1994; 94US-00283302.

1000

WONG HC, KNOKE EK, WEIDANZ
CHARILLAS P, TING T.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

P-PSDB; AAR98906.

Major histocompatibility comp

activity - used in the creation of

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

GenCore version 5.1.9
Copyright (c) 1993 - 2006 Bioceleration Ltd.

OM protein - nucleic search, using frame_plus_p2n model

Run on: June 30, 2006, 01:28:47 ; Search time 6366.34 Seconds
(without alignments)
4520.078 Million cell updates/sec

Title: US-10-048-116b-6_COPY_1_300

Perfect score: 1572

Sequence: 1 MAQIPSLLSAAVVVLMVL.....KKQNAQLKWKLQALKKKLAQ 300

Scoring table:

BLOSUM62	Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5	
Fgapop 6.0 , Fgapext 7.0	
Delop 6.0 , Delext 7.0	

Searched: 6366136 seqs, 31973710525 residues

Total number of hits satisfying chosen parameters: 12732272

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Command line parameters:

-MODEL=frame+ p2n.model -DEV=xlh
-Q=/abs/ABSSWEB.spool/US10048116/runat.29062006.093311.10139/app.query.fasta_1
-DB=GenEmbl -OFMT=fastap -SUFFIX=p2n.rge -MINMATCH=0.1 -LOOPCL=0 -LOOPEXT=0
-UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
-DOCALLIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFMT=ptc -NORM=ext -HEADSIZE=500 -MINLEN=0 -MAXLEN=2000000000 -HOST=abs07
-USER=US10048116 @CGN 1.1.7274 @runat.29062006.093311.10139 -NCPU=6 -ICPU=3
-NO MMAP -NEG SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG -DEV TIMEOUT=120
-WARN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6 -FGAPEXT=7
-YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database :

GenEmbl.*
1: gb_env.*
2: gb_pat.*
3: gb_ph.*
4: gb_pl.*
5: gb_pr.*
6: gb_ro.*
7: gb_sts.*
8: gb_sy.*
9: gb_un.*
10: gb_vi.*
11: gb_ov.*
12: gb_htg.*
13: gb_in.*
14: gb_om.*
15: gb_ba.*

Result No.	Score	Query Match	Length	DB ID	Description
1	1572	100.0	921	2	AX081281 Sequence
2	1255.5	79.9	893	2	AR047947 Sequence
3	1161.5	73.9	4724	2	AR199666 Sequence

SUMMARIES

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

4	1154	73.4	1013	2	AR047957	AR047957 Sequence
5	1145	72.8	1382	2	AR033964	AR033964 Sequence
6	1145	72.8	1382	2	AR175097	AR175097 Sequence
7	1145	72.8	1382	2	CS079301	CS079301 Sequence
8	1145	72.8	1382	2	AX032545	AX032545 Sequence
9	1145	72.8	1385	2	AR033962	AR033962 Sequence
10	1145	72.8	1385	2	AR175095	AR175095 Sequence
11	1145	72.8	1385	2	CS079299	CS079299 Sequence
12	1145	72.8	1385	2	AX032543	AX032543 Sequence
13	1145	72.8	1508	2	AR033963	AR033963 Sequence
14	1145	72.8	1508	2	AR152030	AR152030 Sequence
15	1145	72.8	1508	2	AR175096	AR175096 Sequence
16	1145	72.8	1508	2	CS079300	CS079300 Sequence
17	1145	72.8	1508	2	AX032544	AX032544 Sequence
18	1136	72.3	1508	2	BD138632	BD138632 Soluble M
19	1131.5	72.0	1251	6	BC010322	BC010322 Mus muscu
20	1102.5	70.1	798	6	MUSMHIABQ	M13537 Mouse MHC c
21	1096.5	69.8	798	2	CQ777552	CQ777552 Sequence
22	1054.5	67.1	888	6	MUSMHIABNO	M15848 Mouse MHC c
23	1054.5	66.8	792	6	BC008168	BC008168 Mus muscu
24	1050.5	66.3	777	6	AY452202	AY452202 Mus muscu
25	1042.5	66.3	792	6	AF065913	AF065913 Mus muscu
26	1042.5	66.3	792	6	AF293060	AF293060 Mus muscu
27	1042.5	66.3	792	6	MUSMHIH2	M66213 Mouse MHC c
28	1042.5	66.3	1162	6	BC057998	BC057998 Mus muscu
29	1041.5	66.3	792	6	MUSMHIAB5	M13540 Mouse MHC c
30	1036.5	65.9	792	6	AF119251	AF119251 Mus muscu
31	1036.5	65.9	792	6	AF119252	AF119252 Mus muscu
32	1033.5	65.7	750	6	AF065912	AF065912 Mus muscu
33	1030.5	65.6	1078	6	AF293061	AF293061 Mus muscu
34	1028.5	65.4	792	6	MUSMHIABK	M13538 Mouse MHC c
35	1016.5	64.7	792	6	MUSMHIABU	M13539 Mouse MHC c
36	998.5	63.5	1070	6	AF015280	AF015280 Mus muscu
37	993.5	63.2	760	6	MUSMHIABF	M13541 Mouse MHC c
38	979.5	62.3	702	2	AR106257	AR106257 Sequence
39	979.5	62.3	702	2	AR229609	AR229609 Sequence
40	979.5	62.3	702	2	AR363024	AR363024 Sequence
41	972	61.8	575	6	AY303785	AY303785 Mus muscu
42	972	61.8	578	6	AY303784	AY303784 Mus muscu
43	972	61.8	1243	2	AX490802	AX490802 Sequence
44	964.5	61.4	792	6	AY626181	AY626181 Rattus no
45	964.5	61.4	792	6	AY626184	AY626184 Rattus no

ALIGNMENTS

RESULT 1	AX081281	Sequence 2 from Patent WO0109194.	921 bp	DNA	linear	PAT 27-FEB-2001
LOCUS	AX081281	Sequence 2 from Patent WO0109194.				
DEFINITION	AX081281					
ACCESSION	AX081281					
VERSION	AX081281.1	GI:13170131				
KEYWORDS						
SOURCE		synthetic construct				
ORGANISM		synthetic construct				
REFERENCE	1	other sequences; artificial sequences.				
AUTHORS		Glaichenhaus, N. and Malherbe, L.				
TITLE		Recombinant proteins and molecular complexes derived therefrom, analogous to molecules involved in immune responses				
JOURNAL		Patent: WO 0109194-A 2 08-FEB-2001;				
FEATURES		CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE (CNRS) (FR)				
source		Location/Qualifiers				
		1. .921				
		/organism="synthetic construct"				
		/mol_type="unassigned DNA"				
		/db_xref="taxon:32630"				
		/note="Ligation de fragments d'ADNc"				
		1. .921				
		/note="unnamed protein product"				
		/codon_start=1				
		/transl_table=11				
		/protein_id="CAC33123.1"				
CDS						


```
Db      586 GTGACAGATTCTACCCAGCCCAAGATCAAGTGGCTGTTTCAGAAATGGCCAGAGGAG 645
Qy      201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu 220
Db      646 ACAGTGGGGTCTCATCCACACAGCTATTATAGGAATGGGACTGGACCTCCAGGTCTCG 705
Qy      221 ValMetLeuGluMetThrProHisGlnGlyValThrCysHisValGluHisPro 240
Db      706 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 765
Qy      241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db      766 AGCTTGAGAGCCCCCATCATCTGTGGAGTGGAGGCGACAGTCCGAGTCTGCCCGGAGCAAG 825

RESULT 3
LOCUS   AR199666
DEFINITION Sequence 8 from patent US 6355479.
ACCESSION AR199666
VERSION  AR199666.1 GI:20249740
KEYWORDS
SOURCE  Unknown.
ORGANISM
REFERENCE 1 (bases 1 to 4724)
AUTHORS  Webb,S.R., Winqvist,O., Karlsson,L., Jackson,M.R. and Peterson,P.A.
TITLE     MHC class II antigen-presenting systems and methods for activating
          CD4+ T cells
JOURNAL   Patent: US 6355479-A 8 12-MAR-2002;
FEATURES  Location/Qualifiers
          source          1..4724
                       /organism="unknown"
                       /mol_type="unassigned DNA"

ORIGIN
Alignment Scores:
Pred. No.:      9.66e-112      Length:      4724
Score:          1161.50      Matches:      228
Percent Similarity: 85.8%      Conservative: 1
Best Local Similarity: 85.4%      Mismatches: 1
Query Match:    73.9%      Indels:      37
DB:             2           Gaps:          2

US-10-048-116B-6_COPY_1_300 (1-300) x AR199666 (1-4724)
Qy      1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
Db      451 ATGGCTCTGAGATCCCGACGCTCTCTCTTCAGCTGCTGTGTGGTGTCTGTGTGTGTG 510
Qy      21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db      511 AGCAGCCAGGAGCTAGGGCGGAAAC----- 537
Qy      41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
Db      537 ----- 537
Qy      61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrTrpThrAsn 80
Db      538 -----TCCGAAAGGCATTTCTGTGTCCAGTTCAAGGCGGAGTGCTACTACACCAAC 588
Qy      81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
Db      589 GGCAGCGAGCGCATACGGCTCGTGACCAATACATCTACACCCGGGAGGAGTACGTGCGC 648
Qy      101 TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu 120
Db      649 TACGACAGCGACGTGGCGGAGTACCGCGCGGTGACCGAGCTGGGGCGGCGCAGCGCGAG 708
Qy      121 TyrTrpAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys 140
Db      709 TACTGGNACAGCCCGGAGATCTCTGGAGCGGAACCGGGCGCGGAGGTGGACAGCGGCTGC 768
```

```
Qy      141 ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgLeuGluGlnProAsn 160
Db      769 AGACACAATACGAGGGGCGGAGACACCTCCCTGCGGCGCTTTGAACAGCCCAAT 828
Qy      161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
Db      829 ATCCCATCTCCCTGTCCAGACAGAGGCCCTCAACCCACCACTCTGGTCTGTGTCG 888
Qy      181 ValThrAspPheTyrProAlaLysIleLysValArgTrpPheArgAsnGlyGlnGluGlu 200
Db      889 GTGACAGATTCTACCCAGCCCAAGATCAAGTGGCTGTTTCAGGAATGGCCAGGAGAG 948
Qy      201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu 220
Db      949 ACAGTGGGGTCTCATCCACACAGCTATTATAGGAATGGGACTGGACCTTCAGGTCTCG 1008
Qy      221 ValMetLeuGluMetThrProHisGlnGlyValThrCysHisValGluHisPro 240
Db      1009 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 1068
Qy      241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db      1069 AGCTTGAGAGCCCCCATCATCTGTGGAGTGGAGGCGACAGTCCGAGTCTGCCCGGAGCAAG 1128
Qy      261 -----GlyGlyGlyGly 264
Db      1129 ATGTTGAGCGGCATCGGGGCG 1149

RESULT 4
LOCUS   AR047957
DEFINITION Sequence 38 from patent US 5820866.
ACCESSION AR047957
VERSION  AR047957.1 GI:5970300
KEYWORDS
SOURCE  Unknown.
ORGANISM
REFERENCE 1 (bases 1 to 1013)
AUTHORS  Kappler,J.W. and Marrack,P.
TITLE     Product and process for T cell regulation
JOURNAL   Patent: US 5820866-A 38 13-OCT-1998;
FEATURES  Location/Qualifiers
          source          1..1013
                       /organism="unknown"
                       /mol_type="unassigned DNA"

ORIGIN
Alignment Scores:
Pred. No.:      8.51e-112      Length:      1013
Score:          1154.00      Matches:      231
Percent Similarity: 86.8%      Conservative: 5
Best Local Similarity: 84.9%      Mismatches: 22
Query Match:    73.4%      Indels:      14
DB:             2           Gaps:          4

US-10-048-116B-6_COPY_1_300 (1-300) x AR047957 (1-1013)
Qy      1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
Db      63 ATGGCTCTGAGATCCCGACGCTCTCTCTCGGCTGCTGTGTGTGTGTGTGTGTGTGTG 122
Qy      21 SerSerProGlyThrGluGlyGlyAsnSerIleCysPheSerProSerLeuGluHisPro 40
Db      123 AGCAGCCCGGAGTCTAGGGCGGAGACTCC-----GAAGCTACTTTGAGGCTCAG 173
Qy      41 -----IleValValSerGlySerTrpAspGlyGlyGlySerLeuVal 55
Db      174 GGTGCATGCGCCCAACATTGCTGTCGACAGGCTGGAGGTGTGTGATCCGGTGA----- 227
Qy      56 ProArgGlySerGlyGlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlu 75
```

Db 228 ---GGGGGAAGTGGAGGTGGAGGGTCTGAAAGCAATTTTCGTACCAAGTTCATCGGCGAG 284
Qy 76 CyeTyrThrAenGlyThrGlnArgIleAerLeuValThrArgTyrIleTyrAsnArg 95
Db 285 TGTACTTACCACCGGAGCGAGCGATACGATATGTGACCAAGATACATCTACACCGG 344
Qy 96 GluGluTyrValArgTyrAepSerAepValGlyGluTyrArgAlaValThrGluLeuGly 115
Db 345 GAGGAGTACGTGCGCTACGACAGCGAGCTGGGCGAGCAGCGCGGTGACCGAGCTGGG 404
Qy 116 ArgProAepAlaGluTyrTrpAenSerGlnProGluIleLeuGluArgThrArgAlaGlu 135
Db 405 CGGCCAGAGCCCGAGTACTGGAACAGCAGCCGAGATCTCGAGCGAAGCGCGGCGAG 464
Qy 136 ValAepThrAlaCysArgHisAenTyrGluGlyProGluThrSerThrSerLeuArgArg 155
Db 465 GTGGACAGCGGTGCGAGACACAATACGAGGGCGGAGACCCACACCTCCCTGCGGCGG 524
Qy 156 LeuGluGlnProAenValAlaIleSerLeuSerArgThrGluAlaLeuAenHisAsn 175
Db 525 CTTGAACAGCCCAANTGTCGTCTCTCCCTGTCAGACAGAGGCGCTCAACCAACCAAC 584
Qy 176 ThrLeuValCysSerValThrAepPheTyrProAlaIleIleLeuValArgTrpPheArg 195
Db 585 ACTCTGCTCTGCTCAGTGACAGATTTCTACCCAGCCAAGATCAAAAGTGGCTGGTCCGG 644
Qy 196 AenGlyGlnGluGluThrValGlyValSerSerThrGlnLeuIleAerGlnArgTrp 215
Db 645 AATGGCCAGAGAGAGCGTGGGGTCTCATCCACAGACTTATTAGGAATGGGACTCG 704
Qy 216 ThrPheGlnValLeuValMetLeuGluMetThrProHisGlnGlyValTyrThrCys 235
Db 705 ACCTTCAGGTCTGCTCATGCTGGAGATGACCCCTCGGGGGAGAGGTCTACACTGT 764
Qy 236 HisValGluHisProSerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGlu 255
Db 765 CAGTGGAGCATCCAGCGCTCAAGAGCCCATCACTGTGGAGTGGAGGGGCACAGTCTGAG 824
Qy 256 SerAlaArgSerLys-----GlyGlyGlyGly 264
Db 825 TCTGCTGGAGCAAGATGTTGAGCGGCATCGGGGGC 860

RESULT 5

AR033964 1382 bp DNA linear PAT 29-SEP-1999

LOCUS Sequence 123 from patent US 5869270.

DEFINITION AR033964

ACCESSION AR033964

VERSION AR033964.1 GI:5949569

KEYWORDS

SOURCE Unknown.

ORGANISM Unclassified.

REFERENCE 1 (bases 1 to 1382)

AUTHORS Rhode,P.R., Jiao,J.-A., Burkhardt,M. and Wong,H.C.

TITLE Single chain MHC complexes and uses thereof

JOURNAL Patent: US 5869270-A 123 09-FEB-1999;

FEATURES Location/Qualifiers

source

1..1382

/organism="unknown"

/mol_type="unassigned DNA"

ORIGIN

Alignment Scores:
Pred. No.: 1.13e-110 Length: 1382
Score: 1145.00 Matches: 227
Percent Similarity: 87.2% Conservative: 4
Best Local Similarity: 85.7% Mismatches: 24
Query Match: 72.8% Indels: 10
DB: 2 Gaps: 3

US-10-048-116B-6_COPY_1_300 (1-300) x AR033964 (1-1382)

Qy 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValLeuMetValLeu 20

Db 6 ATGGCTCTCAGATCCCAAGCCCTCCTCCTCAGCTGCTGTGCTGTGATGTTGCTG 65
Qy 21 SerSerProGlyThrGluGlyGlyAenSerIleCysPheSerProSerLeuGluHisPro 40
Db 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTTCACGCTCTCAGCGTGAA----- 119
Qy 41 IleValValSerGlySerTrpAepGlyGlyGlyGlySerLeuValProArgGlySerGly 60
Db 120 ATCAACGAAGCTGCTGCTAGCGAGGGGGCGGAAGC-----GGCGGA 164
Qy 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysTyrTyrThrAsn 80
Db 165 GGGGGAACCTCCGAAAGGCATTTCTGTTGTCAGGTCACAGGGCGAGTCTACTACCAAC 224
Qy 81 GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg 100
Db 225 GGGAGCGACGCGATACGGCTCGTGACAGATACATCTACAACCCGGAGGAGTACGTGCGC 284
Qy 101 TyrAepSerAepValGlyGluTyrArgAlaValThrGluLeuGlyArgProAepAlaGlu 120
Db 285 TAGCACAGCGAGCTGGCGGAGTACCGCGGTGACCGAGCTGGGGCGGCAGACGGCGAG 344
Qy 121 TyrTrpAenSerGlnProGluIleLeuGluArgThrArgAlaGluValAlaAspThrAlaCys 140
Db 345 TACTGGACAGCAGCGCGAGATCCTGGAGCGAAGCGGGCGGAGGTGGACACGGCGTGC 404
Qy 141 ArgHisAenTyrGluGlyProGluThrSerThrSerLeuArgLeuGluGlnProAen 160
Db 405 AGACACAACCTACGAGGGCGGAGACACAGCACCTCCCTCGCGCGGCTTGAACAGCCCAAT 464
Qy 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAenHisAenThrLeuValCysSer 180
Db 465 GTCGGCATCTCCTGCTGCCAGGACAGAGGCCCTCAACCAACCAACACTCTGGTCTGTTCG 524
Qy 181 ValThrAepPheTyrProAlaLysIleLysValArgTrpPheArgAsnGlyGlnGluGlu 200
Db 525 GTGACAGATTTCTACCCAGCAAGATCAAAAGTCGCTGTTCAGGAATGGCCAGGAGGAG 584
Qy 201 ThrValGlyValSerSerThrGlnLeuIleArgAenGlyAepTrpThrPheGlnValLeu 220
Db 585 ACAGTGGGGTCTCATCCACAGACTTATTAGGAATGGGGACTGGACCTTCCAGGTCTCTG 644
Qy 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
Db 645 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTTCTACCTGCCATGTGGAGCATCCC 704
Qy 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db 705 AGCCTGAAGAGCCCATCACTCTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
Qy 261 GlyGlyGlyGlySer 265
Db 756 GCGCGTGGTGGTTCC 770

RESULT 6

AR175097

LOCUS

DEFINITION Sequence 123 from patent US 6309645.

ACCESSION AR175097

VERSION AR175097.1

KEYWORDS GI:17916396

SOURCE Unknown.

ORGANISM Unknown.

REFERENCE 1 (bases 1 to 1382)

AUTHORS Rhode,P.R., Jiao,J.-A., Burkhardt,M. and Wong,H.C.

TITLE MHC molecules and uses thereof

JOURNAL Patent: US 6309645-A 123 30-OCT-2001;

FEATURES Location/Qualifiers

1..1382

/organism="unknown"

/mol_type="unassigned DNA"

source

1..1382

/mol_type="unassigned DNA"

source

ORIGIN

Alignment Scores:

Pred. No.: 1,13e-110 Length: 1382
 Score: 1145.00 Matches: 227
 Percent Similarity: 87.2% Conservative: 4
 Best Local Similarity: 85.7% Mismatches: 24
 Query Match: 72.8% Indels: 10
 DB: 2 Gaps: 3

US-10-048-116B-6_COPY_1_300 (1-300) x AR175097 (1-1382)

Qy 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
 Db 6 ATGGCTCTGCAGATCCCGAGGCTCTCTCTCAGCTGCTGGTGGTGGTCTGATGGTGGT 65
 Qy 21 SerSerProGlyThrGluGlyGlyAAsnSerIleCysPheSerProSerLeuGluHisPro 40
 Db 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTCACGCTGCTCAGCTGAA----- 119
 Qy 41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
 Db 120 ATCAACGAAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 164
 Qy 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysThrValThrAsn 80
 Db 165 GGGGGAACCTCCGAAAGGACATTCGTGGTCCAGTTCAAGGCGGAGTGTACTACACCAAC 224
 Qy 81 GlyThrGlnArgIleArgLeuValThrArgTyrlleTyraenArgGluGluTyraValArg 100
 Db 225 GGGAGCGAGCGCATACGGCTCGTACCCAGATACATCTACAACCGGGAGGAGTACGTGGC 284
 Qy 101 TyrAspSerAspValGlyGluTyraValAlaValThrGluLeuGlyArgProAspAlaGlu 120
 Db 285 TACGACAGCGACGCGGAGTACCGCGCGTGTACCGAGTGGGGCGCGCGAGCGCGAG 344
 Qy 121 TyrTrpAsnSerGlnProGluLeuLeuGluArgThrArgAlaGluValAspThrAlaCys 140
 Db 345 TACTGGAAACGCGAGGAGATCTTGAGCGAAACGCGGCGGAGTGGGACACGCGTGC 404
 Qy 141 ArgHisAsnTyrlleGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
 Db 405 AGACACAACCTACGAGGGCGGAGACCGACACCTCTCTGGCGGCTTGAACACGCCCAAT 464
 Qy 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
 Db 465 GTGCCCATCTCCCTGTCCAGGAGGAGTGTACACCTGCCATGTGGAGCATCCC 524
 Qy 181 ValThrAspPheTyrlleValAlaValIleValValArgTrpPheArgAsnGlyGlnGluGlu 200
 Db 525 GTGACAGATTCTACCCAGCGCAAGATCAAGTGGCTGGTTCCAGGAATGGCCAGGAGGAG 584
 Qy 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu 220
 Db 585 ACAGTGGGGTCTCATCCACAGCTTATTAGGAATGGGACTGGACTTCCAGGTCTGT 644
 Qy 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrlleThrCysHisValGluHisPro 240
 Db 645 GTCATGTGGAGATGACCCCTCATCAGGAGAGGCTTACACCTGCCATGTGGAGCATCCC 704
 Qy 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
 Db 705 AGCCTGAAGAGCCCCATCACTGTGGAGTGG-----ACTAGTGTGGCGGTGGCAGC 755
 Qy 261 GlyGlyGlyGlySer 265
 Db 756 GCGGGTGGTGGTTC 770

RESULT 7

CS079301

LOCUS

DEFINITION Sequence 123 from Patent EP1526141.

ACCESSION CS079301

VERSION CS079301.1 GI:63093743

KEYWORDS

SOURCE unidentified

ORGANISM unidentified

REFERENCE unclassified sequences.

AUTHORS

Rhode, P.R., Jiao, J.A., Burkhardt, M. and Wong, H.C.

TITLE

MHC complexes and uses thereof

JOURNAL

Patent: EP 1526141-A 123 27-APR-2005;

FEATURES

Altor BioScience Corporation (US)

source

1..1382

Location/Qualifiers

/organism="unidentified"

/mol_type="unassigned DNA"

/db_xref="taxon:32644"

ORIGIN

Alignment Scores:

Pred. No.: 1,13e-110 Length: 1382
 Score: 1145.00 Matches: 227
 Percent Similarity: 87.2% Conservative: 4
 Best Local Similarity: 85.7% Mismatches: 24
 Query Match: 72.8% Indels: 10
 DB: 2 Gaps: 3

US-10-048-116B-6_COPY_1_300 (1-300) x CS079301 (1-1382)

Qy 1 MetAlaLeuGlnIleProSerLeuLeuSerAlaAlaValValValLeuMetValLeu 20
 Db 6 ATGGCTCTGCAGATCCCGAGGCTCTCTCTCAGCTGCTGGTGGTGGTCTGATGGTGGT 65
 Qy 21 SerSerProGlyThrGluGlyGlyAAsnSerIleCysPheSerProSerLeuGluHisPro 40
 Db 66 AGCAGCCCAAGGACCTTAAGTATCTCTCAGGCTGTTCACGCTGCTCAGCTGAA----- 119
 Qy 41 IleValValSerGlySerTrpAspGlyGlyGlySerLeuValProArgGlySerGly 60
 Db 120 ATCAACGAAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 164
 Qy 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGlyCysThrValThrAsn 80
 Db 165 GGGGGAACCTCCGAAAGGACATTCGTGGTCCAGTTCAAGGCGGAGTGTACTACACCAAC 224
 Qy 81 GlyThrGlnArgIleArgLeuValThrArgTyrlleTyraenArgGluGluTyraValArg 100
 Db 225 GGGAGCGAGCGCATACGGCTCGTACCCAGATACATCTACAACCGGGAGGAGTACGTGGC 284
 Qy 101 TyrAspSerAspValGlyGluTyraValAlaValThrGluLeuGlyArgProAspAlaGlu 120
 Db 285 TACGACAGCGACGCGGAGTACCGCGCGTGTACCGAGTGGGGCGCGCGAGCGCGAG 344
 Qy 121 TyrTrpAsnSerGlnProGluLeuLeuGluArgThrArgAlaGluValAspThrAlaCys 140
 Db 345 TACTGGAAACGCGAGGAGATCTTGAGCGAAACGCGGCGGAGTGGGACACGCGTGC 404
 Qy 141 ArgHisAsnTyrlleGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn 160
 Db 405 AGACACAACCTACGAGGGCGGAGACCGACACCTCTCTGGCGGCTTGAACACGCCCAAT 464
 Qy 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAsnHisHisAsnThrLeuValCysSer 180
 Db 465 GTGCCCATCTCCCTGTCCAGGAGGAGTGTACACCTGCCATGTGGAGCATCCC 524
 Qy 181 ValThrAspPheTyrlleValAlaValIleValValArgTrpPheArgAsnGlyGlnGluGlu 200
 Db 525 GTGACAGATTCTACCCAGCGCAAGATCAAGTGGCTGGTTCCAGGAATGGCCAGGAGGAG 584
 Qy 201 ThrValGlyValSerSerThrGlnLeuIleArgAsnGlyAspTrpThrPheGlnValLeu 220
 Db 585 ACAGTGGGGTCTCATCCACAGCTTATTAGGAATGGGACTGGACTTCCAGGTCTGT 644
 Qy 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrlleThrCysHisValGluHisPro 240
 Db 645 GTCATGTGGAGATGACCCCTCATCAGGAGAGGCTTACACCTGCCATGTGGAGCATCCC 644
 Qy 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 240
 Db 705 AGCCTGAAGAGCCCCATCACTGTGGAGTGG-----ACTAGTGTGGCGGTGGCAGC 240

Db	645	GTATGCTGGAGATGACCCCTCATCAGGAGAGAGTCTACACCTGCCATGTGGAGCATCCC	704
Qy	241	SerLeuLysSerProfileThrValcLutPrArgAlaGlnSerGluSerAlaArgSerLys	260
Db	705	AGCCTGAAGAGCCCATCAGTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC	755
Qy	261	GlyGlyGlyGlySer	265
Db	756	GCGCGTGGTGGTTCC	770
RESULT 8			
LOCUS	AX032545	1382 bp	linear
DEFINITION	Sequence 123 from Patent EP0997477.		
ACCESSION	AX032545		
VERSION	AX032545.1	GI:10279486	
KEYWORDS	unidentified		
SOURCE	unidentified		
ORGANISM	unclassified sequences.		
REFERENCE	1		
AUTHORS	Chavallaz, P. A., Edwards, A. C., Grammer, S., Jiao, J. A., Rhode, P. R., Weidanz, J. A. and Wong, H. C.		
TITLE	Mhc complexes and uses thereof		
JOURNAL	Patent: EP 0997477-A 123 03-MAY-2000;		
FEATURES	SUNOL MOLECULAR CORP (US)		
source	Location/Qualifiers		
	1..1382		
	/organism="unidentified"		
	/mol_type="unassigned DNA"		
	/db_xref="taxon:32644"		
ORIGIN			
Alignment Scores:			
Pred. No.:	1..13e-110	Length:	1382
Score:	1145.00	Matches:	227
Percent Similarity:	87.2%	Conservative:	4
Best Local Similarity:	85.7%	Mismatches:	24
Query Match:	72.8%	Indels:	10
DB:	2	Gaps:	3
US-10-048-116B-6_COPY_1_300 (1-300) x AX032545 (1-1382)			
Qy	1	MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValLeuMetValLeu	20
Db	6	ATGGCTCTGCAGATCCCAGCCTCCTCTCAGCTGCTGTGGTGTGTGATGTGTGCTG	65
Qy	21	SerSerProGlyThrGluGlyGlyAAsnSerIleCysPheSerProSerLeuGluHisPro	40
Db	66	AGCAGCCCAAGGACCTTAAGTATCTCTCAGCGCTGTTCAACGCTGCTACGCTGAA-----	119
Qy	41	IleValValSerGlySerTrpAspGlyGlyGlyGlySerLeuValProArgGlySerGly	60
Db	120	ATCAACGAAGCTGCTGCTGTACGCGAGGGGGCGGAAGC-----GCGCGA	164
Qy	61	GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrTyrThrAsn	80
Db	165	GGGGAAATCCGNAAGGCATTTCTGTGCTCAGTTTCAAGGCGAGGTGCTACTACACCAAC	224
Qy	81	GlyThrGlnArgIleArgLeuValThrArgTyrIleTyrAsnArgGluGluTyrValArg	100
Db	225	GGGACGCAGCGCATACGGCTCGTGACAGATACATCTACACCCGGGAGGAGTACGTGGCG	284
Qy	101	TyrAspSerAspValGlyGluTyrArgAlaValThrGluLeuGlyArgProAspAlaGlu	120
Db	285	TACGACAGCAGCGTGGCGAGTACCGCGCGGTACCGAGCTGGGGCGGCAGACGCGGAG	344
Qy	121	TyrTriPAsnSerGlnProGluIleLeuGluArgThrArgAlaGluValAspThrAlaCys	140
Db	345	TACTGGNACAGCAGCGGAGATCTTGGACGACGACGGGGCCGAGGTGGACACGGGTGC	404
Qy	141	ArgHisAsnTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAsn	160


```
Qy 101 TyrAapSerAapValGlyGluTyrArgAlaValThrGluLeuGlyArgProAapAlaGlu 120
Db 285 TACGACAGCCAGCTGGCGGAGTACCGCGCGTGNCCGAGTGGGGCGCCAGACGCCGAG 344
Qy 121 TyrTrpAenSerGlnProGluLeuLeuGluArgThrArgAlaGluValAapThrAlaCys 140
Db 345 TACTGGAACAGCCAGCCGAGAGTCTCTGGAGCGAACCGCGCGAGGTGGACACGGCGTGC 404
Qy 141 ArgHisAenTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAen 160
Db 405 AGACACAACTACGAGGGGCGGAGACAGCACCTCCCTGCGGGCGCTTGAACAGCCCAAT 464
Qy 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAenHisAenThrLeuValCysSer 180
Db 465 GTGCCCATCTCCCTGTCCAGACAGAGGCCCTCAACCAACACACACTCTGGTCTGTTCG 524
Qy 181 ValThrAapPheTyrProAlaLysIleLysValArgTrpPheArgAenGlyGlnGluGlu 200
Db 525 GTGACAGATTCTACCCAGCCAGATCAAAGTGGCTGGTTTCAGGAATGGCCAGGAGAG 584
Qy 201 ThrValGlyValSerSerThrGlnLeuLeuArgAenGlyAapThrPheGlnValLeu 220
Db 585 ACAGTGGGGTCTCATCACACAGCTTATTAGGAATGGGACCTTCCAGGTCTCG 644
Qy 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
Db 645 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
Qy 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db 705 AGCCTGAAGAGCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
Qy 261 GlyGlyGlyGlySer 265
Db 756 GCGCGTGGTGGTTCC 770

RESULT 15
ARI175096 1508 bp DNA linear PAT 17-DEC-2001
LOCUS ARI175096
DEFINITION Sequence 122 from patent US 6309645.
ACCESSION ARI175096
VERSION ARI175096.1 GI:17916395
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE
1. (bases 1 to 1508)
AUTHORS Rhode,P.R., Jiao,J.-A., Burkhardt,M. and Wong,H.C.
TITLE MHC molecules and uses thereof
JOURNAL Patent: US 6309645-A 122 30-OCT-2001;
FEATURES
source 1..1508
/mol_type="unknown"
/mol_type="unassigned DNA"

ORIGIN

Alignment Scores:
Pred. No.: 1.26e-110 Length: 1508
Score: 1145.00 Matches: 227
Percent Similarity: 87.2% Conservative: 4
Best Local Similarity: 85.7% Mismatches: 24
Query Match: 72.8% Indels: 10
DB: 2 Gaps: 3

US-10-048-116B-6_COPY_1_300 (1-300) x ARI175096 (1-1508)

Qy 1 MetAlaLeuGlnIleProSerLeuLeuLeuSerAlaAlaValValValLeuMetValLeu 20
Db 6 ATGGCTCTGCAGATCCCGAGCCCTCCCTCTCAGCTGCTGTGGTGGTGTGATGGTGTCTG 65
Qy 21 SerSerProGlyThrGluGlyGlyAenSerIleCysPheSerProSerLeuGluHisPro 40
Db 66 AGCAGCCCAAGGACCTTAAAGTATCTCTCAGGCTGTTCAACGCTGCTCACGCTGAA----- 119
```

```
Qy 41 IleValValSerGlySerTrpAapGlyGlyGlySerLeuValProArgGlySerGly 60
Db 120 ATCAACAAGACTCGTCTGCTACCGAGGGGGCGGAAGC-----GGCGGA 164
Qy 61 GlyGlyGlySerGluArgHisPheValValGlnPheLysGlyGluCysTyrTyrThrAsn 80
Db 165 GGGGGAAACTCCGAAAGGCATTTTCGTGGTCCAGTTCAAAGGGCGAGTGTACTACACCAAC 224
Qy 81 GlyThrGlnArgIleArgLeuValThrArgTyrTyrIleTyrAsnArgGluGluTyrValArg 100
Db 225 GGGACACAGCGCATACGGCTCGTGACCAATATCTACAACCGGGAGGAGTAGTGTGCGC 284
Qy 101 TyrAapSerAapValGlyGluTyrArgAlaValThrGluLeuGlyArgProAapAlaGlu 120
Db 285 TACGACAGCCAGCTGGCGGAGTACCCGCGGTGACCGAGCTGGGGCGCCAGACGCCGAG 344
Qy 121 TyrTrpAenSerGlnProGluLeuLeuGluArgThrArgAlaGluValAapThrAlaCys 140
Db 345 TACTGGAACAGCCAGCCGAGATCCTTGGAGCGAACCGCGCGAGGTGGACACGGCGTGC 404
Qy 141 ArgHisAenTyrGluGlyProGluThrSerThrSerLeuArgArgLeuGluGlnProAen 160
Db 405 AGACACAACTACGAGGGGCGGAGACAGCACCTCCCTGCGGGCGCTTGAACAGCCCAAT 464
Qy 161 ValAlaIleSerLeuSerArgThrGluAlaLeuAenHisAenThrLeuValCysSer 180
Db 465 GTGCCCATCTCCCTGTCCAGGACAGAGGCCCTCAACCAACCAACACTCTGGTCTGTTCG 524
Qy 181 ValThrAapPheTyrProAlaLysIleLysValArgTrpPheArgAenGlyGlnGluGlu 200
Db 525 GTGACAGATTCTTACCCAGCCAGATCAAAGTGGCTGGTTTCAGGAATGGCCAGGAGAG 584
Qy 201 ThrValGlyValSerSerThrGlnLeuLeuArgAenGlyAapThrPheGlnValLeu 220
Db 585 ACAGTGGGGTCTCATCCACACAGCTTATTAGGAATGGGACCTTCCAGGTCTCG 644
Qy 221 ValMetLeuGluMetThrProHisGlnGlyGluValTyrThrCysHisValGluHisPro 240
Db 645 GTCATGCTGGAGATGACCCCTCATCAGGAGAGGTCTACACCTGCCATGTGGAGCATCCC 704
Qy 241 SerLeuLysSerProIleThrValGluTrpArgAlaGlnSerGluSerAlaArgSerLys 260
Db 705 AGCCTGAAGAGCCCATCACTGTGGAGTGG-----ACTAGTGGTGGCGGTGGCAGC 755
Qy 261 GlyGlyGlyGlySer 265
Db 756 GCGCGTGGTGGTTCC 770
```

Search completed: June 30, 2006, 05:17:57

Job time : 6369.34 secs